



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| N1011 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N1012 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N1031 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N1032 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N3011 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N3012 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N3031 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N3032 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N3071 | Refer to N3072(V1.1 3.0_STD-1) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v2.4 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| N3072 | V1.13.0_ST D-1 | H.264 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt | Motion | None | v4.1 |
| N5012 | V1.01_STD-1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.16 |
| N5013 | V1.04_STD-1 | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.5 |
| N5071 | V1.02[BETA]_STD-1 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.1 |
| N6011 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6012 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6013 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6014 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6015 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| N6016 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6031 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6032 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6033 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6034 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6035 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6036 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6037 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N6038 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| N6072 | Refer to N6075(V1.0 5_STD-1) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.4 |
| N6073 | Refer to N6075(V1.0 5_STD-1) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.4 |
| N6074 | Refer to N6075(V1.0 5_STD-1) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.4 |
| N6075 | V1.05_STD-1 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v2.4 |
| N6076 | Refer to N6075(V1.0 5_STD-1) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.4 |
| N6077 | Refer to N6075(V1.0 5_STD-1) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.4 |
| N6082 | Refer to N9085(V1.0 5.0) | H.264 | 1 | Camera | 1600x1200 | N/N | - | - | Motion | Supported by design | v4.1 |
| N8011 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N8012 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| N8031 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N8032 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N8072 | V1.03_STD-1 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | - | - | Motion | None | v2.1 |
| N8072-C | V1.04.0_ST D-1 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | - | - | Motion | None | v4.1 |
| N9012 | None | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N9018 | V1.01_STD-1 | H.264 MJPEG | 1 | Fisheye Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.5 |
| N9032 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N9033 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| N9034 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|--------------------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| N9071 | V1.06_STD-1 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/N | - | - | Motion | None | v2.4 |
| N9073 | Refer to N3072(V1.1 3.0) | H.264 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| N9074 | Refer to N3072(V1.1 3.0) | H.264 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| N9082 | Refer to N9085(V1.0 5.0) | H.264 | 1 | Camera | 1600x1200 | N/N | - | - | Motion | Supported by design | v4.1 |
| N9085 | V1.05.0 | H.264 | 1 | Camera | 1600x1200 | N/N | - | - | Motion | None | v4.1 |
| S4071 | V1.04_STD-1 | H.264 MJPEG | 1 | Video Server | 704x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v2.9 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---------------------|--------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Generic | A1D-500-V6.05.23-AC | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.1 |
| Generic Server | H1.03.01 | H.264 MJPEG | 16 | Video Server | 2592x1944 | Y/Y | 16/16 | Pan Tilt Zoom | Motion | None | v4.5 |
| ACD2000Q | V3.04.08 | MJPEG MPEG4 | 4 | Video Server | 720x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Test by link | v2.15 |
| ACD2100 | A1D-220-V3.08.08-AC | MJPEG MPEG4 | 1 | Video Server | 720x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.0 |
| ACD2200 | A4D-R2N-V2.05.02-AC | MJPEG MPEG4 | 4 | Video Server | 720x480 | Y/Y | 8/8 | Pan Tilt Zoom | Motion | None | v1.0 |
| ACD2300 | None | MJPEG MPEG4 | 8 | Video Server | 720x480 | Y/Y | 16/16 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| ACD2400 | AGD-R2N-V2.05.02-AC | MJPEG MPEG4 | 16 | Video Server | 720x480 | Y/Y | 32/32 | Pan Tilt Zoom | Motion | None | v1.0 |
| ACM1011 | A1D-220-V3.10.22-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | None | v1.0 |
| ACM1231 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v1.0 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| ACM1232 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM1311 | None | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM1431 | None | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM1432 | None | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM1511 | A1D-220-V3.11.13-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | None | v1.0 |
| ACM3001 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM3011 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM3211 | None | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| ACM3311 | None | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------|----------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| ACM3401 | A1D-220-V3.10.22-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | None | v1.0 |
| ACM3411 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM3511 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM3601 | A1D-220-V3.10.22-AC | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.2 |
| ACM3603 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.2 |
| ACM3701 | A1D-220-V3.10.22-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v1.2 |
| ACM3703 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v1.2 |
| ACM4000 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM4001 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.2 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------|----------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| ACM4100 | A1D-220-V3.09.14-AC | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | None | v1.0 |
| ACM4200 | A1D-220-V3.11.13-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | None | v1.0 |
| ACM4201 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| ACM5001 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | 1/1 | Motion | Supported by design | v1.0 |
| ACM5601 | A1D-220-V3.08.08-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | 1/1 | Motion | None | v1.0 |
| ACM5611 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | 1/1 | Motion | Supported by design | v1.0 |
| ACM5711 | A1D-220-V3.08.08-AC | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | - | 1/1 | Motion | None | v1.0 |
| ACM5811 | A1D-220-V3.12.13-AC | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 1/1 | - | Motion | None | v1.7 |
| ACM7411 | A1D-220-V3.09.14-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | 1/1 | Motion | None | v1.0 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| ACM7511 | A1D-220-V3.12.13-AC | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 1/1 | - | Motion | None | v1.7 |
| ACM8201 | A1D-220-V3.10.22-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| ACM8211 | A1D-220-V3.09.14-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| ACM8511 | A1D-220-V3.11.13-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| AMU9401 | A1D-220-V3.10.22-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Test by link | v1.1 |
| AMU9711 | A1D-220-V3.10.22-AC | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Test by link | v1.1 |
| B27 | Refer to B47(V6.08.30) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v3.12 |
| B47 | V6.08.30 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | None | v3.12 |
| B53 | V6.06.16 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v3.5 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| B61 | V6.08.30 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | Zoom | Motion | None | v3.12 |
| B67 | V6.06.16 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | Zoom | Motion | None | v3.5 |
| B81 | Refer to B61(V6.08.30) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | Zoom | Motion | Supported by design | v3.12 |
| B94 | V6.06.16 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.5 |
| B95 | A1D-500-V6.05.23-AC | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.11 |
| B97 | V6.07.23 | H.264 MJPEG | 1 | Camera | 3648x2736 | N/N | - | - | Motion | None | v3.7 |
| CAM5130 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.2 |
| CAM5140 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.2 |
| CAM5150 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.2 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| CAM5200 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| CAM5221 | A1D-M2N-V2.08.11-AC | MPEG4 | 1 | Camera | 720x480 | Y/N | 1/1 | - | Motion | None | v1.0 |
| CAM5500 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| CAM6100 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.2 |
| CAM6200 | A1D-2.07.14-AC | MPEG4 | 1 | Camera | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | None | v1.0 |
| CAM6220 | A1D-2.07.14-AC | MPEG4 | 1 | Camera | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | None | v1.0 |
| CAM6500 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| CAM6510 | A1D-M2N-V2.08.11-AC | MPEG4 | 1 | Camera | 720x480 | Y/N | 2/2 | Pan Tilt Zoom | Motion | None | v1.0 |
| CAM6600 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| CAM6620 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| CAM7100 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| CAM7120 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| CAM7200 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| CAM7220 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| CAM7300 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| CAM7320 | None | MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| D11 | V6.02.03 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| D12 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| D21 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.14 |
| D22 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |
| D31 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.14 |
| D32 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| D41 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| D42 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| D51 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| D52 | V6.02.03 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v2.12 |
| D54 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| D55 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| D61 | V6.03.17 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v2.14 |
| D62 | Refer to E84(V6.02.03) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v2.13 |
| D64 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| D65 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| D71 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| D72 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| D72A | Refer to Generic(A1D-500-V6.05.23-AC) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v4.1 |
| D81 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| D82 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| D82A | Refer to Generic(A1D-500-V6.05.23-AC) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v4.1 |
| E11 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E12 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E13 | V6.02.03 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | None | v2.13 |
| E21 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E22 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |
| E23 | Refer to E84(V6.02.03) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v2.13 |
| E24 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| E25 | Refer to D61(V6.03.17) | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.14 |
| E26 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E31 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E32 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E33 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |
| E34 | V6.02.03 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v2.13 |
| E41 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E42 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E43 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| E44 | Refer to E84(V6.02.03) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v2.13 |
| E45 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E46 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E46A | v6.08.30 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v4.7 |
| E51 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E52 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E53 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E54 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |
| E55 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| E56 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E61 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E62 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E63 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |
| E64 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E65 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E66 | Refer to D61(V6.03.17) | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.14 |
| E67 | Refer to E84(V6.02.03) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v2.13 |
| E71 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| E72 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E73 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |
| E74 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E81 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E82 | A1D-500-V6.07.24-AC | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v3.11 |
| E83 | Refer to E13(V6.02.03) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Supported by design | v2.13 |
| E84 | V6.02.03 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v2.13 |
| E85 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E86 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------------------------|--------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| E86A | Refer to E46A(v6.08.30) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v4.7 |
| E87 | Refer to E34(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.13 |
| E91 | Refer to D11(V6.02.03) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.12 |
| E92 | Refer to D52(V6.02.03) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v2.12 |
| E925 | A1D-500-V6.09.07-AC | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/N | - | - | Motion | None | v4.5 |
| E95 | V6.06.16 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.4 |
| E96 | A1D-500-V6.05.23-AC | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | N/N | - | - | Motion | None | v3.1 |
| E97 | V6.07.23 | H.264 MJPEG | 1 | Camera | 3648x2736 | N/N | - | - | Motion | None | v3.7 |
| I51 | Refer to I71(A1D-500-V6.06.16-AC) | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v3.2 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---------------------|-------------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| I71 | A1D-500-V6.07.24-AC | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v3.10 |
| I92 | v6.08.30 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v3.13 |
| I94 | V6.06.16 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.5 |
| I96 | v6.08.30 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v4.7 |
| KCM3211 | A1D-311-V5.04.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1920 | Y/Y | 2/2 | Zoom | Motion | None | v1.0 |
| KCM3311 | A1D-311-V5.05.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1920 | N/N | - | Zoom | Motion | None | v2.2 |
| KCM3911 | V5.10.02 | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | None | v2.15 |
| KCM5111 | A1D-311-V5.01.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | Zoom | Motion | None | v1.19 |
| KCM5211 | A1D-311-V5.05.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v2.2 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------------------|-------------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| KCM5211E | Refer to KCM5211(A1D-311-V5.05.07-AC) | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.19 |
| KCM5311 | A1D-311-V5.01.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.14 |
| KCM5311E | Refer to KCM5311(A1D-311-V5.01.07-AC) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.19 |
| KCM5511 | V5.12.12 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Zoom | Motion | None | v3.10 |
| KCM5611 | V5.12.12 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v4.1 |
| KCM7111 | A1D-311-V5.01.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1920 | Y/Y | 2/2 | - | Motion | None | v1.13 |
| KCM7211 | A1D-311-V5.01.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1920 | Y/Y | 2/2 | Zoom | Motion | None | v1.14 |
| KCM7311 | A1D-311-V5.05.07-AC | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1920 | Y/Y | 2/2 | Zoom | Motion | None | v2.2 |
| KCM7911 | V5.10.02 | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | None | v2.15 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------------------------|-------------------------|----------|-----------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| KCM8111 | V5.10.02 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v2.14 |
| KCM8211 | Refer to KCM8111(V5 .10.02) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v2.14 |
| SED2100 | None | MPEG4 | 1 | Video Server | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| SED2120 | A1D-M2N- V2.08.11-AC | MPEG4 | 1 | Video Server | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | None | v1.0 |
| SED2140 | None | MPEG4 | 1 | Video Server | 720x480 | Y/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| SED2310 | None | MPEG4 | 1 | Video Server | 720x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| SED2320 | None | MPEG4 | 1 | Camera | 720x480 | Y/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| SED2400 | None | MPEG4 | 1 | Video Server | 720x480 | Y/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| SED2420 | A1D-220- V3.08.08-AC | MPEG4 | 1 | Video Server | 720x480 | Y/N | 2/2 | Pan Tilt Zoom | Motion | None | v1.0 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------|-------------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SED2600 | None | MPEG4 | 1 | Video Server | 720x480 | Y/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| SED2610 | None | MPEG4 | 1 | Video Server | 720x480 | Y/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| SEM1110 | None | MPEG4 | 1 | Camera | 720x480 | Y/N | - | - | Motion | Supported by design | v1.0 |
| TCD2100 | A1D-310-V4.06.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | N/N | 1/1 | Pan Tilt Zoom | Motion | None | v1.7 |
| TCD2500 | A1D-310-V4.09.17-AC | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.14 |
| TCM1111 | A1D-310-V4.12.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v2.4 |
| TCM1231 | A1D-220-V4.06.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.2 |
| TCM1232 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.2 |
| TCM1511 | A1D-310-V4.06.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.3 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| TCM3001 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.7 |
| TCM3011 | A1D-310-V4.07.15-AC | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.7 |
| TCM3111 | A1D-310-V4.12.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v2.4 |
| TCM3401 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.7 |
| TCM3411 | A1D-310-V4.06.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.7 |
| TCM3511 | A1D-220-V4.06.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.2 |
| TCM4001 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.11 |
| TCM4101 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.2 |
| TCM4201 | A1D-310-V4.08.05-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.7 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| TCM4301 | A1D-310-V4.05.13-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | None | v1.0 |
| TCM4511 | A1D-310-V4.12.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v2.4 |
| TCM5001 | A1D-310-V4.07.15-AC | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.7 |
| TCM5111 | A1D-310-V4.12.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v2.4 |
| TCM5312 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v1.2 |
| TCM5601 | A1D-220-V4.06.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.2 |
| TCM5611 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.2 |
| TCM6630 | A1D-310-V4.12.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v2.4 |
| TCM7011 | A1D-310-V4.06.09-AC | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.7 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------|-------------------------|----------|--------------|----------------|--------------|--------|---------------------|--------------------|---------------------|--------------------|
| TCM7411 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.2 |
| TCM7811 | A1D-310-V4.07.15-AC | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | None | v1.8 |
| TMU9811 | A1D-310-V4.07.10-NB | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Test by link | v1.1 |
| TMU9911 | A1D-310-V4.07.10-NB | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Test by link | v1.1 |
| V21 | H1.03.01 | H.264 MJPEG | 1 | Camera | 960x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.5 |
| V23 | H1.03.01 | H.264 MJPEG | 4 | Video Server | 960x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v4.5 |
| V24 | H1.03.28 | H.264 MJPEG | 4 | Video Server | 960x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion / Record | None | v5.10 |
| V32 | H2.02.31 | H.264 MJPEG | 16 | Video Server | 960x576 | Y/Y | 16/16 | Pan Tilt Zoom | Motion | None | v4.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| ADKID134 RT | Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | - | Motion | None | v4.0 |
| ADKID204 VRT | Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | - | Motion | None | v4.0 |
| ADKID207 RT | Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | - | Motion | None | v4.0 |
| ADKID207 VRT | Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | - | Motion | None | v4.0 |
| ADKIL134RT | Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | - | Motion | None | v4.0 |
| ADKIL207RT | Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 2/2 | - | Motion | None | v4.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------------|--------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| AD-AGB8025-SD4F | Refer to AMU8030(eh20160719NSZ) | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| AD-TGB3020-AW4FZ | Refer to TSD3012(V1.2.1.50B16101314) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| AMH3025 | eh20160719NSP | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v5.4 |
| AMU8030 | eh20160719NSZ | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v5.4 |
| TSD3012 | V1.2.1.50B16101314 | H.264 MJPEG | 1 | Camera | 2048X1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v5.3 |
| TXB3020 | Refer to TSD3012(V1.2.1.50B16101314) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| ZH2030R-AW | 2.1.0.3.1.19_0.55.2 | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/0 | Pan Tilt Zoom | Motion | Test by link | v5.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|-------------------------|----------|-----------------|----------------|--------------|--------|---------------------|--------------|---------|--------------------|
| ADC-V520 | 0100h | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | None | v3.1 |
| ADC-V620PT | 0102b | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | N/N | - | Pan Tilt Zoom | Motion | None | v3.1 |
| ADC-VS420 | VS8401- ALARM- 0100d | H.264 MPEG4 MJPEG | 4 | Video Server | 720x576 | N/N | 4/4 | Pan Tilt Zoom | Motion | None | v3.1 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------|--------------------|
| ADCi600-D131 | AD00-00-15-11 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 2/1 | Zoom | Motion | None | v2.11 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------------|-------------------------|----------|-------------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| AM2816T | V6.M.2.1277 9 | H.264 MPEG4 MJPEG | 1 | Fisheye Camera | 1536x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.2 |
| AM2030D | Refer to AM2590D(6. D.2.7181) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v2.7 |
| AM2110D | 6.B.2.7248 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | - | - | - | None | v1.17 |
| AM2120D | V6.M.2.1277 9 | H.264 MPEG4 MJPEG | 1 | Camera | 1536x1536 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v3.2 |
| AM2221D | Refer to AM2231D(6. C.2.7107) | H.264 MPEG4 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v2.7 |
| AM2231D | 6.C.2.7107 | H.264 MPEG4 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt | - | None | v1.17 |
| AM2530D | Refer to AM2590D(6. D.2.7181) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v2.7 |
| AM2570D | Refer to AM2590D(6. D.2.7181) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v2.7 |
| AM2590D | 6.D.2.7181 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | - | None | v1.17 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-------------|--------------|---------------------|--------------------|
| AM2630D | Refer to AM2590D(6. D.2.7181) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v2.7 |
| AM2730D | Refer to AM2590D(6. D.2.7181) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v2.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|---|--------------|----------|----------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| Generic | None | H.264 MJPEG | 4 | Fisheye Camera | 2592x1944 | Y/N | 1/1 | Zoom | Motion | None | v3.0 |
| Note: | Support generic dewarp Generic test model: AV5245 and AV12186 1. Fps would not meet setting due to camera performance. 2. Audio function possible doesn't work after connect/disconnect, and need to reboot camera to recover. | | | | | | | | | | |
| AV10005 | 65147 | H.264 MJPEG | 1 | Camera | 3648x2752 | N/N | - | - | Motion | None | v1.3 |
| AV10115 | 65225 | H.264 MJPEG | 1 | Camera | 3648x2752 | N/N | 1/1 | - | Motion | None | v3.2 |
| AV10225 | Refer to AV10115(65225) | H.264 MJPEG | 1 | Camera | 3648x2752 | N/N | 1/1 | - | Motion | Supported by design | v3.2 |
| AV10255 | Refer to AV10115(65225) | H.264 MJPEG | 1 | Camera | 3648x2752 | N/N | 1/1 | - | Motion | Supported by design | v3.2 |
| AV10255P MTIR | 65228 | H.264 MJPEG | 1 | Camera | 3648x2752 | N/N | 1/1 | Zoom | Motion | None | v3.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|-------------------------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| AV10256P MTIR | Refer to AV10255PM TIR(65228) | H.264 MJPEG | 1 | Camera | 3648x2752 | N/N | 1/1 | Zoom | Motion | Supported by design | v3.5 |
| AV1115 | 65225 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | None | v3.1 |
| AV1125 | Refer to AV1115(65225) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV1145 | Refer to AV1115(65225) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV12186 | 65184 | H.264 MJPEG | 4 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | None | v2.14 |
| AV12186DN | Refer to AV12186(65184) | H.264 MJPEG | 4 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Supported by design | v3.7 |
| AV12366DN | 65188 | H.264 MJPEG | 4 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | None | v3.5 |
| AV1255 | Refer to AV1115(65225) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV1300 | 64328 | MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| AV1305 | Refer to AV1115(65225) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV1310 | None | MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v1.2 |
| AV1315 | 65191 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | None | v1.9 |
| AV1325 | 65192 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | None | v1.10 |
| AV1355 | 65130 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v1.0 |
| AV1455 | Refer to AV1115(65225) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV2000 | 64328 | MJPEG | 1 | Camera | 1600x1200 | N/N | - | - | Motion | None | v1.0 |
| AV20175DN | 65188 | H.264 MJPEG | 4 | Camera | 2560x1920 | N/N | 1/1 | - | Motion | None | v3.6 |
| AV20185 | 65174 | H.264 MJPEG | 4 | Camera | 2592x1944 | N/N | 1/1 | - | Motion | None | v1.15 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| AV20365 | 65170 | H.264 MJPEG | 4 | Camera | 2592x1944 | N/N | 1/1 | - | Motin | None | v2.8 |
| AV2100 | 64328 | MJPEG | 1 | Camera | 1600x1200 | N/N | - | - | Motion | None | v1.0 |
| AV2110 | None | MJPEG | 1 | Camera | 1600x1200 | N/N | - | - | Motion | Supported by design | v1.2 |
| AV2115 | 65225 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v3.1 |
| AV2116 | Refer to AV2115(65218) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.0 |
| AV2125 | 65199 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v1.14 |
| AV2146 | Refer to AV2115(65225) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV2155 | 65225 | H.264 MJPEG | 1 | Camera | 1600x1200 | N/N | - | - | Motion | None | v1.0 |
| AV2225 | Refer to AV2115(65225) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| AV2226 | Refer to AV2115(652 25) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV2245 | Refer to AV2115(652 25) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV2246 | Refer to AV2115(652 25) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV2255 | 65218 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | None | v2.16 |
| AV2256 | Refer to AV2255(652 19) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | Supported by design | v2.20 |
| AV2455 | 65220 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v2.18 |
| AV2456 | Refer to AV2455(652 20) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v2.20 |
| AV2805 | Refer to AV2115(652 25) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV2815 | 65191 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v1.9 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| AV2825 | 65192 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v1.10 |
| AV3100 | 64328 | MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v1.0 |
| AV3100M | 64327 | MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | None | v4.1 |
| AV3105 | Refer to AV3115(65225) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV3110 | None | MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v1.2 |
| AV3115 | 65225 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v3.1 |
| AV3116 | 65219 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Test by link | v2.15 |
| AV3125 | 65218 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 0/1 | - | Motion | None | v2.17 |
| AV3130 | 61906 | MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| AV3135 | 65153 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | None | v1.17 |
| AV3145 | Refer to AV3146(65219) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | Supported by design | v3.0 |
| AV3146 | 65219 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | None | v2.13 |
| AV3155 | 65113 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v1.0 |
| AV3225 | Refer to AV3115(65225) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV3226 | Refer to AV3115(65225) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV3245 | Refer to AV3115(65225) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV3246 | Refer to AV3115(65225) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v3.1 |
| AV3255 | 65218 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v2.9 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| AV3256 | 65219 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | None | v2.13 |
| AV3455 | Refer to AV3105(65225) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Supported by design | v3.2 |
| AV3456 | 65220 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Test by link | v2.19 |
| AV40185 | 65186 | H.264 MJPEG | 4 | Camera | 3648x2752 | N/N | 1/1 | - | Motion | None | v2.17 |
| AV5100 | 61906 | MJPEG | 1 | Camera | 2592x1944 | N/N | - | - | Motion | None | v1.0 |
| AV5105 | 64331 | H.264 MJPEG | 1 | Camera | 2592x1944 | N/N | 1/1 | - | Motion | None | v1.0 |
| AV5110 | None | MJPEG | 1 | Camera | 2560x1920 | N/N | - | - | Motion | Supported by design | v1.2 |
| AV5115 | 65225 | H.264 MJPEG | 1 | Camera | 2560Xx1600 | N/N | 1/1 | - | Motion | None | v3.3 |
| AV5125 | 65199 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | None | v1.14 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|----------------|----------------|--------------|--------|---------------|--------------|--------------|--------------------|
| AV5155 | 65113 | H.264 MJPEG | 1 | Camera | 2592x1944 | N/N | - | - | Motion | None | v1.0 |
| AV5245 | 65221 | H.264 MJPEG | 1 | Camera | 2592x1944 | N/N | 1/1 | Pan Tilt Zoom | Motion | None | v3.0 |
| AV5245DN | 65229 | H.264 MJPEG | 4 | Fisheye Camera | 2560x1920 | N/N | 1/1 | - | Motion | None | v3.6 |
| AV5255 | 65218 | H.264 MJPEG | 1 | Camera | 2592x1944 | N/N | 1/1 | Zoom | Motion | None | v2.16 |
| AV5455 | 65220 | H.264 MJPEG | 1 | Camera | 2560x1920 | N/N | 1/1 | - | Motion | Test by link | v2.19 |
| AV8180 | 65010 | MJPEG | 4 | Camera | 1600x1200 | N/N | - | - | Motion | None | v1.0 |
| AV8185 | 65026 | H.264 MJPEG | 4 | Camera | 1600x1200 | N/N | - | - | Motion | None | v1.0 |
| AV8185DN | 65183 | H.264 MJPEG | 4 | Camera | 1600x1200 | N/N | - | - | Motion | None | v2.16 |
| AV8360 | 65010 | MJPEG | 4 | Camera | 1600x1200 | N/N | - | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| AV8365 | 65026 | H.264 MJPEG | 4 | Camera | 1600x1200 | N/N | - | - | Motion | None | v1.0 |
| AV8365DN | 65183 | H.264 MJPEG | 4 | Camera | 1600x1200 | N/N | 1/1 | - | Motion | None | v2.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| FB2027-1 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB2027-2 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB2027-3 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB2028 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB2028-T1 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB2028-T2 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB2028TM | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB3027 | 2.5.1057.60 | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | None | v2.20 |
| FB3028-RT1 | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| FB3028-RT2 | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FB3028-RTM | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FD2020 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FD3020 | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FD3020-M | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FV2006 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FV2028 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FV3000-R | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FV3028 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| FV3028-RT | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FV3028-RTM | Refer to FB3027(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| FX2000 | 2.5.1057.60 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | None | v2.20 |
| SF2121H-BHR-30 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| SF2121H-BHR-50 | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |
| SF2121H-R | Refer to FX2000(2.5.1057.60) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v2.20 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Generic | None | H.264 MJPEG | 4 | Camera | 2592x1944 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v2.5 |
| Note: | Only guarantee stream works fine. | | | | | | | | | | |
| 205 | 4.05 | MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.0 |
| 206 | None | MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| 206M | None | MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v1.0 |
| 206W | None | MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| 207 | 4.4 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | None | v1.0 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| 207MW | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| 207W | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| 209FD | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| 209FD-R | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| 209MFD | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| 209MFD-R | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| 210 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| 2100 | 2.31 | MJPEG | 1 | Camera | 640x480 | N/N | - | - | - | Test by link | v4.7 |
| 210A | 4.4 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| 211 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| 211A | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| 211M | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| 211W | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| 212 PTZ-V | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| 214 | 4.49 | MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.18 |
| 215 PTZ-E | None | MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| 216FD | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| 216FD-V | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|----------------|----------|--------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| 216MFD | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| 216MFD-V | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| 221 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 2/1 | - | Motion | Supported by design | v1.0 |
| 223M | None | MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 2/1 | - | Motion | Supported by design | v1.0 |
| 225FD | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 2/1 | - | Motion | Supported by design | v1.0 |
| 231D | None | MJPEG MPEG4 | 1 | Camera | 704x576 | N/N | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| 232D | None | MJPEG MPEG4 | 1 | Camera | 704x576 | N/N | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| 233D | None | MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| 2400 | None | MJPEG | 4 | Video Server | 704x576 | N/N | 4/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------|----------------|----------|--------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| 240Q | None | MJPEG | 4 | Video Server | 704x576 | N/N | 4/4 | - | Motion | Supported by design | v1.0 |
| 240Q Blade | None | MJPEG | 4 | Video Server | 704x576 | N/N | 4/4 | - | Motion | Supported by design | v1.9 |
| 241Q | None | MJPEG MPEG4 | 4 | Video Server | 704x576 | N/N | 4/4 | - | Motion | Supported by design | v1.9 |
| 241Q Blade | None | MJPEG MPEG4 | 4 | Video Server | 704x576 | N/N | 4/4 | - | Motion | Supported by design | v1.9 |
| 241QA | 4.3 | MJPEG MPEG4 | 4 | Video Server | 704x576 | Y/N | 4/4 | - | Motion | None | v1.9 |
| 241S | None | MJPEG MPEG4 | 1 | Video Server | 704x576 | N/N | 4/4 | - | Motion | Supported by design | v1.9 |
| 241S Blade | None | MJPEG MPEG4 | 4 | Video Server | 704x576 | N/N | 4/4 | - | Motion | Supported by design | v1.9 |
| 241SA | None | MJPEG MPEG4 | 1 | Video Server | 704x576 | Y/N | 4/4 | - | Motion | Supported by design | v1.9 |
| 242S | None | MJPEG MPEG4 | 1 | Video Server | 704x576 | N/N | 4/4 | - | Motion | Supported by design | v1.9 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|--------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| 243Q | None | MJPEG MPEG4 | 1 | Video Server | 704x576 | N/N | 1/1 | - | Motion | Supported by design | v1.9 |
| 243Q Blade | None | MJPEG MPEG4 | 1 | Video Server | 704x576 | N/N | 1/1 | - | Motion | Supported by design | v1.9 |
| 243SA | None | MJPEG MPEG4 | 1 | Video Server | 704x576 | Y/Y | 4/4 | - | Motion | Supported by design | v1.9 |
| 2460 | None | MJPEG | 4 | Video Server | 704x576 | N/N | 4/1 | - | Motion | Supported by design | v1.9 |
| 247S | None | MJPEG MPEG4 | 1 | Video Server | 704x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.9 |
| F41 | 5.85.3 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/4 | - | Motion | Test by link | v4.9 |
| F44 | 5.85.3 | H.264 MJPEG | 4 | Video Server | 1920x1080 | Y/Y | 4/4 | - | Motion | Test by link | v4.9 |
| M1004-W | 5.40.5.1 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v3.4 |
| M1011 | 5 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | None |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| M1011-W | 5 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | None |
| M1013 | 5.40.5.1 | H.264 MJPEG | 1 | Camera | 800x500 | N/N | - | - | Motion | None | v2.9 |
| M1014 | 5.40.5 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | None | v2.6 |
| M1025 | 5.40.5 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.7 |
| M1031-W | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/0 | - | Motion | Supported by design | v1.0 |
| M1034-W | 5.40beta1 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | None | v2.6 |
| M1054 | 5.15.1 | H.264 MJPEG | 1 | Camera | 1024x600 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Test by link | v1.3 |
| M1103 | 5.08 | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v1.3 |
| M1104 | 5.40.9.2 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | Zoom | Motion | None | v1.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| M1113 | 5.08 | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v1.3 |
| M1114 | 5.08 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | Zoom | Motion | None | v1.2 |
| M1125 | 5.75.3.3 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Test by link | v4.15 |
| M1143-L | 5.40beta19 | H.264 MJPEG | 1 | Camera | 800x600 | N/N | 1/1 | - | Motion | None | v2.6 |
| M1144-L | 5.40.10.4 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v2.6 |
| M1354 | 5.60.1 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v3.12 |
| M2014 | Refer to P1204(5.40.12) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | Supported by design | v2.19 |
| M2025-LE | 8.30.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v18.9 |
| M3004 | 5.50.5.1 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Test by link | v3.12 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|--------------------------|-------------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| M3005 | 5.40.5.3 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v2.7 |
| M3006 | 5.40.13 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v2.9 |
| M3007 | 5.55.1.1 | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | N/N | - | Pan Tilt Zoom | Motion | None | v3.4 |
| M3011 | 5.01 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.0 |
| M3014 | None | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Supported by design | v1.0 |
| M3024-L | 5.40.5 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v2.20 |
| M3025 | 5.50.5.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v3.12 |
| M3026 | Refer to M3024-L(5.40.5) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Supported by design | v3.0 |
| M3027 | Refer to M3007(5.55.1.1) | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v3.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------|--------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| M3037 | 5.75.1 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | - | - | Motion | Test by link | v4.9 |
| M3044-V | v6.15.1 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Test by link | v4.15 |
| M3045-V | v6.15.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.15 |
| M3047-P | 7.15.2.2 | H.264 MJPEG | 1 | Fisheye Camera | 2048x2048 | N/N | - | - | Motion | Test by link | v18.5 |
| M3113-R | None | H.264 MJPEG | 1 | Camera | 800x600 | N/N | - | - | Motion | Supported by design | v1.0 |
| M3113-VE | None | H.264 MJPEG | 1 | Camera | 800x600 | N/N | - | - | Motion | Supported by design | v1.0 |
| M3114-R/VE | 5.12.1 | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Test by link | v1.15 |
| M3203 | None | H.264 MJPEG | 1 | Camera | 800x600 | N/N | - | - | Motion | Supported by design | v1.2 |
| M3204 | None | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Supported by design | v1.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|--------------|--------------------|
| M5013 | 5.25.2 | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | - | Pan Tilt Zoom | Motion | Test by link | v1.13 |
| M5014 | 5.30.3.4 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | - | Pan Tilt Zoom | Motion | Test by link | v5.0 |
| M5525-E | 8.20.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v18.7 |
| M7001 | 5.01 | H.264 MJPEG | 1 | Video Server | 720x480 | N/N | - | Pan Tilt Zoom | Motion | None | v1.2 |
| M7010 | 5.40.6.1 | H.264 MJPEG | 4 | Video Server | 720x576 | N/N | - | Pan Tilt Zoom | Motion | None | v2.17 |
| M7014 | 5.40.7.1 | H.264 MJPEG | 4 | Video Server | 720x576 | N/N | - | Pan Tilt Zoom | Motion | None | v2.6 |
| M7016 | 5.51.2.5 | H.264 MJPEG | 4 | Video Server | 720x576 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v5.2 |
| P1204 | 5.40.12 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | None | v2.9 |
| P1214 | 5.40.12 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | None | v2.17 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| P1214-E | 5.40.12 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | Test by link | v4.7 |
| P1311 | 5.01 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| P1343 | None | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| P1343-E | None | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| P1344 | 5.06 | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| P1344-E | None | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| P1346 | 5.22 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v1.13 |
| P1346-E | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| P1347 | 5.11 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Test by link | v1.10 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|-------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| P1353-E | Refer to P1354(5.40.14) | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v3.1 |
| P1354 | 5.40.14 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.9 |
| P1355-E | Refer to P1354(5.40.14) | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v3.1 |
| P1357 | 5.40.19.1 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt | Motion | Test by link | v3.1 |
| P1364 | 6.30.1 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | - | Pan Tilt Zoom | Motion | Test by link | v5.2 |
| P1365 | v5.75.3.3 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v4.14 |
| P1365 Mk II | 8.30.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v18.8 |
| P1367 | 8.20.1.1 | H.264 MJPEG | 1 | Camera | 3072x1728 | Y/Y | 1/1 | Zoom | Motion | Test by link | v18.7 |
| P1405-LE | 5.80.1.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | Test by link | v4.14 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-----------------------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| P1425-E | Refer to P1425-LE(5.80.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | Supported by design | v4.6 |
| P1425-LE | 5.80.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | Test by link | v4.4 |
| P1427-LE | 5.80.1 | H264 MJPEG | 1 | Camera | 2592x1944 | N/N | 1/1 | Zoom | Motion | Test by link | v4.6 |
| P1428-E | 5.55.5.1 | H264 MJPEG | 1 | Camera | 3840x2160 | N/N | 1/1 | Zoom | Motion | Test by link | v3.11 |
| P1435-LE | 8.20.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | Test by link | v18.6 |
| P3214-V | 5.55.3.2 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | 4/4 | Zoom | Motion | Test by link | v3.13 |
| P3215-V | 5.55.3.2 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | Zoom | Motion | Test by link | v3.13 |
| P3224 | Refer to P3224-LV(5.75.3.1) | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | Zoom | Motion | Supported by design | v4.9 |
| P3224-LV | 5.75.3.1 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | Zoom | Motion | Test by link | v4.9 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| P3225 | Refer to P3225-LVE(5.75.3.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | Test by link | v4.8 |
| P3225-LV Mk II | 8.20.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | Test by link | v18.8 |
| P3225-LVE | 5.75.3.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | None | v4.8 |
| P3301 | 5.11 | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| P3301-V | None | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| P3304 | None | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v1.2 |
| P3343 | 5.06 | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| P3344 | 5.06 | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| P3346 | 5.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| P3353 | 5.40.17 | H.264 MJPEG | 1 | Camera | 800x600 | Y/N | 1/1 | - | Motion | None | v2.17 |
| P3354 | 5.40.10.2 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | 1/1 | - | Motion | Test by link | v2.2 |
| P3363 | 5.40.17.1 | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | - | Motion | Test by link | v3.8 |
| P3364 | 5.40.10.2 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v2.2 |
| P3364-L | 5.60.1.4 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | Zoom | Motion | Test by link | v4.4 |
| P3364-LV | Refer to P3364-L(5.60.1.4) | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.4 |
| P3365 | 5.55.3.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Test by link | v4.3 |
| P3365-V | Refer to P3365(5.55.3.2) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.3 |
| P3365-VE | Refer to P3365(5.55.3.2) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|--------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| P3367 | 5.40.3 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Test by link | v2.1 |
| P3384 | 5.40.19 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v3.7 |
| P3905 | 5.55.3 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.3 |
| P3905-R | Refer to P3905(5.55.3) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.3 |
| P3905-RE | Refer to P3905(5.55.3) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.3 |
| P3915 | 5.55.3 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Test by link | v4.3 |
| P3915-R | Refer to P3915-R(5.55.3) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v4.3 |
| P5414 | 5.55.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v2.20 |
| P5415 | Refer to P5414(5.55.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| P5512 | 5.25 | H.264 MJPEG | 1 | Camera | 704x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v1.13 |
| P5512-E | Refer to P5512(5.25) | H.264 MJPEG | 1 | Camera | 704x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.13 |
| P5514 | 5.85.1 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v4.6 |
| P5522 | 5.25 | H.264 MJPEG | 1 | Camera | 704x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v1.13 |
| P5522-E | Refer to P5522(5.25) | H.264 MJPEG | 1 | Camera | 704x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.13 |
| P5532 | 5.15 | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v1.10 |
| P5532-E | Refer to P5532(5.15) | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.10 |
| P5534 | 5.15.1 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v1.2 |
| P5534-E | Refer to P5534(5.15.1) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| P5544 | 5.41.2.2 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v3.12 |
| P5624 | Refer to P5624-E(5.75.1) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| P5624-E | 5.75.1 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v4.4 |
| P5635 | Refer to P5635-E(5.75.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| P5635-E | 6.20.1.4 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v5.13 |
| P7210 | 5.50.2 | H.264 MJPEG | 5 | Video Server | 1536x1152 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v3.0 |
| P7214 | 5.50.4.9 | H.264 MJPEG | 5 | Video Server | D1 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v18.5 |
| P7224 | 5.40.7 | H.264 MJPEG | 4 | Video Server | 720x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v2.6 |
| P8221 | 5.10.2 | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 8/8 | - | Motion | Test by link | v2.12 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| P8513 | Refer to P8514(5.21) | H.264 MPEG4 | 1 | Camera | 800x600 | N/N | - | - | Motion | Supported by design | v2.2 |
| P8514 | 5.21 | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | Test by link | v2.1 |
| Q1602 | 5.40.3 | H.264 MJPEG | 1 | Camera | 768x576 | Y/Y | 1/1 | - | Motion | Test by link | v2.1 |
| Q1604 | 5.11.1 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | None | v2.6 |
| Q1614 | 5.55.1 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v3.8 |
| Q1615 | 5.55.3 | H.264 MJPEG | 1 | Camera | 1920x1200 | Y/Y | 1/1 | - | Motion | Test by link | v3.8 |
| Q1635 | 5.80.1.2 | H.264 MJPEG | 1 | Camera | 1920x1200 | Y/Y | 2/0 | - | Motion | Test by link | v4.7 |
| Q1755 | 5.02 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.9 |
| Q1755-E | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Q1765-LE | 5.55.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Zoom | Motion | None | v2.20 |
| Q1910 | 5.15.1 | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.2 |
| Q1910-E | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.2 |
| Q1921 | 5.20.1 | H.264 MJPEG | 1 | Camera | 768x576 | Y/Y | 2/2 | - | Motion | Test by link | v2.1 |
| Q1931-E | 5.55.1 | H.264 MJPEG | 1 | Camera | 768x576 | Y/Y | 2/2 | - | Motion | Test by link | v3.1 |
| Q2901-E | 5.55.4.1 | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | - | - | Motion | Test by link | v4.7 |
| Q3505 | 5.80.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Zoom | Motion | Test by link | v4.3 |
| Q3505-V | Refer to Q3505(5.80.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Zoom | Motion | Supported by design | v4.6 |
| Q3708-PVE | 5.95.4.2 | H.264 MJPEG | 3 | Camera | 2560x1920 | N/N | - | - | Motion | Test by link | v5.11 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--------------------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Q6000 | Refer to Q6000-E(5.65.1) | H.264 MJPEG | 1 | Camera | 1920x1440 | Y/Y | - | - | Motion | Supported by design | v4.4 |
| Q6000-E | 5.65.1 | H.264 MJPEG | 5 | Video Server | 1920x1440 | N/N | - | - | Motion | Test by link | v4.3 |
| Q6000-E-MkII | 6.50.2.2 | MJPEG H.264 | 5 | Video Server | 1920x1440 | N/N | - | - | Motion | Test by link | v18.4 |
| Q6032 | None | H.264 MJPEG | 1 | Camera | 704x576 | Y/N | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| Q6034 | 5.15 | H.264 MJPEG | 1 | Camera | 1280x800 | Y/N | 4/4 | Pan Tilt Zoom | Motion | Test by link | v1.3 |
| Q6034-E | None | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| Q6035 | 5.25 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Test by link | v1.15 |
| Q6042 | 5.55.1 | H.264 MJPEG | 1 | Camera | 752x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v3.1 |
| Q6044 | 5.55.1 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 4/4 | Pan Tilt Zoom | Motion | None | v2.20 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|-----------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Q6044-E | 5.70.1.1 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v4.4 |
| Q6045 | 5.55.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 4/4 | Pan Tilt Zoom | Motion | None | v2.20 |
| Q6045-E | 5.70.1.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v4.6 |
| Q6045-E-MkII | 6.50.2.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Pan Tilt Zoom | Motion | None | v18.6 |
| Q6055 | 7.30.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v18.6 |
| Q6115-E | 5.65.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v4.5 |
| Q7401 | None | H.264 MJPEG | 1 | Video Server | 704x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| Q7406 | 5.11.1 | H.264 MJPEG | 1 | Video Server | 704x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v2.6 |
| Q7411 | 5.40.13.1 | H.264 MJPEG | 1 | Video Server | 704x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v2.17 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-----------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|--------------|--------------------|
| Q7414 | 5.25 | H.264 MJPEG | 1 | Video Server | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v2.7 |
| Q7424-R | 5.40.10 | H.264 MJPEG | 4 | Video Server | 720x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v2.7 |
| V5915 | 5.75.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/4 | Pan Tilt Zoom | - | Test by link | v4.9 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| BIP-1000c | BIP-1000c-1.3-0 | H.264 MJPEG MPEG4 | 1 | Camera | 1024x768 | N/N | 1/1 | - | - | None | v4.7 |
| BIP-1000c-DN | None | H.264 MJPEG MPEG4 | 1 | Camera | 1024x768 | N/N | 1/1 | - | - | Supported by design | v4.7 |
| BIP-1300c | BIP-1300c-1.3-0 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | 1/1 | - | - | None | v4.7 |
| BIP-1300c-DN | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | 1/1 | - | - | Supported by design | v4.7 |
| BIP-1600c | BIP-1600c-1.3-0 | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | N/N | 1/1 | - | - | None | v4.7 |
| BIP-1600c-DN | None | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | N/N | 1/1 | - | - | Supported by design | v4.7 |
| BIP-640c | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 1/1 | - | - | Supported by design | v4.7 |
| BIP-640c-DN | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 1/1 | - | - | Supported by design | v4.7 |
| BIP2-1600c-dn | 3.14.7 | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | N/N | 3/3 | - | Motion | None | v4.7 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|--------------|--------------------|
| BIP2-D1920c-dn | 3.8.0 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | Y/N | 1/1 | - | Motion | Test by link | v2.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|--------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| Generic | 5.90.0112(12510590) | H.264 | 1 | Fisheye Camera | 1280x720 | Y/N | 2/2 | - | Motion | None | v3.6 |
| Note: | Support generic dewarp 1. H.264 only support IP mode of GOP structure. (Camera→Encoder Profile→Profile N→Expert Settings→GOP structure→IP) (NUUO Server limitation) 2. Only support G.711 audio codec. (Camera performance limitation) 3. After changing MJPEG resolution on web and getting camera setting on NUUO, resolution will return to previous setting. (Camera Firmware issue) 4. Snapshot resolution is not correspond to existing profile. (Camera Firmware issue) 5. Sometimes set multi-stream fail due to limitations of inter-streaming dependency.(NUUO Server limitation) 6. Can't set tream3 quality value. (Camera Firmware issue) 7. Some resolution can't set framerate (NIN-733 Stream2 only support fps 7.5 under 1280x720)(Camera performance limitation) 8. MJPEG framerate can't synchronize to web setting. (Camera performance limitation) 9. Can't set framerate 1 under base frame rate 50/60 ips mode. (Camera performance limitation) 10. NUUO not test ptz functions. | | | | | | | | | | |
| NBC-225-P | Refer to NDC-225-P(39500570) | H.264 | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NBC-255-P | Refer to NDC-225-P(39500570) | H.264 | 1 | Camera | 640x480 | Y/N | 1/2 | - | Motion | Supported by design | v2.16 |
| NBC-265-P | Refer to NTC-265-PI(15500552) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NBC-274-P | Refer to NTC-265-PI(15500552) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NBC-274-PM | Refer to NTC-265-PI(15500552) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| NBC-274-PT | Refer to NTC-265-PI(15500552) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NBC-455 | 5.72.0028 | H.264 | 1 | Camera | 704x576 | Y/N | 2/1 | - | Motion | Test by link | v3.5 |
| NBN-40012 | Refer to NTI-40012(5.90.0126) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NBN-498 | 5.72.0028 | H.264 | 1 | Camera | 704x576 | Y/N | 2/1 | - | Motion | Test by link | v3.5 |
| NBN-50022 | Refer to NTI-50022(5.90.0126) | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NBN-733 | Refer to NIN-733(5.90.0112) | H.264 | 1 | Camera | 1280x720 | Y/N | 2/1 | - | Motion | Supported by design | v3.3 |
| NBN-832 | Refer to NDN-832(5.90.0112) | H.264 | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v3.3 |
| NDC-225-P | 39500570 | H.264 MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | None | v2.11 |
| NDC-225-PI | Refer to NDC-225-P(39500570) | H.266 MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|--------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| NDC-255-P | Refer to NDC-225-P(39500570) | H.265 MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NDC-265-P | Refer to NTC-265-PI(15500552) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NDC-274-P | 15500552 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.7 |
| NDC-274-PT | Refer to NDC-274-P(15500552) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v2.7 |
| NDC-455 | Refer to NBN-498(5.72.00 28) | H.264 | 1 | Camera | 704x576 | Y/N | 2/1 | - | Motion | Supported by design | v3.5 |
| NDI-50022 | Refer to NTI-50022(5.90.0126) | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NDN-265-PIO | Refer to NTC-265-PI(15500552) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NDN-40012 | Refer to NTI-40012(5.90.0126) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NDN-498 | Refer to NBN-498(5.72.00 28) | H.264 | 1 | Camera | 704x576 | Y/N | 2/1 | - | Motion | Supported by design | v3.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| NDN-50022 | Refer to NTI-50022(5.90.0126) | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NDN-733 | Refer to NIN-733(5.90.0112) | H.264 | 1 | Camera | 1280x720 | Y/N | 2/1 | - | Motion | Supported by design | v3.3 |
| NDN-832 | 5.90.0112 | H.264 | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | None | v3.3 |
| NIN-40012 | Refer to NTI-40012(5.90.0126) | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NIN-733 | 5.90.0112 | H.264 | 1 | Camera | 1280x720 | Y/N | 2/1 | - | Motion | None | v3.3 |
| NIN-832 | Refer to NDN-832(5.90.0112) | H.264 | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v3.3 |
| NTC-255-PI | Refer to NDC-225-P(39500570) | H.264 MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v2.16 |
| NTC-265-PI | 15500552 | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | None | v2.8 |
| NTI-40012 | 5.90.0126 | H.264 | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | None | v3.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|-------------------------------|--------------|----------|--------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| NTI-50022 | 5.90.0126 | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v3.5 |
| NUC-50022 | Refer to NTI-50022(5.90.0126) | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NUC-51022 | Refer to NTI-50022(5.90.0126) | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| NWC-455 | Refer to NWD-495(56500410) | H.264 MJPEG | 1 | Camera | 704x576 | N/N | - | - | Motion | Supported by design | v2.11 |
| NWC-495 | Refer to NWD-495(56500410) | H.264 MJPEG | 1 | Camera | 704x576 | N/N | - | - | Motion | Supported by design | v2.11 |
| NWD-455 | Refer to NWD-495(56500410) | H.264 MJPEG | 1 | Camera | 704x576 | N/N | - | - | Motion | Supported by design | v2.11 |
| NWD-495 | 56500410 | H.264 MJPEG | 1 | Camera | 704x576 | N/N | - | - | Motion | None | v2.11 |
| VIP X1 XFE | 39500570 | H.264 MJPEG | 1 | Camera | 704x480 | Y/N | 1/1 | - | Motion | None | v2.11 |
| VIP X16 XFE | 5.90.0070 (70000590) | H.264 | 16 | Video Server | 704x576 | Y/N | 4/1 | - | Motion | None | v3.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|--------------|--------------------|
| 130N | v3.1.0.9 | H264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Zoom | Motion | None | v2.1 |
| 30xN | V3.2.2.8 | H264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.4 |
| 50xA | V3.2.2.8 | H264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Test by link | v3.3 |
| CB-100A | v3.0.2.4 | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | - | None | v1.5 |
| CB-100Ae | v3.0.2.4 | MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | - | None | v1.5 |
| FB-100A | v3.0.2.3 | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | - | None | v1.5 |
| FB-100Ae | v3.0.2.3 | MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | - | None | v1.5 |
| FD-100A | v2.3.7.8 | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.1 |
| FD-100Ae | v3.0.2.3 | MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | - | None | v1.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|----------------------------|------------------|----------|--------------|----------------|--------------|--------|---------------|-----------------|---------------------|--------------------|
| Hydracam | v3.2.3.4 | H264 | 3 | Video Server | 1280x720 | Y/Y | 2/2 | - | - | None | v3.7 |
| MD-100A | Refer to CB-100A(v3.0.2.4) | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | - | Supported by design | v1.16 |
| OB-100A | v3.1.0.8 | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | Zoom | Motion | None | v2.2 |
| OB-300Ap | v3.7.0.18A | H264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | None | v4.6 |
| OB-300Np | v3.7.0.18A | H264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion / Record | None | v4.6 |
| OB-E200Nf | 3.7.0.18.3T | H264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.7 |
| OSD-200A 20xp | gk20140422 NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v3.12 |
| OSD/PZ-040D | v3.1.0.8 | H264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.2 |
| OSD/PZ-040E | v3.1.0.8 | H264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v2.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|------------------------|----------|--------------|----------------|--------------|--------|---------------------|--------------------|---------------------|--------------------|
| VD-201AF | v3.2.3.5.6 | H264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.5 |
| VD-E200Nf | Refer to OB-E200Nf(V3.7.0.18.3T) | H264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.7 |
| VS-04A | v1.0.0.7-03T | H.264 MJPEG | 4 | Video Server | 720x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.13 |
| VS-04A V2 | 3.5.2.15 | H.264 MJPEG | 4 | Video Server | 720x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion / Record | None | v3.7 |
| W/VS-01A | v3.1.0.6 | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | Zoom | Motion | None | v2.2 |
| WCB-100A | v2.3.5.6.1 | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | None | v1.1 |
| WCB-100Ae | v3.0.2.4 | MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | - | None | v1.5 |
| WFB-100A | v2.3.7.8 | H264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.1 |
| WFB-100Ae | v2.3.7.8 | MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.5 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| CMNC-130 | Enc:V1.102A-008 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.6 |
| CMNC-200 | None | H.264 MJPEG | 1 | Camera | 1920x960 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.6 |
| CMNC-5385D | None | H.264 MJPEG | 1 | Camera | 1920x960 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.6 |
| HLC-81AD/P | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | - | Supported by design | v1.6 |
| HLC-83V | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v2.7 |
| HLC-83V/W | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v1.6 |
| HLC-84V | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v1.6 |
| HLC-84V/W | V3.2.62_PO | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | None | v1.6 |
| IPH3611N | 1.02.03 | H.264 MPEG4 MJPEG | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v1.7 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| NVE1000A | V1.5.641 | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 2/2 | Pan Tilt Zoom | - | None | v1.7 |
| NVE2000A | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | Supported by design | v1.7 |
| NVE4000A | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | Supported by design | v1.7 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| VB-H43 | 1.2.0 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Test by link | v5.0 |
| VB-H651V | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v5.10 |
| VB-H651VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v5.10 |
| VB-H652LVE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v5.10 |
| VB-H751LE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v5.10 |
| VB-H760VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | Supported by design | v5.10 |
| VB-H761LVE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Zoom | Motion | Supported by design | v5.10 |
| VB-M50B | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| VB-M640V | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v5.10 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| VB-M640VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v5.10 |
| VB-M641V | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | Y/Y | 2/2 | - | Motion | Supported by design | v5.10 |
| VB-M641VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | Y/Y | 2/2 | - | Motion | Supported by design | v5.10 |
| VB-M740E | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v5.10 |
| VB-M741LE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | Y/Y | 2/2 | - | Motion | Supported by design | v5.10 |
| VB-R10VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| VB-R11 | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| VB-R11VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1280x960 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| VB-R12VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v5.10 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|--------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| VB-R13 | 1.1.0 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v5.10 |
| VB-R13VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| VB-S30D | 1.1.0 | MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v3.9 |
| VB-S30VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| VB-S31D | Refer to VB-S30D(1.1.0) | MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.9 |
| VB-S800D | 1.3.0 | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v4.16 |
| VB-S800VE | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v5.10 |
| VB-S805D | Refer to VB-S905F(1.0.0) | MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v3.9 |
| VB-S900F | Refer to VB-S800D(1.1.0) | H.264 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.9 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| VB-S905F | 1.0.0 | MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | None | v3.9 |
| VB-S910F | Refer to VB-R13(1.1.0) | MJPEG H.264 | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | Supported by design | v5.10 |

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|------------------------------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------|--------------------|
| DCS20HDI RE3V | v1.8.0801.1 001.93.0.66. 1.0 | H.264 MJPEG | 1 | Camera | 1290x1080 | Y/Y | - | - | Motion | None | v4.6 |
| DCS30HDI R30 | v1.8.0601.1 001.93.0.65. 1.0 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---|--------------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| Generic | cx20141008 NSA | H.264 MJPEG | 1 | Fisheye Camera | 1920x1080 | Y/Y | 4/2 | - | Motion | Supported by design | v4.0 |
| Note: | Support generic dewarp 1. It can't stop pan & tilt sometimes. (Camera performance limitation) 2.It can't set zoom speed. (Camera Firmware issue) 3.It should set one stream in MJPEG, the snapshot will work. (Camera Firmware issue) 4.If set preset point too fast, it will set wrong point. (Camera performance limitation) 5.The resolution setting doesn't sync with web. (Camera Firmware issue) | | | | | | | | | | |
| B13H | v1.1.0.0 | H.264 MJPEG MJPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.0 |
| C10 | Refer to C10-W(v1.1.0.0 (build2)) | H.264 MJPEG MJPEG4 | 1 | Camera | 1280x800 | Y/N | - | - | Motion | Supported by design | v2.0 |
| C10-W | v1.1.0.0 (build2) | H.264 MJPEG MJPEG4 | 1 | Camera | 1280x800 | Y/N | - | - | Motion | None | v2.0 |
| D13HD | v1.1.0.0 | H.264 MJPEG MJPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.0 |
| W13H | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v2.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| BL3102 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v4.2 |
| BL3104 | 4.2.1.0(15831)T | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/N | - | - | Motion | Test by link | v18.6 |
| BL5103 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | N/N | - | - | Motion | Supported by design | v4.3 |
| BL5105 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | N/N | - | - | Motion | Supported by design | v4.10 |
| BL5302 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v4.3 |
| BL7302 | 01_C030 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion | Supported by design | v4.3 |
| BL7304 | VK1.0.28.3_GZ | H264 H265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v18.1 |
| BL7305 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.5 |
| DM3102 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DM3104 | 4.2.1.0(15831)T | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/N | - | - | Motion | None | v18.5 |
| DM3112 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.5 |
| DM5103 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | N/N | - | - | Motion | Supported by design | v4.3 |
| DM5113 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v4.8 |
| DM5115 | 01_C017 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v4.9 |
| DM5115V2 | 02.03.0.6.14208 | H.265 H.264 MJPEG | 1 | Camera | 2560x1920 | N/N | - | - | Motion | None | v18.9 |
| DM5302 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v4.3 |
| DM7302 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion | Supported by design | v4.3 |
| DM7304 | VK1.0.27.3_GZ | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v5.8 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DM7305 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.5 |
| FE5403 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.7 |
| FE5405 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| PVC-300 | 2.0.0.1 | MPEG4 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.9 |
| PVC2300 | V1.0.1 | MPEG4 MJPEG | 1 | Camera | 640x480 | Y/Y | 2/2 | Pan Tilt | Motion | None | v1.9 |
| VC220 | 1.0.0.21 | MPEG4 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.9 |
| VC240 | 1.0.0.8 | MPEG4 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.9 |
| WVC210 | V1.1.0 | MPEG4 MJPEG | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt | Motion | None | v1.9 |
| WVC2300 | V1.1.0 | MPEG4 MJPEG | 1 | Camera | 640x480 | Y/Y | 2/2 | Pan Tilt | Motion | None | v1.9 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| IBE3815NVR | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| IBE3815PVR | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| IBE5810NCR | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| IBE5810PCR | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| IBP5030CR | Refer to IGP1030(XNET.M1- 2.01.13.0204) | H.264 | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IDC4000T | T1- 1.0.13.0424 | MPEG4 MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | None | v2.16 |
| IDC4050F | Refer to IGC2050F(XNET.M1- 3.00.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IDC4050IR | Refer to IGC2050F(XNET.M1- 3.00.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IDC4050VF | XNET.M1- 3.00.13.1125 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.2 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IDC4050VR | Refer to IGC2050F(X NET.M1-3.00.13.020 4) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IDP4000VD | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v1.1 |
| IDP4000VR | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v1.1 |
| IDP4030VR | Refer to IGP1030(XN ET.M1-2.01.13.020 4) | H.264 | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IDP5035VR | Refer to IGP2035F(X NET.M1-3.00.13.020 4) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IGC2050F | XNET.M1-3.00.13.020 4 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.12 |
| IGP1000 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| IGP1030 | XNET.M1-2.01.13.020 4 | H.264 | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.12 |
| IGP2035F | XNET.M1-3.00.13.020 4 | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.12 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| IJB2000 | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| INS2000 | XNET.A1- 2.01.13.090 2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.2 |
| IPM3063N | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| IPM3063P | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| ISM1063x | XNET.A1- 2.01.13.020 4 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 4/0 | Pan Tilt Zoom | Motion | None | v2.13 |
| ISS2765N W | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| ISS2765P W | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.1 |
| ISS2965x | Refer to ISM1063x(XNET.A1- 2.01.13.020 4) | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 4/0 | Pan Tilt Zoom | Motion | Supported by design | v1.16 |
| ISS403222 8W | Refer to IGP2035F(X NET.M1- 3.00.13.020 4) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| ISSM2063x | Refer to ISMC1063x(XNET.M1-2.01.13.0204) | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 4/0 | Pan Tilt Zoom | Motion | Supported by design | v1.16 |
| IVC4000T | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | - | Supported by design | v1.2 |
| IVC5055VR | Refer to IPC4050VF(XNET.M1-3.00.13.1125) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.2 |
| IVP4000VR | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v1.1 |
| IVP4030VR | Refer to IGP1030(XNET.M1-2.01.13.0204) | H.264 | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IVP5035VR | Refer to IGP2035F(XNET.M1-3.00.13.0204) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IXC2050IR | Refer to IGC2050F(XNET.M1-3.00.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| IXP3035VR | Refer to IGP2035F(XNET.M1-3.00.13.0204) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|--|--------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| MPC1070PN | 1.0.46 | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | - | - | Motion | None | v3.4 |
| NDE5055MF | Refer to NGE2055F(X NET.M1-1.02.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| NDE5055VR | Refer to NGE2055F(X NET.M1-1.02.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| NGE2055F | XNET.M1-1.02.13.0204 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.12 |
| NVE5055MF | Refer to NGE2055F(X NET.M1-1.02.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| NVE5055VR | Refer to NGE2055F(X NET.M1-1.02.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| NXE3055MR | Refer to NGE2055F(X NET.M1-1.02.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| NXE3055VR | Refer to NGE2055F(X NET.M1-1.02.13.0204) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| Generic | 2.622.00000 00.21.R, Build Date: 2018-01-12 2.210.BW03. 0.T.A.2017.3 N.NR, build : 2015-11-06 2.210.0006. 0.T.A.2017, build : 2016- 03-24 | H.264 H.265 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | None | v18.3 |
| Note: | Firmware must be 2.210.0006.0.T.A.2017, build : 2016-03-24 or above then can use generic model. Firmware must be 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 or above then can use generic model. Firmware must be 2.622.000000.21.R, Build Date: 2018-01-12 or above then can use generic model. 1. The range of parameter on camera will be changed by other parameter, our parameter dialog can't synchornize with camera. (Camera Firmware issue) 2. Image Parameters cannot be set normally. (Camera Firmware issue) 3. Audio G.711A (16k) and G.711Mu (16k) works abnormal. (NUUO server limitation) 4. PTZ cannot normally use Speed and AutoPan functions. (Camera Firmware issue) 5. DO cannot normally work. (Camera Firmware issue) 6. Camera with H.265 will have gray image. (NUUO server limitation) Firmware: 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 has the other issues. 1. The bitrate range may be out of web bitrate range. (Camera Firmware issue) 2. AutoDectect function cannot work. (Camera Firmware issue) | | | | | | | | | | |
| DH-SD6AL240-HNI | 2.621.00000 00.1.R.D32. 4010.9A.NR, Build Date: 2017-08-23 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | Test by link | v18.6 |
| HCVR5104H | 3.200.0005. 1.R, Build Date: 2014- 04-27 | H.264 | 4 | DVR | 1280x720 | Y/Y | - | Pan Tilt Zoom | Motion | None | v4.0 |
| IPC-5100 | Refer to IPC- HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|--|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPC-5200 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-EBW81200 | 2.400.0000. 4.R, build : 2015-08-06 | H.264 MJPEG | 1 | Camera | 4000x3000 | Y/Y | 2/1 | - | Motion | None | v4.12 |
| IPC-EBW8600 | 2.400.0000. 4.R, build : 2015-08-06 | H.264 MJPEG | 1 | Camera | 3072x2048 | Y/Y | 2/1 | - | Motion | None | v4.12 |
| IPC-HD2100 | 2.212.0000. 1.T, build: 2014-02-08 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v3.1 |
| IPC-HDB3101 | Refer to IPC-HFW3101C(V2.103) | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 2/1 | - | Motion | Supported by design | v2.12 |
| IPC-HDB5100 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5100-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5200 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|--|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPC-HDB5200-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5202 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5202-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5300 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5300-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5302 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDB5302-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IPC-HDBW3101 | Refer to IPC-HFW3101C(V2.103) | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 2/1 | - | Motion | Supported by design | v2.12 |
| IPC-HDBW3300 | V2.000 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 2/1 | Pan Tilt Zoom | Motion | None | v1.16 |
| IPC-HDBW4421E | Refer to IPC-HFW5421E-Z(2.400.000 0.23.R, build : 2015-12-15) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.14 |
| IPC-HDBW4421F-AS | Refer to IPC-HFW5421E-Z(2.400.000 0.23.R, build : 2015-12-15) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.14 |
| IPC-HDBW5100 | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5100-DI | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5121E-Z | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HDBW5200 | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|--|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPC-HDBW5200-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5202 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5202-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5220 E-Z | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HDBW5221 E-Z | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HDBW5300 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5300-DI | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IPC-HDBW5302 | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5302-DI | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HDBW5421E-Z | Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HDW4421E | Refer to IPC-HFW5421E-Z(2.400.0000.23.R, build : 2015-12-15) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.14 |
| IPC-HF3110 | V2.000 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v1.16 |
| IPC-HF3211 | V2.000 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | Pan Tilt Zoom | Motion | None | v1.16 |
| IPC-HF3300 | V2.000 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v1.16 |
| IPC-HF5100 | Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IPC-HF5121E-Z | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HF5200 | Refer to IPC-HFW5302C(2.420.0005. 0.R, build : 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HF5221E | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HF5421E | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HF81200E | 2.400.0000. 7.R | H.264 MJPEG | 1 | Camera | 4000x3000 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v4.11 |
| IPC-HFW1220S | 2.420.0000. 11.R, build : 2015-07-07 | H.264 MJPEG | 1 | Camera | 1920x1080 | - | - | - | Motion | None | v4.12 |
| IPC-HFW3101C | V2.103 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 2/1 | - | Motion | Test by link | v2.12 |
| IPC-HFW3200C | 2.212.0000. 1.T, build: 2014-02-08 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | - | Motion | None | v3.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPC-HFW5100-IRA | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5100C | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5100D | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5100E-VF | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5121E-Z | Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HFW5200-IRA | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5200C | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPC-HFW5200D | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5200E-VF | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5200E-Z | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5202C | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5220E-Z | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HFW5221E-Z | Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v4.16 |
| IPC-HFW5300C | Refer to IPC-HFW5302C(2.420.0005. 0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IPC-HFW5300E-VF | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5300E-Z | Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v3.13 |
| IPC-HFW5302C | 2.420.0005.0.R, build: 2014-12-05 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | None | v3.13 |
| IPC-HFW5421E-Z | V2.400.0000.30.R.20160604 | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | None | v4.16 |
| SD32203S-HN | Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD40212S-HN | Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD42212S-HN | Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SD42C212S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD50120S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD50220S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD50230S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD52C120S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD52C220S-HN | 2.210.0003.0.R.A.2017, build : 2014-11-12 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v3.13 |
| SD52C230S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SD59120S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD59212S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD59220S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD59230S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD63120S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD63220S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD63230S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| SD6366E-HN | 2.213.0000. R, build: 2013-12-27 | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | Test by link | v3.3 |
| SD65XX-HN | 2.102.0001. 0.D | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 7/2 | Pan Tilt Zoom | Motion | None | v2.5 |
| SD69XX-HN | Refer to SD65XX- HN(2.102.00 01.0.D) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 7/2 | Pan Tilt Zoom | Motion | Supported by design | v2.5 |
| SD6A230-HN | 2.420.0000. 0.R, build: 2014-04-19 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | None | v3.5 |
| SD6AL230F-HNI | Refer to DH- SD6AL240- HNI (FW: 2.621.00000 00.1.R.D32. 4010.9A.NR, Build Date: 2017-08-23) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | Supported by design | v18.6 |
| SD6C120S-HN | Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD6C220S-HN | Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SD6C230S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| SD6C430U N-HN | 2.420.0000. 5.R.301d.3N .NR, build : 2016-04-13 | H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v5.3 |
| SDZW2030 S-HN | Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| NBR123P | Refer to NBR125C (FW: cam16D.DV0 058) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v18.4 |
| NBR125C | cam16D.DV0 058 | H.265 H.264 | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v18.4 |
| NBR321 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v5.14 |
| NBR325P | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.14 |
| NBR326P | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.14 |
| NDF341 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Supported by design | v5.14 |
| NDF342 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Supported by design | v5.14 |
| NDM361 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v5.14 |
| NDR153P | cam16D.DV0 058 | H.265 H.264 | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v18.3 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| NDR351 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Supported by design | v5.14 |
| NDR352P | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.14 |
| TBR720 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v5.14 |
| TBR721 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v5.13 |
| TBR722 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.14 |
| TBR723 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v5.14 |
| TDR751 | 02.01.0035 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.14 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|-----------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| DCS-1201 | 0.00.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.13 |
| DCS-1301 | 0.01.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.1 |
| DCS-2100 | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| DCS-2100G | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| DCS-2103 | 1.20.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| DCS-2120 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| DCS-2120(T W) | 0201tw | MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | None | v1.5 |
| DCS-2130 | Refer to DCS-2103(1.2 0.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| DCS-2132L | 1.00.06 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.7 |
| DCS-2132LB | V2.00.05 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | Test by link | v4.6 |
| DCS-2136L | v1.03.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v4.7 |
| DCS-2210 | V1.22 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v4.6 |
| DCS-2210L | Refer to DCS-2230L(v0.03.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v4.6 |
| DCS-2230 | Refer to DCS-2210(V1.22) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v4.4 |
| DCS-2230L | v0.03.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v4.6 |
| DCS-2310L | v0.03.00 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | - | - | Motion | None | v3.7 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|------------------|-------------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| DCS-2330L | v1.00.01 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | - | - | Motion | None | v2.19 |
| DCS-2332L | V1.02.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | None | v4.9 |
| DCS-3010 | v1.12.07 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | None | v3.7 |
| DCS-3110 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | None |
| DCS-3112 | V1.11.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 2/1 | Pan Tilt | Motion | Test by link | v4.6 |
| DCS-3220 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DCS-3220G | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DCS-3410 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/1 | Pan Tilt | - | Supported by design | v1.10 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DCS-3415 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DCS-3420 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DCS-3430 | 1.02_412 5 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/1 | Pan Tilt | - | None | v2.6 |
| DCS-3511 | v1.10.13 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.4 |
| DCS-3530 | Refer to DCS-3511(v1.00.16) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.15 |
| DCS-3710 | 1 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 2/1 | Pan Tilt | - | None | v2.12 |
| DCS-3710B1 | V0.02.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 2/1 | Pan Tilt | - | None | v4.6 |
| DCS-3714 | v1.00.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 2/1 | Pan Tilt | Motion | Test by link | v4.6 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|---------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------|--------------------|
| DCS-3715 | v1.20 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.12 |
| DCS-3716 | v1.03.00 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt | Motion | None | v4.7 |
| DCS-4201 | V1.00.02 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | V4.2 |
| DCS-4602EV | v1.99.00 [HW: B] | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v18.3 |
| DCS-4603 | 0.00.08 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v4.15 |
| DCS-4605EV | v1.00.02 [HW: A] | H264 H266 MJPEG | 1 | Camera | 2592x1945 | N/N | - | - | Motion | None | v18.2 |
| DCS-4622 | 1.00.03 | H.264 MJPEG | 1 | Camera | 1920x1536 | Y/Y | - | - | Motion | None | v5.0 |
| DCS-4633EV | 0.00.03 | H.264 H.265 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v5.14 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-----------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-------------|--------------|------------------------|--------------------|
| DCS-4701E | v2.00.05 [HW: B] | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v18.5 |
| DCS-4703E | Refer to DCS-4603(0.0 0.08) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v4.15 |
| DCS-4705E | v1.00.02 [HW: B] | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v18.7 |
| DCS-4802E | v2.00.00 [HW: B] | H.264 H.265 MJPEG | 1 | Camera | 1920 x 1080 | N/N | - | - | Motion | None | v18.7 |
| DCS-5000L | v1.02.01 | MJPEG | 1 | Camera | 640x480 | Y/N | - | Pan Tilt | Motion | None | v4.12 |
| DCS-5010L | Refer to DCS-5020L(1. 01) | H.264 MJPEG | 1 | Camera | 640x480 | Y/N | - | Pan Tilt | Motion | Supported by design | v2.15 |
| DCS-5020L | 1.01 | H.264 MJPEG | 1 | Camera | 640x480 | Y/N | - | Pan Tilt | Motion | None | v2.15 |
| DCS-5211L | 1.1 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.15 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|----------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DCS-5220 | 200 | MPEG4 | 1 | Camera | 720x576 | Y/Y | - | - | Motion | None | v1.0 |
| DCS-5220(T W) | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| DCS-5222L | 1.1 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.15 |
| DCS-5222LB | V2.01.05 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt | Motion | None | v4.5 |
| DCS-5222LB2 | Refer to DCS-5222LB(V2.01.05) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v3.8 |
| DCS-5300 | 1.05 | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | None | v1.0 |
| DCS-5300G | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| DCS-5605 | 1.01_4126 | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.9 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|------------------------------|-------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DCS-5610 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DCS-5615 | v1.00.02 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt | Motion | None | v2.19 |
| DCS-5635 | 1.01_4126 | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.9 |
| DCS-6004L | v0.00.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | None | v2.16 |
| DCS-6005L | Refer to DCS-6004L(v0.00.01) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | Supported by design | v2.16 |
| DCS-6010L | v1.12.02 | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1600x1200 | Y/Y | - | Pan Tilt | Motion | Test by link | v4.6 |
| DCS-6045L | V1.00b3 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/N | - | - | Motion | None | v3.4 |
| DCS-6110 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|-------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| DCS-6111 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DCS-6112 | v2.10.02 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v3.6 |
| DCS-6112B1 | V3.00.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v4.6 |
| DCS-6113 | Refer to DCS-6112(v2.10.02) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.6 |
| DCS-6113B1 | Refer to DCS-6112B1(V3.00.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.3 |
| DCS-6113VB1 | Refer to DCS-6112B1(V3.00.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.3 |
| DCS-6115 | v0.09.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v4.7 |
| DCS-6116 | v1.00.09 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | - | - | Motion | None | v4.10 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|----------------------------|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| DCS-6210 | V1.00.06 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v4.7 |
| DCS-6212L | V1.00.06 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v3.10 |
| DCS-6314 | V1.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.4 |
| DCS-6315 | Refer to DCS-6115(0.09.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | Supported by design | v4.7 |
| DCS-6510 | v1.02 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v4.10 |
| DCS-6511 | Refer to DCS-7513(v2.0.23) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.5 |
| DCS-6513 | 1.03.03 | H.264 MJPEG MPEG4 | 1 | Camera | 2048X1536 | Y/Y | 1/1 | Zoom | Motion | None | v4.2 |
| DCS-6515 | Refer to DCS-7518(1.00.00) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.1 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DCS-6517 | Refer to DCS-7517(v2.00.00) | H.264 H.265 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Supported by design | v5.7 |
| DCS-6616 | 2.12.01 | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 8/1 | Pan Tilt Zoom | Motion | None | v5.12 |
| DCS-6620 | 1.05 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| DCS-6620G | v2.00.02 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| DCS-6817B1 | v2.00.02 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 8/1 | Pan Tilt Zoom | Motion | None | v2.12 |
| DCS-6915 | v1.00.10 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 4/2 | Pan Tilt Zoom | Motion | None | v2.12 |
| DCS-6915B1 | Refer to DCS-6915(1.00.10) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v3.7 |
| DCS-7000L | v0.09.00 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | - | - | Motion | None | v3.2 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|--------------|--------------------|
| DCS-7010L | V1.05.03 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Test by link | v4.3 |
| DCS-7110 | v1.20_20120517 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | Pan Tilt Zoom | Motion | None | v2.9 |
| DCS-7110A3 | V2.10.03 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | 1/1 | Pan Tilt | Motion | None | v3.9 |
| DCS-7110B1 | v3.00.04 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v4.4 |
| DCS-7410 | 1 | MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 2/1 | Pan Tilt | - | None | v1.10 |
| DCS-7413 | 1.00.02 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.10 |
| DCS-7413B1 | v2.11.08 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v4.6 |
| DCS-7513 | v2.0.23 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v5.5 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|------------------|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|--------------|--------------------|
| DCS-7517 | v1.11.00 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Zoom | Motion | Test by link | v5.15 |
| DCS-7517B | v2.00.00 | H.264 H.265 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v5.7 |
| DCS-7518 | v1.00 | H.264 | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v3.12 |
| DCS-900 | 1 | MJPEG | 1 | Camera | 640x480 | N/N | - | - | - | None | v1.0 |
| DCS-910 | 1.03 | MJPEG | 1 | Camera | 640x480 | N/N | - | - | - | None | v1.0 |
| DCS-920 | 1.00(2012-11-09) | MJPEG | 1 | Camera | 640x480 | N/N | - | - | - | None | v1.0 |
| DCS-930LB | v2.15.06 | MJPEG | 1 | Camera | 640x480 | Y/N | - | - | Motion | Test by link | v5.15 |
| DCS-931L | 1 | H.264 MJPEG | 1 | Camera | 640x480 | Y/N | - | - | Motion | None | v2.7 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| DCS-932 | 1 | MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | None | v2.9 |
| DCS-932L | 1.05_2012-10-26_2.0.16-b4 | MJPEG | 1 | Camera | 640x480 | Y/N | - | - | Motion | None | v2.9 |
| DCS-932LB | Refer to DCS-930LB(v2.00 b1) | MJPEG | 1 | Camera | 640x480 | Y/N | - | - | Motion | None | v4.5 |
| DCS-933L | 1 | H.264 MJPEG | 1 | Camera | 640x480 | Y/N | - | - | Motion | None | v2.7 |
| DCS-935L | 1 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | - | - | Motion | None | v3.5 |
| DCS-940L | 1 | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | - | - | Motion | None | v2.18 |
| DCS-942L | 1.2 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | None | v2.13 |
| DCS-942LB | V2.00_3815 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | None | v4.5 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmwar e | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|----------------------------------|--------------|----------|--------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| DCS-950 | None | MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | - | Supported by design | v1.0 |
| DCS-950G | None | MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | - | Supported by design | v1.0 |
| DCS-G900 | None | MJPEG | 1 | Camera | 720x576 | N/N | - | - | - | Supported by design | v1.0 |
| DCS-P603 | v1.02.02 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Test by link | v18.1 |
| DCS-P703 | Refer to DCS-P603 (FW: v1.02.02) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v18.1 |
| DVS-104 | None | MJPEG | 4 | Video Server | 720x576 | N/N | 4/2 | - | Motion | Supported by design | v1.0 |
| DVS-301 | 1.01.02 | H.263 | 1 | Video Server | 720x576 | Y/N | 1/1 | - | Motion | None | v1.0 |

[illegible]

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|-----------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| DCS-4721 | VE1.0.22.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v5.1 |
| DCS-H30-51D/S | Refer to DCS-H50-21D/S(1.00X0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| DCS-H41-11D/I | Refer to DCS-H41-12D/I(2.0.7A5S2) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v2.19 |
| DCS-H41-11D/SI | Refer to DCS-H50-21D/S(1.00X0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| DCS-H41-11D/SO | Refer to DCS-H50-21D/S(1.00X0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| DCS-H41-12D/I | 2.0.7A5S2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | None | v2.20 |
| DCS-H42-21D/SA | Refer to DCS-H50-21D/S(1.00X0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| DCS-H42-21D/SM | Refer to DCS-H50-21D/S(1.00X0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| DCS-H50-21D/S | 1.00X0(20140307) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.4 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|------------------------------------|-------------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DCS-H70-21D/A | 2.0.9A5S2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.20 |
| DCS-H70-21D/M | Refer to DCS-H70-21D/A (2.0.9A5S2) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.20 |
| DCS-H70-21D/SA1 | Refer to DCS-H50-21D/S(1.00X0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| DCS-H70-21D/SM1 | Refer to DCS-H50-21D/S(1.00X0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| DCS-H70-22D/M1 | 2.0.9A5S2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.19 |
| DCS-H_Series | None | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v3.6 |
| DCS-N20M-10H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-N30M-51H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-N31M-21H3 | Refer to DCS-V70M-21H2(VB1.0.29) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|----------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DCS-N40M-22H3 | Refer to DCS-V70M-21H2(VB1.0.29) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |
| DCS-N40M-32H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-N40M-33H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-N40M-53H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-N40M-81H3 | VC1.0.10 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.11 |
| DCS-N62-40H2 | VC1.0.40 | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.11 |
| DCS-N70M-20H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-N70M-21H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-N70M-21H3 | Refer to DCS-V70M-21H2(VB1.0.29) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|----------------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| DCS-N70M-50H2 | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-V30M-50H | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-V30M-51H | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-V30M-51H2 | Refer to DCS-N70M-21H3(VB1.0.26) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.11 |
| DCS-V40M-12H | Refer to DCS-V70M-21H2(VB1.0.29) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |
| DCS-V40M-32H | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-V40M-32H2 | Refer to DCS-V70M-21H2(VB1.0.29) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |
| DCS-V40M-33H | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-V70M-11H | Refer to DCS-V70M-21H2(VB1.0.29) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|---------------------------------|-------------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DCS-V70M-20H | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-V70M-21H | v1.0.30 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v2.17 |
| DCS-V70M-21H2 | VB1.0.29 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v2.18 |
| DCS-V70M-50H | Refer to DCS-V70M-21H(v1.0.30) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.17 |
| DCS-V90R-10F/A0 | V4.02.R11.0001905.10010.2308000 | H.264 | 1 | Camera | 1280x960 | N/N | - | Pan Tilt Zoom | Motion | None | v18.7 |
| DCS-V_Series | None | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1600x1200 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v3.6 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|---------|--------------------|
| Generic | z120141215NSZ z120141111NSX z120141027NSA | H264 MJPEG | 1 | Fisheye Camera | 2048x2048 | Y/Y | 1/1 | - | Motion | None | v3.12 |
| Note: | Support generic dewarp Generic support model: W1-BA100, W2-BAZ40, W5-CDWK0, NH073, NH063 Parameter setting will fail when multi-stream is allowed and resolution is higher than 1080p. PT function are not test on software. The maximum resolution is depends on camera. Camera (Z series) firmware must be z120141215NSZ or above then can use generic model. Camera (W series) firmware must be z120130417NSA or above then can use generic model. Camera (X series) firmware must be z120141027NSA or above then can use generic model. | | | | | | | | | | |
| NA063 | z120120523NSA | H264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v2.9 |
| NA083 | z12013016NSA | H264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v2.20 |
| NH061 | d20100310NS | H264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | 1/1 | - | Motion | None | v1.1 |
| NH221 | d20100310NS | H264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | 1/1 | - | Motion | None | v1.1 |
| NH720-20N1 | pm20120222NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| NH720-20N8 | Refer to NH820-20N8(z120131126NSA) | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| NH820-20N1 | pm20120222NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.0 |
| NH820-20N8 | z120131126 NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.0 |
| NV053 | pm20120222NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.0 |
| NV063 | pm20120222NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.0 |
| NV103 | pm20120222NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.0 |
| NV223 | z120130417 NSA | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.15 |
| V1 | d20100317NS | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v1.1 |
| V2 | d20101215NS | H264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v1.19 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|------------------------|--------------|----------|-------------|----------------|--------------|--------|------|---------------|---------|--------------------|
| V6 | d20100317NS | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v1.1 |
| Z2SD-F | bn20170922NSZ | H.264/MJPEG | 1 | Camera | 2048*1536 | Y/Y | - | Zoom | Motion/Record | None | v5.13 |
| nZH06X | CMOS-080118 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | 1/1 | - | Motion | None | v1.1 |
| nZH10X | CMOS-080118 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | - | - | - | None | v1.1 |
| nZH21X | CCD-cameraFw-IR-080108 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | 1/1 | - | Motion | None | v1.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|----------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| GLC-1401 | 1.36 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/0 | Pan Tilt Zoom | - | None | v1.0 |
| GLC-1601 | 1.43 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/0 | Pan Tilt Zoom | - | None | v1.0 |
| GLC-1602H | 1.4 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/0 | Pan Tilt Zoom | - | None | v1.0 |
| GLD-1401 | 1.4 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/0 | - | - | None | v1.0 |
| GLD-1501 | 1.43 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/0 | - | - | None | v1.0 |
| GLS-2101 | 1.45 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/0 | Pan Tilt Zoom | - | None | v1.0 |
| GXB-1710M-IR | Refer to GXC-1710M(2.02) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v2.2 |
| GXB-1720M-IR | Refer to GXC-1720M(1.05_Beta) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | Supported by design | v2.8 |
| GXC-1605M | Refer to GXC-1606M-IR(2.03) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v2.8 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|---|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|------------------------|--------------------|
| GXC-1606M-IR | 2.03 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Test by link | v2.8 |
| GXC-1710M | 2.11 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v2.13 |
| GXC-1720M | 1.05_Beta | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | Test by link | v2.8 |
| GXD-1610M-IR | Refer to GXC-1606M- IR(2.03) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v2.8 |
| GXD-1710M-IR | Refer to GXC- 1710M(2.02) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v2.2 |
| GXD-1720M-IR | Refer to GXC- 1720M(1.05 _Beta) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | Supported by design | v2.8 |
| PXB-1080Z03 | Refer to PXD- 2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |
| PXB-2080MIR | Refer to PXD- 2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |
| PXB-2080Z03 | Refer to PXD- 2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|--------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| PXB-2180Z03 | Refer to PXD-2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |
| PXC-2080CS | Refer to PXD-2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |
| PXC-2080Z03 | Refer to PXD-2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |
| PXD-1010F02 | vr20121016 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.10 |
| PXD-1020F02 | Refer to PXD-1010F02(vr20121016NSA) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v2.10 |
| PXD-2030PTZ180 | vr20140416 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v3.8 |
| PXD-2080MIR | Refer to PXD-2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |
| PXD-2080Z03 | Refer to PXD-2080Z03IR(4.23-49-ds) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.0 |
| PXD-2080Z03IR | 4.23-49-ds | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|---|-------------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EV3150A | Refer to EV3151A(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Video Server | 720x576 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV3151 | 2.0.0 (build 20110121) | H.264 MJPEG MPEG4 | 1 | Video Server | 720x576 | Y/N | - | Pan Tilt Zoom | - | None | v1.16 |
| EV3151A | 2.0.0 (build 20110121) | H.264 MJPEG MPEG4 | 1 | Video Server | 720x576 | Y/N | - | Pan Tilt Zoom | - | None | v1.16 |
| EV6150A-BI | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6150A-CI | 2.0.0 (build 20110121) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| EV6151A | Refer to EV6552R(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6153A | Refer to EV6552R(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6156A | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EV6250A-EI/EO | Refer to EV3151A(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6251A-FI/FO | Refer to EV3151A(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6252A-GI/GO | Refer to EV3151A(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6353A-DO | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6353A-EO | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6353A-FO | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6355A/A P-BO | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6355A/A P-CO | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EV6551A/A P-BI | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6551A/A P-CI | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6551A/A P-DI | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6552A/A P | Refer to EV6552R(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6552R | 2.0.0 (build 20110121) | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| EV6581A/A P | Refer to EV6150A-CI(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV6750 | Refer to EV6552R(2.0.0 (build 20110121)) | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV8150A | 1.9.7 Build 20100806 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v2.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EV8180A | 1.1.4 (build 003) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v2.12 |
| EV8180F | 1.0.8 (build 001) | H.264 MJPEG MPEG4 | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| EV8180Q | 1.0.8 (build 001) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| EV8180Q-XD | 1.1.4 (build 003) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v2.11 |
| EV8180U | 1.0.8 (build 001) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | Y/N | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| EV8280U | Refer to EV8180U(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV8281U | Refer to EV8180U(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8285Q | Refer to EV8180Q(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8286Q | Refer to EV8180Q(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EV8383F | Refer to EV8180F(1.0 .8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV8580A | Refer to EV8180A(1.4 (build 003)) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| EV8580F | Refer to EV8180F(1.0 .8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV8580Q | Refer to EV8180Q(1.0 .8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8580U | Refer to EV8180U(1.0 .8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8581A | Refer to EV8180A(1.4 (build 003)) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| EV8581Q | Refer to EV8180Q(1.0 .8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8581U | Refer to EV8180U(1.0 .8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8582U-BL | 1.1.6 (build 003) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.18 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EV8780A | Refer to EV8180A(1.1.4 (build 003)) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| EV8780U | Refer to EV8180U(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | N/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV8781A | Refer to EV8180A(1.1.4 (build 003)) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| EV8781F | Refer to EV8180F(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| EV8781Q | Refer to EV8180Q(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8781U | Refer to EV8180U(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8782A | Refer to EV8180A(1.1.4 (build 003)) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| EV8782Q | Refer to EV8180Q(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.17 |
| EV8782Q-BD | Refer to EV8180Q-XD(1.1.4 (build 003)) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.11 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EV8782U | Refer to EV8180U(1.0.8 (build 001)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1088 | N/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.16 |
| N50A-ML | Refer to N71U-ML(1.1.6 (build 003)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | Zoom | Motion | Supported by design | v2.18 |
| N50U-ML | Refer to N71U-ML(1.1.6 (build 003)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | Zoom | Motion | Supported by design | v2.18 |
| N51U-ML | Refer to N71U-ML(1.1.6 (build 003)) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | Zoom | Motion | Supported by design | v2.18 |
| N71U-ML | 1.1.6 (build 003) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | Zoom | Motion | None | v2.18 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---|-------------------------|----------|----------------|----------------|--------------|--------|------|--------------|---------|--------------------|
| Generic | 1.2.5B11 | H.264 MPEG4 MJPEG | 1 | Fisheye Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.1 |
| Note: | Support generic dewarp 1. Not support CBR mode.(Camera Firmware issue) 2. It will lose parameters of stream2 and stream3 if you disable stream2 and stream3 on camera web. (Camera performace limitation) | | | | | | | | | | |
| EAN2150 | CCD-cameraFw-100811P | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.5 |
| EAN2218 | ev201111116 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.5 |
| EAN2350 | ev201111116 NSA | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| EAN3120 | V1.0.10 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| EAN3200 | 1.0.9 | H.264 MJPEG | 1 | Camera | 1440x1080 | Y/N | 1/1 | - | Motion | None | v1.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| EAN3220 | V1.0.10 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v2.5 |
| EAN3300 | Refer to EHN3340(1.2.4) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |
| EAN800A | 1.1.34 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.1 |
| EAN800AW | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.1 |
| EAN850A | 1.1.27 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.1 |
| EAN900 | 1.1.34 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | - | None | v1.1 |
| EDN1220 | 1.0.8 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.18 |
| EDN1320 | 1.0.8 | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/N | - | - | Motion | None | v2.18 |
| EDN2210 | ev20121002 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.9 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| EDN2245 | ev20120607 BNS | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| EDN2260 | 1.3.0.d | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | - | None | v3.4 |
| EDN3160 | V1.0.18 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | None | v2.6 |
| EDN3240 | 1.0.14 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v1.14 |
| EDN3260 | 1.0.18 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v2.6 |
| EDN3340 | Refer to EHN3340(1.2.4) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |
| EDN800 | 1.1.27 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | N/N | 1/1 | - | - | None | v1.1 |
| EDN850H | 1.0.5 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.1 |
| EHN3160 | 1.0.18 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | None | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EHN3200 | 1.0.14 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v1.12 |
| EHN3260 | 1.2.5B2 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.8 |
| EHN3340 | 1.2.4 | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v3.5 |
| EHN3361 | Refer to EZN3340(1.2.5B2) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |
| EMN2220 | 0.8.7-B10 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.13 |
| EMN2320 | 1.0.1 | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/N | - | - | Motion | None | v2.14 |
| EPN2218 | ev20111116 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.5 |
| EPN2700 | None | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | - | Supported by design | v1.1 |
| EPN3100 | v1.0.4 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | - | None | v1.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| EPN3600 | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | - | Supported by design | v1.1 |
| EPN4122 | 1.0.4 B7 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v2.6 |
| EPN4220 | 1.0.16 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v3.5 |
| EPN4220P | Refer to EPN4220(1. 0.16) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v3.6 |
| EPN4230 | Refer to EPN4220(1. 0.16) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v3.6 |
| EQN2200 | 1.0.27 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/N | - | - | - | None | v1.13 |
| EQN2201 | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/N | - | - | - | Supported by design | v1.13 |
| ETN2110 | v3.2.1.4 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.14 |
| ETN2260 | 1.01_F1 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | Pan Tilt | Motion | None | v3.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-----------------|-------------------------|----------|--------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| EVS100 | 1.1.0.5 | MJPEG MPEG4 | 1 | Video Server | 720x576 | Y/N | 0/1 | Pan Tilt Zoom | - | None | v1.0 |
| EVS200A | v1.1.34 | H.264 MJPEG MPEG4 | 2 | Video Server | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | None | v1.1 |
| EVS200AW | None | H.264 MJPEG MPEG4 | 2 | Video Server | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | Supported by design | v1.1 |
| EVS400 | 1.1.5.0 | MPEG4 | 4 | Video Server | 720x576 | Y/Y | 4/0 | Pan Tilt Zoom | - | None | v1.0 |
| EVS410 | 1.0.21 | H.264 MJPEG | 4 | Video Server | 704x480 | Y/Y | 4/1 | - | Motion | None | v2.16 |
| EZN3160 | V1.0.10 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | None | v2.5 |
| EZN3240 | 1.0.14 | H.264 MJPEG | 1 | Camera | 1440x1080 | Y/N | 1/1 | - | Motion | None | v1.12 |
| EZN3260 | 1.2.4 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.3 |
| EZN3340 | 1.2.5B2 | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v3.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---------------------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| EZN3361 | Refer to EZN3340(1.2.5B2) | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |
| EZN850 | 1.1.27 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | N/N | 1/1 | Zoom | - | None | v1.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------------|---|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| ACM-B3000 | 1.02.09 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v2.13 |
| ACM-PT500 | 2.03.16 | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt | Motion | None | v3.7 |
| ACM-R2001 | 1.02.09 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v2.11 |
| ACM-R3002 | Refer to ACM- V3103(2.03. 23A) | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| ACM-R3006 | 1.02.05T | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.13 |
| ACM-V3001 | 1.02.09 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.12 |
| ACM-V3002 | Refer to ACM- V3103(2.03. 23A) | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| ACM-V3103 | 2.03.23A | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v3.13 |
| AT- HK4A26LP R-LZS | v5.4.5 | H.264 MPEG4 | 1 | Camera | 1920x1080P | Y/Y | 1/1 | Zoom | Motion | Supported by design | v.5.15 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| AT-HK4A26LP R-Z | v5.4.5 | H.264 MPEG4 | 1 | Camera | 1920x1080P | Y/Y | 1/1 | Zoom | Motion | Supported by design | v.5.15 |
| AT-HK4A26LP R-ZHS | v5.4.5 | H.264 MPEG4 | 1 | Camera | 1920x1080P | Y/Y | 1/1 | Zoom | Motion | Supported by design | v.5.15 |
| AT-HKTCG225 | v5.4.5 | H.264 MPEG4 | 1 | Camera | 1920x1080P | Y/Y | 1/1 | Zoom | Motion | Supported by design | v.5.15 |
| C3000 | v3.2.2.3 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.14 |
| C3000-W | v3.2.2.3 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.14 |
| CDB-2KM552 | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.3 |
| CDB-2KM552S | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.6 |
| CDB-3VM835 | Refer to TCP-HDVB835 (VJ2.0.02) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| CDB-4KM552 | Refer to TCP-KM465(VK2.0.11.0_F) | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.11 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|--------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| CDB-4KU852 | Refer to TCP-4KU808(VH2.0.0.12) | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| CDB-4VM551 | Refer to TCP-VM469Z42(VH2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.1 |
| CDB-5KM551 | Refer to CDV-5KM501Z35(VK2.0.23.0_F) | H.264 H.265 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDB-5VM551 | Refer to TCP-VM559(VC2.0.26.6_F) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Supported by design | v4.3 |
| CDB-5VM551G | VH2.0.14.2_F | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v5.2 |
| CDB-720F | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | - | Supported by design | v2.5 |
| CDB-720F/IR | V1.0.20_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| CDB-720V | VB1.0.26_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| CDB-720VIR | VB1.0.26_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| CDB-720VIR-H | VE2.0.14.2_F | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v3.3 |
| CDB-HD280 | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDB-HFD720 | Refer to TCP-HDVB720-H(VE2.0.20.8_F) | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Supported by design | v4.1 |
| CDB-HFD728 | Refer to CDB-720VIR-H(VE2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| CDB-HFD828 | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDB-HFD828W | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDB-KFD228 | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.6 |
| CDB-KFD236 | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.6 |
| CDB-MD602 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|---|-------------------|----------|----------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| CDB-MD605 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |
| CDB-MV1080F | VB1.0.32_F | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v2.14 |
| CDB-MV1080F-H | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDB-MV720F | VB1.0.28_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v2.11 |
| CDB-MV720F-H | Refer to TCP-HDVB720-H(VE2.0.20.8_F) | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Supported by design | v4.1 |
| CDB-T5 | A1D-500-V6.07.24-NB | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v3.11 |
| CDV-10KV313 | Refer to TCP-10KB313(A1D-500-V6.11.30-NB) | H.264 MJPEG | 1 | Camera | 3648x2736 | Y/Y | 1/1 | - | Motion | Supported by design | v5.4 |
| CDV-2KM502 | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.3 |
| CDV-2KM502S | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|--|-------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| CDV-2M360 | VB1.0.32_F | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.15 |
| CDV-3F828 | Refer to CDV- 3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDV-3V930 | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | 1/1 | - | - | Supported by design | v1.0 |
| CDV-3V930U | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | 1/1 | - | - | Supported by design | v1.0 |
| CDV-3VM301 | V3.2.54_F | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | - | None | v1.5 |
| CDV-3VM501 | Refer to TCP- MH802(1.0.4 6) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| CDV-3VM800 | VC1.0.06_F | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.14 |
| CDV-3VM800-H | Refer to CDV- 3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDV-3VM800-H1 | Refer to CDV- 3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| CDV-3VM800H | Refer to TCP-KM265(VKD 2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.7 |
| CDV-3VM800Z3 | Refer to TCP-HDVB800Z3(V C2.0.24.2_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v3.11 |
| CDV-3VM800Z4 2 | VE2.0.23_F | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v5.0 |
| CDV-3VM835 | Refer to TCP-HDVB835 (VJ2.0.02) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| CDV-3VWD960 | V1.0.16_F | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | None | v1.5 |
| CDV-3VWD960H | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.5 |
| CDV-4F936 | Refer to TCP-VM469Z42(V H2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.1 |
| CDV-4KM502 | Refer to TCP-KM465(VK2. 0.11.0_F) | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.11 |
| CDV-4KM502Z4 2 | VK2.0.28.6_F | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v18.4 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|---|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| CDV-4KM502Z4 2X | Refer to CDV-4KM502Z42 (FW: VK2.0.28.6_F) | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.4 |
| CDV-4KU801 | Refer to TCP-4KU808(VH2.0.0.12) | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| CDV-4VM501 | Refer to TCP-VM469Z42(VH2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.1 |
| CDV-4VM501Z4 2 | Refer to TCP-VM469Z42(VH2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.1 |
| CDV-5KM501 | Refer to CDV-5KM501Z35(VK2.0.23.0_F) | H.264 H.265 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDV-5KM501Z3 5 | VK2.0.23.0 | H.264 H.265 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | None | v5.0 |
| CDV-5VM501 | Refer to TCP-VM559(VC2.0.26.6_F) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Supported by design | v4.3 |
| CDV-5VM501G | Refer to CDB-5VM551G(VH2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Supported by design | v5.2 |
| CDV-5VM501Z3 | VC2.0.26.4_F | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | None | v3.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|--|--------------|----------|----------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| CDV-5VM501Z42 | Refer to TCP-VM559Z42(V C2.0.26.6) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.4 |
| CDV-DT5 | A1D-500-V6.08.25-NB | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/N | - | - | Motion | None | v3.11 |
| CDV-DT910IR | A1D-500-V6.10.24-NB | H.264 MJPEG | 1 | Fisheye Camera | 3648x2736 | Y/N | - | - | Motion | None | v4.13 |
| CDV-DT95IR | Refer to CDV-DT5(V6.08.25-NB) | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/N | - | - | Motion | Supported by design | v4.3 |
| CDV-MD602 | VG2.0.20_F | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v5.3 |
| CDV-MD605 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |
| CDV-MFB2000D | 2.03.17 | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.5 |
| CDV-MV1080F-H | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| CDV-P360 | Refer to TCP-MH802(1.0.46) | H.264 MJPEG | 1 | Fisheye Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| CDV-P360-5 | VC2.0.26.4 | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v4.1 |
| CDV-VM2008T | 01_C021 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v4.12 |
| EDH-02H | V1.0.20_F | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.10 |
| EP-201 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | - | - | - | Supported by design | v1.0 |
| EP-221 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | - | - | - | Supported by design | v1.0 |
| EP-221DN | None | MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | - | - | - | Supported by design | v1.0 |
| EP-601 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | - | - | - | Supported by design | v1.0 |
| EP-601HW | None | MJPEG MPEG4 | 1 | Camera | 720x480 | N/N | - | Pan Tilt Zoom | - | Supported by design | v1.5 |
| EP-908 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | - | - | - | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| EP-908HW | None | MJPEG MPEG4 | 1 | Camera | 720x480 | N/N | - | Pan Tilt Zoom | - | Supported by design | v1.5 |
| EP-936 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | - | - | - | Supported by design | v1.0 |
| EP-936HW | None | MJPEG MPEG4 | 1 | Camera | 720x480 | N/N | - | Pan Tilt Zoom | - | Supported by design | v1.5 |
| EP-HTQ935 | None | MJPEG MPEG4 | 1 | Camera | 720x480 | N/N | - | Pan Tilt Zoom | - | Supported by design | v1.5 |
| EP-Q2018H-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.5 |
| EP-Q2018HW-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.5 |
| EP-Q2026H-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.5 |
| EP-Q2026HW-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.5 |
| EP-Q2036H-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.5 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| EP-Q2036HW-IP | V1.0.46_F | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v3.7 |
| MD-D1200 | V3.2.56_F | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.0 |
| MD-D1322 | V1.0.23.09_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v2.5 |
| MD-D1612 | V1.0.16_F | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | None | v1.5 |
| MD-D3622Q-H | VD1.0.12_04_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v2.20 |
| SP-HK2020C-IP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MJPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK2020CM-IP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MJPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK2028Q-AIP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MJPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SP-HK2033Q-IP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK204MP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK2050R-LA | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK2107IR-IP | Refer to SP-HK8020IR-IP(VK1.0.24.0_F) | MJPEG H.264 H.265 | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| SP-HK3033Q-AIP | Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.3 |
| SP-HK3033Q-IP | Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v4.16 |
| SP-HK3036Q-IP | Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v4.16 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SP-HK3036R-AIP | Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v4.16 |
| SP-HK3036R-IP | NVSS-V8.1.1.2015 0921 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | None | v4.16 |
| SP-HK3303R-IP | Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.3 |
| SP-HK5220R-IP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK5233R-IP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK6230SR-AIP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK6233R-AIP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SP-HK6240SR-AIP | Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609) | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| SP-HK6333R-AIP | Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.3 |
| SP-HK6340R-AIP | Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/Y | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v5.3 |
| SP-HK8020IR-IP | VK1.0.24.0_F | MJPEG H.264 H.265 | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | None | v5.10 |
| SP-HK8030IR-IP | Refer to SP-HK8020IR-IP(VK1.0.24.0_F) | MJPEG H.264 H.265 | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| SP-HK8120H-IP | Refer to SP-HK8020IR-IP(VK1.0.24.0_F) | MJPEG H.264 H.265 | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| SP-HK8120Q-IP | Refer to SP-HK8020IR-IP(VK1.0.24.0_F) | MJPEG H.264 H.265 | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Supported by design | v5.10 |
| SP-HP2013C-IP | onvif_v2.4.2_20150327 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v4.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SP-HP2020C-IP | onvif_v2.4.0_20141027 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.1 |
| SP-HP2020CM-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2020Q-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2030CM-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2030Q-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2030SR-IP | onvif_v2.5.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 8/2 | Pan Tilt Zoom | Motion | None | v4.12 |
| SP-HP2040SR-IP | Refer to SP-HP2030SR-IP(onvif_v2.5.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 8/2 | Pan Tilt Zoom | Motion | Supported by design | v4.12 |
| SP-HP2313C-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SP-HP2320C-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2330C-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2330Q-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2336Q-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP2530AR-IP | NVSS_V8.0.5.20150609 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 8/2 | Pan Tilt Zoom | Motion | None | v4.15 |
| SP-HP2620CP-IP | Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v4.1 |
| SP-HP4833-IP | A1D-500-V6.09.44-NB | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 4/2 | Pan Tilt Zoom | - | None | v4.7 |
| SP-PTIR736A-IP | Refer to EP-Q2036HW-IP(V1.0.46_F) | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v4.4 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SP-PTIR736B-IP | Refer to EP-Q2036HW-IP(V1.0.46_F) | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v4.4 |
| SP-PTIR737-IP | V1.0.16_F | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | - | Pan Tilt Zoom | - | None | v1.5 |
| TCMA-99 | V3.2.54_F | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | - | None | v1.5 |
| TCMP-99 | V3.2.54_F | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | - | None | v1.5 |
| TCP-10KB313 | A1D-500-V6.11.30-NB | H.264 MJPEG | 1 | Camera | 3648x2736 | Y/Y | 1/1 | - | Motion | None | v5.4 |
| TCP-1200AV | V1.0.26_F | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | - | - | - | None | v2.5 |
| TCP-2200AM | V1.0.30_F | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | - | - | - | None | v2.5 |
| TCP-2200AM-H | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-2700AM | Refer to CDB-720VIR-H(VE1.0.12.2_F) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v3.3 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| TCP-2700AM-W | Refer to CDB-720VIR-H(VE2.0.14.4) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v3.4 |
| TCP-2800AM | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-336AM | VB1.0.40_F | H.264 MJPEG MPEG4 | 1 | Camera | 2032x1536 | Y/Y | 1/1 | - | Motion | None | v2.20 |
| TCP-4KU808 | VH2.0.0.12_F | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | - | Motion | None | v4.12 |
| TCP-670DNU | V3.2.50_F | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | - | None | v1.0 |
| TCP-680DNU | V3.2.50_F | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | - | None | v1.0 |
| TCP-690 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 2/2 | - | - | Supported by design | v1.0 |
| TCP-690DN | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 2/2 | - | - | Supported by design | v1.0 |
| TCP-690U | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 2/2 | - | - | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|---|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| TCP-B365K | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-BF108 | Refer to TCP-HDVB720-H(VE2.0.20.8_F) | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Supported by design | v4.1 |
| TCP-BF1080 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-BF128 | VE1.0.10_F | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | None | v3.0 |
| TCP-BF208 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-BF428 | Refer to TCP-VM469Z42(V H2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.1 |
| TCP-BF728IR | Refer to CDB-720VIR-H(VE2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| TCP-BF828IR | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-HDVB110 | Refer to TCP-HDVB720-H(VE2.0.20.8_F) | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Supported by design | v4.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|---|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| TCP-HDVB180 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-HDVB720 | V1.0.20_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v2.5 |
| TCP-HDVB720-H | VE2.0.20.8_F | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | None | v4.1 |
| TCP-HDVB800 | VC1.0.18.2_F | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.15 |
| TCP-HDVB800-H | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-HDVB800-H1 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-HDVB800H | Refer to TCP-KM265(VKD 2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.7 |
| TCP-HDVB800Z3 | VC2.0.24.2_F | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v3.11 |
| TCP-HDVB800Z42 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|--|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| TCP-HDV8801 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | - | Supported by design | v2.5 |
| TCP-HDV8835 | VJ2.0.02_F | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.12 |
| TCP-HF1080D | 2.03.10 | H.264 MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v2.19 |
| TCP-HFB720 | VB1.0.28_F | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v2.11 |
| TCP-HFB720-H | Refer to TCP-HDV8720-H(VE2.0.20.8_F) | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | Supported by design | v4.1 |
| TCP-HP1024 | V1.0.14_F | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| TCP-HP1080 | VC1.0.06_F | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.14 |
| TCP-HP1080-H | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-HP1080H | Refer to TCP-KM265(VKD 2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|------------------------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| TCP-HP930 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 2/2 | - | - | Supported by design | v1.0 |
| TCP-HP930U | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 2/2 | - | - | Supported by design | v1.0 |
| TCP-HVB3100D | Refer to ACM-V3103(2.03.23A) | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| TCP-HVB3105D | Refer to ACM-V3103(2.03.23A) | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.13 |
| TCP-IPWD690 | V3.2.56_F | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 2/2 | - | - | None | v1.5 |
| TCP-IPWD700DN | V1.0.16_F | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | - | Pan Tilt Zoom | - | None | v1.5 |
| TCP-IR590-WD30 | V1.0.20_F | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | None | v1.10 |
| TCP-IRH5030C | Refer to TCP-MH802(1.0.46) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| TCP-IRH5040C | Refer to TCP-MH802(1.0.46) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| TCP-IRH5080-50 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-IRH5080-70 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-IRH5080W-50 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-IRH5080W-70 | Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-IRV540 | V3.2.60_F | MJPEG MPEG4 | 1 | Camera | 720x480 | N/N | - | - | - | None | v1.5 |
| TCP-IRV560 | V3.2.60_F | MJPEG MPEG4 | 1 | Camera | 720x480 | N/N | - | - | - | None | v1.5 |
| TCP-KB436 | Certified by CDV-4KM502Z42(VK2.0.28.6_F) | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| TCP-KM265 | VKD2.1.24.2_F | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v18.3 |
| TCP-KM265S | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|--|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| TCP-KM465 | VK2.0.11.0_F | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | None | v4.11 |
| TCP-KM470Z10 | VK2.0.26.0_F | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v5.6 |
| TCP-KM559 | Refer to CDV-5KM501Z35(VK2.0.23.0_F) | H.264 H.265 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-KM559Z35 | Refer to CDV-5KM501Z35(VK2.0.23.0_F) | H.264 H.265 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-KZ262S | Refer to TCP-KM265 (FW: VKD2.1.24.2_F) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.6 |
| TCP-KZ462 | Refer to TCP-KM465(VK2.0.11.0_F) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.11 |
| TCP-M360K | Refer to CDV-3VM800Z42 (VE2.0.23.10_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.0 |
| TCP-M912DN | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | - | Supported by design | v1.5 |
| TCP-MB602 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| TCP-MB605 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |
| TCP-MB685 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |
| TCP-MH802 | 1.0.46 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v3.5 |
| TCP-MH859 | Refer to TCP-VM559(VC2.0.26.6_F) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Supported by design | v4.3 |
| TCP-MH859G | Refer to CDB-5VM551G(VH2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Supported by design | v5.2 |
| TCP-MZ602 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |
| TCP-MZ605 | Refer to CDV-MD602(VG2.0.20_F) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.3 |
| TCP-VM2008T | 01_C021 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v4.12 |
| TCP-VM201 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | - | Supported by design | v1.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|-------------------------------------|--------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| TCP-VM2210 | 3.1.0.0 | MJPEG MPEG-4 H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/0 | Pan Tilt Zoom | Motion | None | v4.12 |
| TCP-VM2818 | Refer to TCP-VM2210(3.1.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt Zoom | Motion | Supported by design | v4.13 |
| TCP-VM2833 | Refer to TCP-VM2210(3.1.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt Zoom | Motion | Supported by design | v4.13 |
| TCP-VM359 | VC1.0.16_F | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.14 |
| TCP-VM469 | Refer to TCP-VM469Z42(VH2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.1 |
| TCP-VM469Z42 | VH2.0.14.2_F.B6 | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | None | v5.1 |
| TCP-VM501 | Refer to TCP-MH802(1.0.46) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v3.5 |
| TCP-VM559 | VC2.0.26.6_F | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Test by link | v4.3 |
| TCP-VM559G | Refer to CDB-5VM551G(VH2.0.14.2_F) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | Supported by design | v5.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|------------------------------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| TCP-VM559Z3 | Refer to CDV-5VM501Z3(V C2.0.26.4) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v3.12 |
| TCP-VM559Z42 | VC2.0.26.6 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Test by link | v4.4 |
| WB-8211SD | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 2/4 | - | - | Supported by design | v1.0 |
| WB-8211SDU | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/N | 2/4 | - | - | Supported by design | v1.0 |
| WB-8411 | None | MJPEG MPEG4 | 4 | Video Server | 720x576 | Y/N | 4/1 | - | - | Supported by design | v1.0 |
| WB-8412 | None | MJPEG MPEG4 | 4 | Video Server | 640x480 | Y/Y | 4/4 | - | - | Supported by design | v1.5 |
| WB-H811 | V1.0.44_F | H.264 MJPEG | 1 | Video Server | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v3.9 |
| WB-H814 | V1.0.82_F | H.264 MJPEG | 4 | Video Server | 720x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v3.10 |
| WB-HB01 | VH2.0.18.0_F | H.264 MJPEG | 1 | Camera | 960x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v5.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| WB-HB04 | V1.0.0.8.F | H.264 MJPEG | 4 | Video Server | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v5.8 |
| WB-HB08 | V1.0.0.10_F | H.264 MJPEG | 1 | Video Server | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v18.5 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| FC-309 | Refer to FC-348-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-313 | Refer to FC-348-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-324 | Refer to FC-348-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-324S | Refer to FC-348-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-334 | Refer to FC-348-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-334S | Refer to FC-348-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-348-NTSC | BU 1.2 | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | None | v3.10 |
| FC-363 | Refer to FC-348-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-618-R-NTSC | BU 1.2 | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Test by link | v3.10 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| FC-632S | Refer to FC-618R-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-645S | Refer to FC-618R-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-669S | Refer to FC-618R-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |
| FC-690S | Refer to FC-618R-NTSC(BU 1.2) | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Zoom | Motion | Supported by design | v3.10 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| ACD-3VM501 | Refer to ACDV-3VM501(V1.0.26) | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v2.6 |
| ACDV-3VM501 | Refer to ACDV-3VM501 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.14 |
| AEP-Q2018H-IP | None | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.14 |
| AEP-Q2018HW-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.14 |
| AEP-Q2026H-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.14 |
| AEP-Q2026HW-IP | None | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.14 |
| AEP-Q2036H-IP | V1.0.26 | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | - | - | - | None | v1.14 |
| AEP-Q2036HW-IP | V1.0.26 | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | - | - | - | None | v1.14 |
| ASP-PTIR737-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.14 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| ASP-PTIR737-LA-IP | None | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.14 |
| ATCP-IRH5030C | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.14 |
| ATCP-IRH5040C | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.14 |
| ATCP-MH802 | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.14 |
| ATCP-MH802DN | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.14 |
| ATCP-MH802DN WI | V1.0.26 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v1.14 |
| ATCP-MH802WI | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.14 |
| ATCP-VM501 | None | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.14 |
| B0100 | V1.0.1.14 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.14 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|------------------------|--------------------|
| B0202 | V3.2.0.0 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.0 |
| B1100 | V1.0.1.14 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.14 |
| C1100 | V1.0.1.14 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.14 |
| C1100-W | V1.0.1.14 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.14 |
| C2002 | Refer to C2200(V3.2. 0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| C2002-W | Refer to C2200- W(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| C2200 | Refer to B0202(V3.2. 0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| C2200-W | Refer to B0202(V3.2. 0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| D0100 | V1.0.1.14 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.14 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| D1100 | V1.0.1.14 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.14 |
| D2000-FD3 | Refer to M4202- DB02(V3.2.0 .0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| D2000-VD3 | Refer to M4202- DB03(V3.2.0 .0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| D2000-VP2 | Refer to M4202- DB02(V3.2.0 .0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| D2100 | 1.0.1.4 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | None | v1.14 |
| FBS-1300BL | Refer to FBS- 1300BX(Ag WT8130104 N20_140528 2B) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| FBS-1300BX | AgWT81301 04N20_1405 282B | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.5 |
| FBS-1300ID | Refer to FBS- 1300BX(Ag WT8130104 N20_140528 2B) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| FBS-1300IDR | Refer to FBS- 1300BX(Ag WT8130104 N20_140528 2B) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| FBS-1300MID | Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| FBS-1300MVD | Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| FBS-1300VD | Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| FBS-1300VDR | Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| FBU-200LWD | AgWT82001 22N06 V32 1401213F | H.264 | 1 | Camera | 1920x1080 | Y/Y | 0/1 | Pan Tilt Zoom | Motion | None | v3.3 |
| FBU-201LWD | Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 0/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |
| FBU-300LWD | Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |
| FBU-301LWD | Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| FBX-200 | None | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| FBX-200CL | Refer to FBU- 200LWD(Ag WT8200122 N06 V32 1401213F) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 0/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |
| FBX-200LWD | Refer to FBU- 200LWD(Ag WT8200122 N06 V32 1401213F) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 0/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |
| FBX-300LWD | Refer to FVD- 300LWD(Ag WT8300036 N06 V32 1401214F) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |
| FBX-300WD | None | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| FDM-200 | None | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| FDM-200LWD | Refer to FBU- 200LWD(Ag WT8200122 N06 V32 1401213F) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 0/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |
| FDM-300LWD | Refer to FVD- 300LWD(Ag WT8300036 N06 V32 1401214F) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| FDM-300WD | None | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| FVD-200 | None | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| FVD-200LWD | Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 0/1 | Pan Tilt Zoom | Motion | Supported by design | v3.3 |
| FVD-300LWD | AgWT83000 36N06 V32 1401214F | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.3 |
| FVD-300WD | None | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| IPB-1080BL | Refer to IPD-1080CD(VC1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |
| IPB-1080BM | Refer to IPD-1080CD(VC1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |
| IPB-1080E | Refer to IPD-1080MF(VE1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| IPB-1080EL | Refer to IPD-1080MF(VE1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.13 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPB-1080F | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| IPB-1080F28 | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| IPB-1080WDR | Refer to IPD-1080WDR(Forenix_rootfs_VG1.0.20_TG_20150129_101057) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.1 |
| IPB-4065BM | VK1.0.13.3_TG | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | None | v4.10 |
| IPB-8000BM | VH1.0.0.11_TG | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | - | Motion | None | v4.11 |
| IPD-1080CD | VC1.0.22.6_TG | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.6 |
| IPD-1080E | Refer to IPD-1080MF(VE1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| IPD-1080KF | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|---|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPD-1080MF | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| IPD-1080WDR | VG1.0.20_TG | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v4.1 |
| IPD-4065CD | Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_20151202_152150) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.9 |
| IPD-8000CD | Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG) | MJPEG H.264 | 1 | Camera | 3840x2160 | Y/Y | 1/1 | - | Motion | Supported by design | v4.11 |
| IPM-1080F | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| IPM-1080RF | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| IPT-1080F | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| IPV-1080CD | Refer to IPD-1080CD(VC1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|---|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IPV-1080E | Refer to IPD-1080MF(VE1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| IPV-1080F | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| IPV-1080WDR | Refer to IPD-1080WDR(Forenix_rootfs_VG1.0.20_TG_20150129_101057) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.1 |
| IPV-4065CD | Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_20151202_152150) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.9 |
| IPV-8000CD | Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG) | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | - | Motion | Supported by design | v4.11 |
| IPX-1080DN | Refer to IPD-1080CD(VC1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.6 |
| IPX-1080E | Refer to IPD-1080MF(VE1.0.22.6_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.12 |
| IPX-1080WDR | Refer to IPD-1080WDR(Forenix_rootfs_VG1.0.20_TG_20150129_10105) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|---|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| IPX-4065DN | Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_20151202_152150) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.9 |
| IPX-8000DN | Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG) | H.264 MJPEG | 1 | Camera | 3840x2160 | Y/Y | 1/1 | - | Motion | Supported by design | v4.11 |
| IPZB-1000R | 3.0.0.4 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | Pan Tilt Zoom | - | None | v4.5 |
| ISPD-2018 | Refer to ISPD-2020(Forenix_VC1.0.301204_TG_20150310_112618.bin) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 4/1 | Pan Tilt Zoom | Motion | None | v4.1 |
| ISPD-2020 | VC1.0.301204_TG | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | None | v4.1 |
| ISPD-2065-20X | VK1.0.15.1_TG | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | None | v4.13 |
| ISPDII-1312WD | AgWT8131312N20_1404185F | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | Pan Tilt Zoom | Motion | None | v3.4 |
| ISPDII-3018WD | AgWT8303018N20_1404185F | H.264 | 1 | Camera | 2048x1536 | N/N | - | Pan Tilt Zoom | Motion | None | v3.4 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|---------------------------------------|-------------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| ISPDIII-3010 | 0.1.4960M | H.264 MJPEG | 1 | Fisheye Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v3.8 |
| M0202-BH01 | Refer to B0202(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| M0202-BH02 | Refer to B0202(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| M0202-BH03 | Refer to B0202(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| M4202-DB02 | Refer to B0202(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| M4202-DB03 | Refer to B0202(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| M7202-DB03 | Refer to B0202(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.9 |
| NPB-1080BLX | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| NPB-1080BMX | Refer to NPB-1080BMX-M(VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|---|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| NPB-1080BMX-M | VE1.0.24.2_TG | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v4.16 |
| NPB-1080F28X | Certified by NPD-1080MFX(V MB1.0.22_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v18.9 |
| NPB-2065BL | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPB-2065BL-M | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPB-2065BM | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPB-2065BM-M | VQ1.0.23.0_TG | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v5.8 |
| NPB-2065F | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPB-2065F28 | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPB-4065BL-M | VK1.0.25.2_TG | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v5.3 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|--|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| NPB-4065BM | Refer to NPB-4065BL-M (VK1.0.25.2_TG) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.3 |
| NPB-4065BM-M | Refer to NPB-4065BL-M (VK1.0.25.2_TG) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.7 |
| NPB-720 | Refer to NPB-720BM (VB1.0.26_TG) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.7 |
| NPB-720A | Refer to NPB-720BM (VB1.0.26_TG) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.7 |
| NPB-720BM | VB1.0.26_TG | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.6 |
| NPB-720U | Refer to NPB-720BM (VB1.0.26_TG) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.7 |
| NPB-8065BM-M | VKU1.2.4.30 | MJPEG H.264 H.265 | 1 | Camera | 3840x2160 | Y/Y | 1/1 | Zoom | Motion | None | v18.2 |
| NPC-4215 | 0821T1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v5.13 |
| NPD-1080CDX | Refer to NPB-1080BMX-M (VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| NPD-1080MFX | VMB1.0.22_TG | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v18.9 |
| NPD-2065CD | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPD-2065CD-M | VKD1.1.1.18_TG | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v18.8 |
| NPD-2065KF | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPD-2065MF | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPD-4065CD | Refer to NPB-4065BL-M(VK1.0.25.2_TG) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.3 |
| NPD-4065CD-M | VK1.0.27.0_TG | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v18.8 |
| NPD-4320 | 0821T1 | H.265 H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v5.12 |
| NPD-720K | Refer to NPB-720BM(VB1.0.26_TG) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|--|-------------------------|----------|----------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| NPD-720R | Refer to NPB-720BM (VB1.0.26_TG) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.7 |
| NPF-4520 | 0821T1 | H.265 H.264 MJPEG | 1 | Fisheye Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | | v5.12 |
| NPV-1080CDX | Refer to NPB-1080BMX-M (VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |
| NPV-1080CDX-M | VE1.0.24.4_TG | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v5.2 |
| NPV-2065CD | Refer to NPB-2065BM-M (VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPV-2065CD-M | Refer to NPB-2065BM-M (VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPV-4065CD | Refer to NPB-4065BL-M (VK1.0.25.2_TG) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.3 |
| NPV-4065CD-M | Refer to NPB-4065BL-M (VK1.0.25.2_TG) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.7 |
| NPX-1080DNX | Refer to NPB-1080BMX-M (VE1.0.24.2_TG) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|---------------------------------------|-------------------------|----------|--------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| NPX-2065DN | Refer to NPB-2065BM-M(VQ1.0.23.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.8 |
| NPX-4065DN | Refer to NPB-4065BL-M(VK1.0.25.2_TG) | H.264 H.265 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v5.3 |
| NSPD-2065-10X | VK1.0.28.5_1718 | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | Pan Tilt Zoom | Motion | None | v18.7 |
| NSPD-2065-20X | VK 1.0.22.0_TG | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | None | v4.16 |
| NSPD-2065-30X | Refer to NSPD-2065-20X(VK1.0.22.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Supported by design | v5.6 |
| NSPD-4065-10X | Refer to NSPD-2065-20X(VK1.0.22.0_TG) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Supported by design | v5.6 |
| NSPD-8220-OH | 0821T1 | H264,H265,MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan/Tilt/Zoom | Motion | None | v5.13 |
| NVS-AH01 | VH1.0.0.16 | H.264 MJPEG | 1 | Camera | 960x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v5.2 |
| NVS-AH04 | V1.0.0.8_TG | H.264 MJPEG | 4 | Video Server | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v5.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| T2000-FB1 | Refer to M0202-BH01(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| T2000-FB2 | Refer to M0202-BH02(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| T2000-VB3 | Refer to M0202-BH03(V3.2.0.0) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| VQ2100 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| VQ2200 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v2.15 |
| VQ2210C | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.15 |
| VQ2300 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| VQ2310 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.15 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|--------------|--------------------|
| VIT-DA651E | 2.1.19-01-B907 | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/N | 2/2 | - | Motion | Test by link | v4.9 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| TVC-M1245E-2M-P | V4.0.g | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v3.1 |
| TVC-MP2B-S | e20120223B NS | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.0 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|---|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| A3101LE/A4101 | 4.0.30.51 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | None | v4.4 |
| A3102LE/A4102 | 4.11.23.51 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/N | - | - | Motion | None | v4.4 |
| A3253LE/A3263LE | 4.8.26.51 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.4 |
| B2201 | Refer to B4251RLE(v 1.8.1001.10 01.101.0.75. 1.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.4 |
| B3202LE | Refer to B4201RLE(v 1.8.0801.10 01.101.0.66. 1.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v4.4 |
| B3251RLE | Refer to B4251RLE(v 1.8.1001.10 01.101.0.75. 1.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.4 |
| B4201RLE | v1.8.0801.1 001.101.0.6 6.1.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Test by link | v4.4 |
| B4251RLE | v1.8.1001.1 001.101.0.7 5.1.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v4.4 |

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| B5201E | Refer to B6232LE(v1.8.0601.1001.101.0.4605.1.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v4.4 |
| B6231E | Refer to B6232LE(v1.8.0601.1001.101.0.4605.1.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v4.4 |
| B6232LE | v1.8.0601.1001.101.0.4605.1.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Test by link | v4.4 |
| C1201L | V1.0.40 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.10 |
| C3203LE | 2.3.3073.74 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.10 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|------------------------------------|--------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| GCI-G1536F | gr20140530 NSA | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v3.6 |
| GCI-H2505B | Refer to GCI-K2505B(gr20130417NSX) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| GCI-K0589T(H) | Refer to GCI-K1586V(gr20130621NSA) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| GCI-K0779P | gr20130621 NSA | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.16 |
| GCI-K1523VS | Refer to GCI-K2505B(gr20130417NSX) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| GCI-K1526V | gr20120522 NSA | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.4 |
| GCI-K1526VS | Refer to GCI-K2505B(gr20130417NSX) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| GCI-K1585V | Refer to GCI-K1586V(gr20130621NSA) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| GCI-K1586V | gr20130621 NSA | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.16 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| GCI-K1812W | gr20120711 NSA | MJPEG H.264 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v2.4 |
| GCI-K2505B | gr20130417 NSX | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.16 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---|-------------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| Generic | AS65_ALL001_V1.00.07 | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 2048x1536 | Y/N | 1/1 | - | Motion | None | v3.8 |
| Note: | <p>Support generic dewarp</p> <ol style="list-style-type: none">1. Camera reboot (60 seconds) after parameter configuration.2. Not support 16 KHz sampling rate audio in.3. No support Camera search.4. The camera setting will be failed if choose the value "BOTH"5. Camera can not connect when 2nd resorution set to 854*480.6. The default value of brightness could be 50. | | | | | | | | | | |
| GDN-D1300IR | Refer to GDN-D1300V(AS65_ALL001_V0.01.09) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v2.5 |
| GDN-D1300V | AS65_ALL001_V0.01.09 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | None | v2.5 |
| GDN-D2300 | Refer to GDN-H2300IR(AS65_ALL001_V0.02.04) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.2 |
| GDN-D2300V | Refer to GDN-H2300IR(AS65_ALL001_V0.02.04) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| GDN-D3200IR | Refer to GDN-D3200V(AS65_ALL01_V0.02.00) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | Supported by design | v2.13 |
| GDN-D3200V | AS65_ALL01_V0.02.00 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | None | v2.13 |
| GDN-DV1300IR | Refer to GDN-D1300V(AS65_ALL001_V0.01.09) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v2.5 |
| GDN-F1300V | Refer to GDN-D1300V(AS65_ALL001_V0.01.09) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v2.13 |
| GDN-F2300 | Refer to GDN-H2300IR(AS65_ALL001_V0.02.04) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.2 |
| GDN-H1300IR | Refer to GDN-D1300V(AS65_ALL001_V0.01.09) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | Motion | Supported by design | v2.13 |
| GDN-H2300IR | AS65_ALL001_V0.02.04 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v3.2 |
| GDN-H3200IR | Refer to GDN-D3200V(AS65_ALL01_V0.02.00) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | Motion | Supported by design | v2.13 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|--------------|--------------------|
| GDN-MD2000V | V5.2.0build 141120 | H.264 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v5.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|--|----------------------------------|----------|-------------------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| Generic | V5.5.0 build 171030 V5.0.9 build 141009 | H.264 H.265 MPEG4 MJPEG | 1 | Camera / Fisheye Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v18.1 |
| Note: | <p>1. V5.5.0 build 171030 is the version of firmware of IPCam. 2. V5.0.9 build 141009 is the version of firmware of fisheye.</p> <p>IPCam model: 1. DO alarm is abnormal. (NUUO server limitation)</p> <p>Fisheye model: 1. Support generic dewarp 2. When audio codec is changed in webpage, audio in IP Camera 2, 3, 4, 5 can't use correct codec. (Camera Firmware issue)</p> | | | | | | | | | | |
| Generic Server | V3.1.2 build 141219 | H.264 MPEG4 MJPEG | 16 | Vedio Server | 2560x1920 | Y/Y | 16/4 | Pan Tilt Zoom | Motion | None | v4.5 |
| Note: | <p>1. V3.1.2 build 141219 is the version of firmware of video server. 2. Talk not support in the model support ISAPI protocol. (Camera Firmware issue) 3. Can't get RSTP prot, default value 554. (Camera Firmware issue)</p> | | | | | | | | | | |
| DS-2CD2012-I | v5.0.2 build 130805 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v2.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| DS-2CD2012F-I | V5.3.0 build 150616 | H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v4.4 |
| DS-2CD2032-I | V5.3.0 build 150513 | H.264 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v4.6 |
| DS-2CD2112-I | Refer to DS-2CD2012-I(v5.0.2 build 130805) | H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.18 |
| DS-2CD2142FWD-I | Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525) | H.264 | 1 | Camera | 2688x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v5.2 |
| DS-2CD2142FWD-IWS | V5.3.8 build 151224 | H.264 | 1 | Camera | 2688x1520 | Y/Y | 1/1 | - | Motion | Test by link | v4.13 |
| DS-2CD2212-I3 | Refer to DS-2CD2012-I(v5.0.2 build 130805) | H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.18 |
| DS-2CD2212-IS | Refer to DS-2CD2012-I(v5.0.2 build 130805) | H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.18 |
| DS-2CD2312-I | Refer to DS-2CD2012-I(v5.0.2 build 130805) | H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.18 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------------|--|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| DS-2CD2342W D-I | Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525) | H.264 | 1 | Camera | 2688x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v5.2 |
| DS-2CD2432F-IW | V5.3.0 build 150513 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v4.14 |
| DS-2CD2612F-I | Refer to DS-2CD2012-I(v5.0.2 build 130805) | H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.18 |
| DS-2CD2612F-IS | V5.02 130805 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v2.19 |
| DS-2CD2632F-IS | Refer to DS-2CD2732F-IS(V5.02 130805) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.19 |
| DS-2CD2642F WD-IZS | V5.3.3 | H.264 | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | None | v4.14 |
| DS-2CD2712F-I | Refer to DS-2CD2012-I(v5.0.2 build 130805) | H.264 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v2.18 |
| DS-2CD2712F-IS | Refer to DS-2CD2612F-IS(V5.02 130805) | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v2.19 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2CD2732-IS | V5.02 130805 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Test by link | v2.19 |
| DS-2CD2942F-I | Refer to DS-2CD2942F-IWS(v5.4.0 build 160603) | H.264 | 1 | Camera | 2560x1440 | Y/Y | 1/1 | - | Motion | Supported by design | v4.16 |
| DS-2CD2942F-IWS | V5.4.0 build 160603 | H.264 | 1 | Camera | 2560x1440 | Y/Y | 1/1 | - | Motion | Test by link | v4.16 |
| DS-2CD4032F-WD-A | V5.1.6 build 140412 | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt | Motion | None | v3.5 |
| DS-2CD4065F-P | V5.3.4 build 150812 | H.264 | 1 | Camera | 3072x2048 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.6 |
| DS-2CD40C5F-AP | V5.3.0 build 150513 | H.264 | 1 | Camera | 4000x3000 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.14 |
| DS-2CD4124F-IZ | Refer to DS-2CD4224F-IZH(v5.3.5 build 151218) | H.264 MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.11 |
| DS-2CD4125F-WD-IZ | Refer to DS-2CD4A25FW D-IZHS(v5.3.5 build 151218) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v4.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2CD4132F WD-IZ | Refer to DS-2CD4332FW D-PTZ(V5.3.5 build 151218) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.13 |
| DS-2CD4212F WD-IZS | V5.1.6 build 140412 | H.264 MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | Zoom | Motion | None | v3.5 |
| DS-2CD4224F-IZH | V5.3.5 build 151218 | H.264 MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.11 |
| DS-2CD4332F WD | V5.3.0 build 150513 | H.264 MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Test by link | v4.8 |
| DS-2CD4332F WD-PTZ | V5.3.5 build 151218 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Test by link | v4.13 |
| DS-2CD4565F-IZH | V5.3.4 build 150812 | H.264 | 1 | Camera | 3072x2048 | Y/Y | 1/1 | Zoom | Motion | None | v4.14 |
| DS-2CD4625F WD-IZS | V5.3.4 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v4.11 |
| DS-2CD4A25F WD-IZ | V5.3.0 build 150617 | H.264 | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | Test by link | v4.10 |
| DS-2CD4A25F WD-IZHS | V5.3.5 build 151218 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Test by link | v4.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------------|---|-------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DS-2CD4D36F WD-IZP | V5.4.5 build 170717 | H.265 H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 0/0 | Zoom | Motion | Supported by design | v5.15 |
| DS-2CD6026F HWD-A | V5.1.0 build 131202 | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v4.5 |
| DS-2CD6332F WD-I | V5.4.14 build 160427 | H.264 | 1 | Camera | 1536x1536 | Y/Y | - | - | Motion | Test by link | v4.16 |
| DS-2CD6332F WD-IS | Refer to DS-2CD6362F-IVS(V5.0.9 build 141009) | H.264 | 1 | Fisheye Camera | 3072x2048 | Y/Y | 1/1 | - | Motion | Supported by design | v3.13 |
| DS-2CD6332F WD-IV | Refer to DS-2CD6362F-IVS(V5.0.9 build 141009) | H.264 | 1 | Fisheye Camera | 3072x2048 | Y/Y | 1/1 | - | Motion | Supported by design | v3.13 |
| DS-2CD6332F WD-IVS | Refer to DS-2CD6362F-IVS(V5.0.9 build 141009) | H.264 | 1 | Fisheye Camera | 3072x2048 | Y/Y | 1/1 | - | Motion | Supported by design | v3.13 |
| DS-2CD6362F-I | Refer to DS-2CD6362F-IVS(V5.0.9 build 141009) | H.264 | 1 | Fisheye Camera | 3072x2048 | Y/Y | 1/1 | - | Motion | Supported by design | v3.13 |
| DS-2CD6362F-IS | Refer to DS-2CD6362F-IVS(V5.0.9 build 141009) | H.264 | 1 | Fisheye Camera | 3072x2048 | Y/Y | 1/1 | - | Motion | Supported by design | v3.13 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|---|--------------|----------|----------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| DS-2CD6362F-IV | Refer to DS-2CD6362F-IVS(V5.0.9 build 141009) | H.264 | 1 | Fisheye Camera | 3072x2048 | Y/Y | 1/1 | - | Motion | Supported by design | v3.13 |
| DS-2CD6362F-IVS | V5.0.9 build 141009 | H.264 | 1 | Fisheye Camera | 3072x2048 | Y/Y | 1/1 | - | Motion | None | v4.2 |
| DS-2CD702N-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD702NF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD702NF-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD702P-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD702PF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD702PF-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD712N-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|---------------------|-------------------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| DS-2CD712NF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD712NF-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD712P-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD712PF | V2.0 build 090522 | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.0 |
| DS-2CD712PF-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD7133-E | V3.0 110117 | H.264 | 1 | Camera | 640x480 | N/N | - | - | - | None | v1.9 |
| DS-2CD7153-E | v5.0.8 build 130930 | H.264 MPEG4 MJPEG | 1 | Camera | 1600x1200 | N/N | - | - | Motion | Test by link | v2.19 |
| DS-2CD7253F-EIZ | V5.0.2 Build 130709 | H.264 MPEG4 MJPEG | 1 | Camera | 1600x1200 | N/N | - | Zoom | Motion | None | v2.20 |
| DS-2CD732F-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2CD732NF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD732NF-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD732PF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD732PF-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD752F-E | None | MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.0 |
| DS-2CD752MF-E | None | MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.0 |
| DS-2CD752MF-FB | V2.0 110426 | MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt | Motion | Test by link | v2.0 |
| DS-2CD752MF-FH | None | MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.0 |
| DS-2CD753F-E | Refer to DS-2CD753F-EI(V3.0 110921) | H.264 MPEG4 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.17 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|---------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DS-2CD753F-EI | V3.0 110921 | H.264 MPEG4 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Test by link | v2.0 |
| DS-2CD754F-E | Refer to DS-2CD754FWD-EI(V3.2 120105) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt | Motion | Supported by design | v2.0 |
| DS-2CD754F-EI | Refer to DS-2CD754FWD-EI(V3.2 120105) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt | Motion | Supported by design | v2.0 |
| DS-2CD754FW D-E | Refer to DS-2CD754FWD-EI(V3.2 120105) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt | Motion | Supported by design | v1.18 |
| DS-2CD754FW D-EI | V3.2 120105 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt | Motion | Test by link | v2.0 |
| DS-2CD762MF | None | MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DS-2CD762MF-E | None | MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DS-2CD762MF-FB | None | MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| DS-2CD762MF-FH | None | MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DS-2CD783F-E | V3.2 120105 | H.264 MPEG4 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Test by link | v2.0 |
| DS-2CD783F-EI | Refer to DS-2CD783F-E(V3.0 110921) | H.264 MPEG4 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.18 |
| DS-2CD792NF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD792NF-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD792NF-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD792PF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD792PF-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD792PF-FB | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| DS-2CD802N-IR1 | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-------------------|--------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| DS-2CD802N-IR3 | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD802N-IR5 | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD802NF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD802NF-E | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD802P-IR1 | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD802P-IR3 | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD802P-IR5 | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD802PF | V2.0 build 090522 | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | None | v1.0 |
| DS-2CD802PF-E | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2CD812PF | v2.0 build 090522 | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | None | v1.0 |
| DS-2CD812PF-E | Refer to DS-2CD812PF(v2.0 build 090522) | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD8253F-EI | v4.0.3 build121123 | H.264 MPEG4 | 1 | Camera | 1600x1200 | N/N | - | - | Motion | None | v2.8 |
| DS-2CD8254F-EIS | V3.2 120105 | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.0 |
| DS-2CD8264F WD-EIS | v4.0.3 build121123 | H.264 MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.8 |
| DS-2CD832F | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD832F-E | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2CD832NF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD832NF-E | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| DS-2CD832P-IR5 | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD832PF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD832PF-E | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD852F | None | MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.0 |
| DS-2CD852MF-E | V2.0 build 20090430 | MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.0 |
| DS-2CD853F-E | V3.2 120105 | H.264 MPEG4 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.1 |
| DS-2CD854F-E | V3.2 120105 | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.0 |
| DS-2CD862MF-E | None | MPEG4 | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD864FW D-E | v4.0.3 build121123 | H.264 MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.8 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|---|-------------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2CD883F-E | V3.2 120105 | H.264 MPEG4 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.0 |
| DS-2CD892NF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD892P-IR5 | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD892PF | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CD892PF-E | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |
| DS-2CS2132F | Refer to DS-2CD2032-I(V5.3.0 build 150513) | H.264 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v4.6 |
| DS-2DE7174-AE | Refer to DS-2DE7184-A(V5.3.9 build 150910) | H.264 | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v4.10 |
| DS-2DE7176-A | Refer to DS-2CD2942F-IWS(v5.4.0 build 160603) | H.264 | 1 | Camera | 1280x960 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v4.14 |
| DS-2DE7176-D | V5.3.9 build 150910 | H.264 | 1 | Camera | 1280x960 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v4.14 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2DE7184-A | V5.3.9 build 150910 | H.264 | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Test by link | v4.10 |
| DS-2DF1-401H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-402H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-5702 | Refer to DS-2DF1-572(V4.1.2 build 121205) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| DS-2DF1-570A | Refer to DS-2DF1-572(V4.1.2 build 121205) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| DS-2DF1-572 | V4.1.2 build 121205 | H.264 | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.9 |
| DS-2DF1-5732 | Refer to DS-2DF1-572(V4.1.2 build 121205) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| DS-2DF1-573A | Refer to DS-2DF1-572(V4.1.2 build 121205) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2DF1-57A | Refer to DS-2DF1-572(V4.1.2 build 121205) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |
| DS-2DF1-601H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-602H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-603H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-604H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-605H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-606H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-607H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-608H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| DS-2DF1-609H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-610H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-611H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-612H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-613H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-614H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-615H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-616H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DF1-617H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|---------------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DS-2DF6236V-AEL | V5.3.2 build 150519 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | None | v4.14 |
| DS-2DF8223I-AEL | V5.2.8 build 150124 | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | None | v4.5 |
| DS-2DM1-602H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DM1-603H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DM1-604H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DM1-612H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DM1-613H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-2DM1-614H | None | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v1.5 |
| DS-6101HFI-IP | V2.0 Build 20090522 | H.264 MPEG4 | 1 | Vedio Server | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|-------------------------|----------|--------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DS-6101HFI-SATA | None | H.264 MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.5 |
| DS-6104HCI | V2.0 build 090921 / V4.0 build 090508 | H.264 | 4 | Vedio Server | 704x480 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v1.5 |
| DS-6104HCI-SATA | None | H.264 MPEG4 | 4 | Vedio Server | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.5 |
| DS-6601HFHI | v1.0.2 build 121107 | H.264 | 1 | Vedio Server | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v2.7 |
| DS-6716HFI | V1.2.3 build 141203 | H.264 MJPEG MPEG4 | 16 | Vedio Server | 704x480 | Y/Y | 16/4 | Pan Tilt Zoom | Motion | None | v3.13 |
| DS-6716HWI | V1.2.5 build 150522 | H.264 MJPEG MPEG4 | 16 | Vedio Server | 960x480 | Y/Y | 16/4 | Pan Tilt Zoom | Motion | None | v4.11 |
| DS-8116HQHI-SH | V3.1.2 build 141219 | H.264 | 16 | Vedio Server | 960x576 | Y/Y | 16/4 | Pan Tilt Zoom | Motion | None | v4.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------|--------------------|
| ACUIX | 1.5.6 | MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.6 |
| H3D1F | 40.0.6 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v2.18 |
| H3D2F | 40.0.6 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | Zoom | Motion | None | v2.18 |
| HCD554IP | 5.4.5 | MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.6 |
| HCD5MIH | 13.1.2 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| HD3MDIH | 11.0.3 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| HD3MDIP | 7.07 | MPEG4 | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | - | None | v1.6 |
| HD4DIP | 4.4.8 | MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.6 |
| HD4MDIH | 12.0.3 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v2.5 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| HD4MDIP | 8.0.4 | MPEG4 | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | - | None | v1.6 |
| HDZ20HD | Refer to HDZ20HDX(H20120808N SA) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.10 |
| HDZ20HDE | Refer to HDZ20HDX(H20120808N SA) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.10 |
| HDZ20HDEX | Refer to HDZ20HDX(H20120808N SA) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.10 |
| HDZ20HDX | H20120808N SA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.10 |
| HNVE1 | 6.3.4 | MPEG4 | 1 | Camera | 7045x76 | Y/Y | 1/1 | - | - | None | v1.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-----------------|--------------|----------|--------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| iCanServer 510 | None | MPEG4 | 1 | Video Server | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| iCanServer 612 | v1.0.19 | H.264 MJPEG | 1 | Video Server | 720x480 | Y/Y | 1/1 | Pan Tilt | - | None | v1.4 |
| iCanView2 20/260 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| iCanView2 22 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| iCanView2 30 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| iCanView2 40/250 | 2.2.2 | MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt | - | None | v1.0 |
| iCanView2 70 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/1 | Pan Tilt | - | Supported by design | v1.0 |
| iCanView2 80 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.0 |
| iCanView2 90 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt | - | Supported by design | v1.0 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------|--------------------|
| iCanView3 22MP | v2.0.12 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | - | None | v1.19 |
| iCanView3 32MP | v2.0.12 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt | - | None | v1.19 |
| iCanView3 40MP | v2.0.12 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 4/2 | Pan Tilt | - | None | v1.19 |
| iCanView3 50MP | v1.0.19 | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | 4/2 | Pan Tilt | - | None | v1.4 |
| iCanView3 62MP | v2.0.12 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | - | None | v1.19 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| EXCA100IP 2 | v1.8.1001.3.5.25 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | None | v3.8 |
| EXCA215IP 2 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v3.8 |
| EXCA234IP 2 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v3.8 |
| EXCA234IP 2WDR | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v3.8 |
| EXCA336IP 2 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v3.8 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|--------------|--------------------|
| VIP-S3020 | 2.210.IB00.0.R, build : 2014-11-12 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.4 |
| VIP-S3230 | 2.420.IB01.1.R, build : 2015-05-15 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.4 |
| VIP-S4000 | 2.210.IB00.0.T, build : 2015-07-09 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.4 |
| VIP-S4020 | 2.210.IB00.0.R, build : 2014-11-12 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.4 |
| VIP-S4200 | 2.420.IB01.1.R, build : 2015-05-15 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.4 |
| VIP-S4220 | 2.420.IB01.1.R, build : 2015-05-15 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.4 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|------------------|---------------------|--------------------|
| NBL3102 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.10 |
| NBL5103 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v4.10 |
| NBL5302 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.10 |
| NBL7302 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion / Record | None | v4.13 |
| NBL7305 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Zoom | Motion | Supported by design | v4.13 |
| NDM3102 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.10 |
| NDM3112 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| NDM5103 | 01_C013 | H.264 H.265 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v4.10 |
| NDM5302 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | None | Motion | Supported by design | v4.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-----------------|-------------------------|----------|-------------------|----------------|--------------|--------|---------------------|---------------------|------------------------|--------------------|
| NDM7302 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion / Record | Supported by design | v4.13 |
| NDM7305 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Zoom | Motion | Supported by design | v4.13 |
| NFE5403 | 01_C020 | H.264 H.265 | 1 | Fisheye Camera | 2048x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.13 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|--------------|----------|----------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Generic | None | H.264 MJPEG | 1 | Fisheye Camera | 2536x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v2.19 |
| Note: | Support generic dewarp 1. Focus function is not test on NUUO product. 2. The maximum resolution is depended on camera. 3. Some framerate and bitrate cannot setup. (ONVIF limitation) | | | | | | | | | | |
| NCOA22F | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NCOA32FD | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NCOA52F | v1.8.1001.85.0.8317 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.5 |
| NDOA22F-W | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NDOA32FD-W | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|---------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| NIAA202F | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NIDA212F-W | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NIDA312F D-W | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NIDA512F-W | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NIPA2H22-C | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NIPA2H22-W | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NIRA222F | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NIRA232F | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|---------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| NIRA332FD | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NITA212F | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |
| NITA312FD | Refer to NCOA52F(v1.8.1001.85.0.8317) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| JS-B0100 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.6 |
| JS-B0100-W | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.6 |
| JS-B0131 | None | MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.6 |
| JS-B1100 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v2.6 |
| JS-B1100-R30 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.6 |
| JS-B1204-R25 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v2.6 |
| JS-C1100 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | Supported by design | v2.6 |
| JS-C2100 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.6 |
| JS-D0100 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | Supported by design | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| JS-D1100 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.6 |
| JS-D1130 | None | MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.6 |
| JS-D1204 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v2.6 |
| JS- ISD200X18 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| JS- OSD200X20 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| JS-WGP-100-CB | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | Supported by design | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| VN-C205U | None | MJPEG | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | - | Supported by design | v1.0 |
| VN-C20U | None | MJPEG | 1 | Camera | 640x480 | N/N | 2/2 | - | - | Supported by design | v1.0 |
| VN-C215U | None | MJPEG | 1 | Camera | 640x480 | N/N | 2/2 | - | - | Supported by design | v1.0 |
| VN-C655U | None | MJPEG | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | - | Supported by design | v1.0 |
| VN-E4(U) | None | MJPEG | 4 | Video Server | 640x480 | Y/Y | 4/1 | - | - | Supported by design | v1.0 |
| VN-H137 | 4.02.378 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v2.7 |
| VN-H157 | Refer to VN-H57(4.00.575) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/2 | - | Motion | Supported by design | v2.7 |
| VN-H237 | Refer to VN-H137(4.02.378) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v2.7 |
| VN-H257 | Refer to VN-H57(4.00.575) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/2 | - | Motion | Supported by design | v2.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| VN-H37 | Refer to VN-H137(4.02.378) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v2.7 |
| VN-H57 | 4.00.575 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/2 | - | Motion | None | v2.7 |
| VN-H657 | 2.01.827 SPL2841 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 2/2 | Pan Tilt Zoom | Motion | None | v2.13 |
| VN-T16 | j.2.2.2232 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.13 |
| VN-T216 | Refer to VN-T16(j.2.2.2232) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v2.13 |
| VN-V685 | 3.04 | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | None | v2.7 |
| VN-V686 | Refer to VN-V685(3.04) | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v2.7 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------------------|-------------------------------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------|--------------------|
| IPC2251-HNB-SIR80-Z6048(VER.A) | 7.1.6.808 Mar 9 2018 07:56:05 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v18.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|-----------------------------|-------------------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| FCS-0010 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v1.0 |
| FCS-0020 | 1.0.07 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt | - | Supported by design | v1.0 |
| FCS-0030 | Refer to WCS-0030(V1.0.0.7) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | - | Supported by design | v1.1 |
| FCS-0031 | v1.0.0.30 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | Motion | None | v1.11 |
| FCS-0040 | Refer to WCS-0040(v1.0.0.2) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | - | - | - | Supported by design | v1.8 |
| FCS-0071 | 2.1.0202_level1 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v2.0 |
| FCS-1010 | 0102d | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | None | v1.0 |
| FCS-1030 V1.0 | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| FCS-1030 V2.0 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| FCS-1040 | 0102a | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| FCS-1040 V3.0 | 0100a | MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | - | - | None | v1.1 |
| FCS-1050 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| FCS-1060 | 0202a | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | None | v1.0 |
| FCS-1070 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| FCS-1081 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| FCS-1081A | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| FCS-1091 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | - | - | Supported by design | v1.0 |
| FCS-1101 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|---------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|------------------------|--------------------|
| FCS-1121 | v1.0.0.6 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/N | 1/0 | - | Motion | None | v1.1 |
| FCS-1122 | v1.0.0.37 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.0 |
| FCS-1131 | L20100315N S | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v1.1 |
| FCS-1131-V2 | le20120806 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| FCS-1132 | Refer to FCS- 5052(1.0.0. 2) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.11 |
| FCS-1141 | L20100312N S | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | 1/1 | - | Motion | None | v1.1 |
| FCS-1151 | 0100a | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v1.1 |
| FCS-3000 | 0101a | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| FCS-3021 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|---------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|------------------------|--------------------|
| FCS-3031 | V1.0.01 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | - | None | v1.1 |
| FCS-3051 | V1.0.01 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | - | None | v1.1 |
| FCS-3052 | Refer to FCS- 5052(1.0.0. 2) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.11 |
| FCS-3061 | V1.0.0.17 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | - | None | v1.1 |
| FCS-3062 | 1.0.0.6 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.2 |
| FCS-3071 | L20100315N S | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v1.1 |
| FCS-3071- V2 | le20120905 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v2.6 |
| FCS-3081 | L20100820N S | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v1.8 |
| FCS-3081- V3 | le20120806 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|---|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| FCS-3091 | 2.0.0413 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 2/1 | - | - | None | v1.11 |
| FCS-3101 | FCS-3101- ANC3211M- 1.0.1.3-08- 07 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.17 |
| FCS-4010 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/1 | - | Motion | None | v1.0 |
| FCS-4020 | 0100a | MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 4/1 | - | - | None | v1.1 |
| FCS-4041 | Refer to FCS- 4042(Le201 40113NSA) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v3.2 |
| FCS-4042 | Le20140113 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.2 |
| FCS-4101 | FCS-4101- ANC3210M- 1.0.1.3-08- 07 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | - | Pan Tilt | Motion | None | v2.17 |
| FCS-5011 | 0100c | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| FCS-5030 | 0102g | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|----------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| FCS-5041 | V1.0.0.33 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | Zoom | Motion | None | v1.8 |
| FCS-5042 | 2.0.0.1 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/0 | Zoom | Motion | None | v3.2 |
| FCS-5051 | L20100820NS | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v1.8 |
| FCS-5051-V2 | le20120806 NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| FCS-5052 | Refer to FCS-3062(1.0.0.6) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.2 |
| FCS-5061 | le20130117 NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v2.17 |
| FCS-5062 | v1.0.0.2 | H.264 MJPEG MPEG4 | 1 | Camera | 2952x1944 | Y/Y | 1/1 | - | Motion | None | v2.11 |
| FCS-6010 | v1.0.0.9 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt | Motion | None | v1.17 |
| FCS-7011 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------------|---------------------|-------------------------|----------|-------------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| FCS-7111 | 0100a | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.1 |
| SDK8 | CFA- V6.07.23-L1 | H.264 MJPEG | 1 | Fisheye Camera | 3648x2736 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.9 |
| WCS-0010 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | - | Supported by design | v1.0 |
| WCS-0020 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | - | Supported by design | v1.0 |
| WCS-0030 | V1.0.0.7 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | - | - | None | v1.1 |
| WCS-0040 | v1.0.02 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | - | - | - | None | v1.8 |
| WCS-0050 | v1.0.0.36 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/N | - | - | Motion | None | v2.0 |
| WCS-1090 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | - | - | Supported by design | v1.0 |
| WCS-2010 V1.0 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| WCS-2010 V2.0 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| WCS-2030 V1.0 | 0200d | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | None | v1.0 |
| WCS-2030 V2.0 | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| WCS-2030 V3.0 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| WCS-2040 | 0101b | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| WCS-2040 V3.0 | 0100b | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.1 |
| WCS-2060 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| WCS-2070 | 0100b | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| WCS-6020 | 1.1.4.1 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.12 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------|--------------------|
| WCS-6050 | 1.0.4.2 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Pan Tilt | Motion | None | v2.12 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| IPD112ESX | 0.0.60 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | None | v1.9 |
| IPD2322 | 1.4.31p | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.7 |
| IPD552EX | 0.3.58 | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | - | Motion | None | v1.9 |
| IPG1022ES | 1.0.426 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v1.18 |
| IPR320ESX | 1.0.426 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | - | None | v1.18 |
| IPR414/418ESX | 0.0.60 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | - | None | v1.9 |
| IPR458 | 0.3.54 | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | - | Motion | None | v1.8 |
| IPS025 | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |
| IPS030 | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| IPS035 | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |
| IPS125 | 0.3.58 | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |
| IPS130 | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |
| IPS135 | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |
| IPS203 | None | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |
| IPS212 | 0.3.58 | H.264 MJPEG | 1 | Camera | 720x576 | N/N | - | Pan Tilt Zoom | - | None | v1.9 |
| LD2222 | 1.4.31p | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v3.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| LDW2010 | 260.0.0.1208100 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.8 |
| LNB3100 | Refer to LND5100(1796.0.0.1208060) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LNB5100 | Refer to LND5100(1796.0.0.1208061) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LND3100 | Refer to LND5100(1796.0.0.1208060) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LND5100 | 1796.0.0.1208060 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| LND7210 | Refer to LNV7210R(237.0.0.1405190) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.7 |
| LND7210R | Refer to LNV7210R(237.0.0.1405190) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.7 |
| LND7300 | 1801.0.0.1303220 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Test by link | v2.15 |
| LNP2800 | Refer to LNP3700T(1286.0.0.1205140) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| LNP2800I | Refer to LNP3700T(1286.0.0.1205141) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.5 |
| LNP2810T | 1890.0.1302150 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v2.15 |
| LNP3700 | Refer to LNP3700T(1286.0.0.1205140) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.5 |
| LNP3700T | 1286.0.0.1205140 | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.5 |
| LNU5100R | 1954.0.0.1303110 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | Test by link | v2.15 |
| LNU7210R | Refer to LNV7210R(2237.0.0.1405190) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.7 |
| LNV5100R | 1972.0.0.1303110 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | Test by link | v2.15 |
| LNV5110 | Refer to LND5100(1796.0.0.1208060) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LNV7210 | Refer to LNV7210R(2237.0.0.1405190) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v3.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| LVN7210R | 2237.0.0.1405190 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.7 |
| LVN7300 | Refer to LND7300(1913.0.0.1304220) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.15 |
| LSW2010 | Refer to LDW2010(260.0.0.1208100) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.8 |
| LSW900 | Refer to LVW701(4.1.1.1110260) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |
| LSW901 | Refer to LVW701(4.1.1.1110260) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |
| LVS201 | 385.0.0.1208200 | H.264 MJPEG | 1 | Camera | 704x576 | N/N | - | Pan Tilt Zoom | Motion | None | v2.8 |
| LVS301 | Refer to LVS311(129.1.0.1110260) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |
| LVS311 | 129.1.0.1110260 | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v2.8 |
| LVW700 | Refer to LVW701(4.1.1.1110260) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| LWV701 | 4.1.1.1110260 | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.8 |
| LWV900 | Refer to LWV701(4.1.1.1110260) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |
| LWV901 | Refer to LWV701(4.1.1.1110260) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |
| LW130W | 4097.0.0.120313 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| LW332 | 1026.0.0.1110260 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.5 |
| LW335 | Refer to LW332(1026.0.0.1110260) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LW342 | Refer to LW345(767.0.0.1207113) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LW345 | 767.0.0.1207113 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v2.5 |
| LW352 | 1030.0.0.111160 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| LW355 | Refer to LW352(1030.0.0.1111160) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.8 |
| LW6324 | Refer to LW332(1026.0.0.1110260) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LW6354 | Refer to LW332(1026.0.0.1110260) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LW6424 | Refer to LW345(767.0.0.1207114) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LW6454 | Refer to LW345(767.0.0.1207115) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.5 |
| LW9226 | 774.0.0.1211150 | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.8 |
| LW9226I | Refer to LW9226(774.0.0.1211150) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |
| LW9228 | Refer to LW9226(774.0.0.1211150) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |
| LW9228I | Refer to LW9226(774.0.0.1211150) | H.264 MJPEG | 1 | Camera | 704x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.8 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------|--------------------|
| LW9422 | 1632.0.0.12 05030 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.5 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------|----------------|----------|-------------|----------------|--------------|--------|------|--------------|---------|--------------------|
| NCD-2003PR | 51110.2.126 2.100 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Zoom | Motion | None | v2.20 |
| NMX-2003P | 51110.2.126 2.100 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | None | v2.20 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| NCB855PRO | Refer to NCR875PRO(AP_01-00-60-25A_MS02) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v2.9 |
| NCC800 | AP_01-00-60-25B_MS03 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | None | v2.9 |
| NCR858 | Refer to NCR878(AP_01-00-62-18_MS05) | H.264 MPEG4 MJPEG | 1 | Camera | 2592x1944 | Y/N | 2/1 | - | Motion | Supported by design | v2.20 |
| NCR870 | AP_01-00-62-18_MS00-01N | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.1 |
| NCR875PRO | AP_01-00-60-25A_MS02 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | None | v2.7 |
| NCR878 | AP_01-00-62-18_MS05 | H.264 MPEG4 MJPEG | 1 | Camera | 2592x1944 | Y/N | 2/1 | - | Motion | None | v2.20 |
| NDF820 | Refer to NCR870(AP_01-00-62-18_MS00-01N) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.1 |
| NDF821 | Refer to NDR891(AP_01-00-60-25A_MS02) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v2.20 |
| NDF821PRO | Refer to NCR875PRO(AP_01-00-60-25A_MS02) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v2.20 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| NDF831 | Refer to NDR891(AP_01-00-60-25A_MS02) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v2.20 |
| NDF831PRO | Refer to NCR875PRO(AP_01-00-60-25A_MS02) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v2.20 |
| NDR891 | AP_01-00-60-25A_MS02 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | None | v2.7 |
| NDR891PRO | Refer to NCR875PRO(AP_01-00-60-25A_MS02) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | - | Motion | Supported by design | v2.20 |
| NIC910HPRO | None | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | Y/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.14 |
| NIC930HPRO | A1D-310-V4.08.05-NB | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | N/N | - | Pan Tilt Zoom | Motion | None | v1.14 |
| NIC950HPRO | A1D-310-V4.12.09-NB | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v2.9 |
| NIC990 | M.0.2.5 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 6/1 | Pan Tilt Zoom | Motion | None | v1.19 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| HD-PRO302DN | DC Standard | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO310DN W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO332DN W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.8 |
| HD-PRO350DN W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO350DN W/H | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO350DN W/IR | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO350DN W/IR/H | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO351DN W/H | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO351DN W/IR/H | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| HD-PRO352DN W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO352DN W/IR | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO370DN WOUT | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v3.8 |
| HD-PRO370W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v3.8 |
| HD-PRO392DN W/V | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO410DN W/H | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO410DN W/H-POE | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO518DN | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO610DN W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------------|-----------------|--------------|----------|----------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| HD-PRO692DN W/V/IR | mw20140703NSA | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO710DN W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO750DN W | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO750DN W/IR | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO810DN W/H | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO810DN W/H/M | mw20140703NSA | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/N | 1/1 | Zoom | Motion | Supported by design | v3.8 |
| HD-PRO890 | mw20140703NSA | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| HD-PRO890/O UT | mw20140703NSA | H.264 MJPEG | 1 | Fisheye Camera | 2592x1944 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|---------------------------------------|--------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| Generic | MX-V4.1.9.29 | MJPEG MxPEG | 1 | Fisheye Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | None | v2.19 |
| D12D-IT | None | MJPEG MxPEG | 1 | Camera | 1408x576 | Y/N | - | - | - | Supported by design | v1.0 |
| D12D-Sec | None | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/N | - | - | - | Supported by design | v1.0 |
| D14D-Sec | MX-V4.1.0.2 | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/N | - | - | Motion | Test by link | v2.2 |
| D15D-Sec | Refer to D15D-Sec-Night(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | Supported by design | v3.3 |
| D15D-Sec-Night | MX-V4.1.9.29 | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | None | v2.19 |
| D15D-Sec-Night-Pano | Refer to D15D-Sec-Night(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| D15D-Sec-Pano | Refer to D15D-Sec-Night(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| D22M-Basic | None | MJPEG MxPEG | 1 | Camera | 1408x576 | Y/N | 2/2 | - | - | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| D22M-IT | MX-V3.4.0.9 | MJPEG MxPEG | 1 | Camera | 1408x576 | Y/N | 2/2 | - | - | None | v1.0 |
| D22M-Sec | None | MJPEG MxPEG | 1 | Camera | 1408x576 | Y/N | - | - | - | Supported by design | v1.0 |
| D24M-Basic | None | MJPEG MxPEG | 1 | Camera | 2560x1536 | Y/N | - | - | - | Supported by design | v1.1 |
| D24M-IT | None | MJPEG MxPEG | 1 | Camera | 2560x1536 | Y/N | 2/2 | - | - | Supported by design | v1.1 |
| D24M-Sec | MX-V4.0.1.15 | MJPEG MxPEG | 1 | Camera | 2560x1536 | Y/N | 2/2 | - | - | None | v1.1 |
| M10D | M10-V2.2.2.17 | MJPEG | 1 | Camera | 1408x576 | Y/N | - | - | - | None | v1.0 |
| M12D-IT | None | MJPEG MxPEG | 1 | Camera | 1408x576 | Y/N | - | - | - | Supported by design | v1.0 |
| M12D-Sec | MX-V3.4.0.9 | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/N | - | - | - | None | v1.0 |
| M12D-Web | None | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/N | - | - | - | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|------------------------------------|----------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| M15D-Sec | 4.3.4.5 | MJPEG MxPEG | 1 | Camera | 3072x2048 | Y/Y | 2/2 | - | Motion | None | v4.11 |
| M15D-Sec-DNight | Refer to M15D-Sec(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 3072x2048 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| M15M-Sec | Refer to M15D-Sec(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 3072x2048 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| M22M-IT | None | MJPEG MxPEG | 1 | Camera | 1408x576 | Y/N | - | - | - | Supported by design | v1.0 |
| M22M-Sec | None | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/N | - | - | - | Supported by design | v1.0 |
| M24M-Sec | MX-V4.0.4.28 | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/N | - | - | Motion | Test by link | v2.3 |
| Q22M-Basic | None | MJPEG MxPEG | 1 | Fisheye Camera | 1408x576 | Y/N | - | - | - | Supported by design | v1.0 |
| Q22M-Sec | MX-V3.4.5.10 | MJPEG MxPEG | 1 | Fisheye Camera | 2048x1536 | Y/N | 2/2 | - | - | None | v1.0 |
| Q24M-Sec | MX-V4.0.1.7 | MJPEG MxPEG | 1 | Fisheye Camera | 2048x1536 | Y/Y | - | - | - | None | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|---------------------------------|--------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| Q25M-Secure | MX-V4.1.10.35 | MJPEG MxPEG | 1 | Fisheye Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | None | v3.4 |
| S14D-Sec | Refer to S15D-Sec(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| S14D-Sec-Night | Refer to S15D-Sec(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| S14M-Sec | Refer to S15D-Sec(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/N | 2/2 | - | Motion | Supported by design | v2.19 |
| S15D-Sec | MX-V4.1.9.29 | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | None | v3.3 |
| S15M-Sec | Refer to S15D-Sec(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| S15M-Sec-Night | Refer to S15D-Sec(MX-V4.1.9.29) | MJPEG MxPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | Supported by design | v2.19 |
| T25M-Secure | MX-V4.1.10.35 | MJPEG MxPEG | 1 | Fisheye Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | None | v3.4 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|---|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| INC-2000BX | Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v5.8 |
| INC-2036BF | Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v5.8 |
| INC-2036DF | Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v5.8 |
| INC-2036DM | v2.0.0801.1002.139.0.132.0.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | None | v5.8 |
| INC-2622BV | Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v5.8 |
| INC-2812BV | Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v5.8 |
| INC-2812DV | Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v5.8 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| HMNC100 | 00910 | H.264 | 1 | Camera | 1280x720 | N/N | - | - | - | None | v3.8 |
| HMNC500 | 00910 | H.264 | 1 | Camera | 1280x720 | Y/N | - | - | - | None | v3.9 |

NetworkCamera

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|---------------|---------|--------------------|
| AT-HK4A26LP R-ZS | V5.4.5 | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v5.12 |
| ActivaPro | 4.1.17.916 | H.264 H.265 MJPEG | 1 | Camera | QXGA | Y/Y | 8/2 | Pan Tilt Zoom | Motion IVS | None | v5.14 |

OEM

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|----------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| N24320 | 01_C020 | H.264 H.265 MJPEG | 1 | Fisheye Camera | 2048x1520 | Y/Y | 1/1 | - | Motion | Supported by design | v4.7 |
| N24520 | 01_C013 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v4.6 |
| N26210 | M2.15.11 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v4.0 |
| N26211 | M2.15.11 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v4.0 |
| N36210 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | - | - | - | - | Supported by design | v4.0 |
| N36220 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | - | Motion | Supported by design | v4.12 |
| N36320 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | - | - | - | Motion | Supported by design | v4.2 |
| N36520 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | - | - | - | Motion | Supported by design | v4.10 |
| N37320 | M3.1.5.17 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/Y | 2/2 | - | Motion | Supported by design | v4.0 |

OEM

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| N37510 | M3.1.5.19 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | - | Motion | Supported by design | v4.0 |
| N38210 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.0 |
| N38220 | 01_C013 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.0 |
| N38520 | 01_C028 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.5 |
| N74210 | M2.1.5.11 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.0 |
| N74211 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.0 |
| N74320 | 01_C014 | H.264 H.265 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v4.8 |
| N74520 | 01_C017 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v4.9 |
| N76210 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | - | Supported by design | v4.0 |

OEM

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| N76220 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | - | Motion | Supported by design | v4.12 |
| N76320 | 01_C013 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | N/N | - | - | Motion | Supported by design | v4.2 |
| N76520 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | N/N | - | - | Motion | Supported by design | v4.10 |
| N77320 | M3.1.5.21 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v4.0 |
| N77510 | M3.04.15.C0 1 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v4.0 |
| N78210 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.0 |
| N78220 | 01_C030 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.0 |
| N78520 | 01_C028 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.6 |

[illegible]

| Brand Name | Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------|--|---------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| HiStream | HH9803C-L16 | 2.3.1.4.0.2 2 | MJPEG H.264 | 1 | Camera | 704x480 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v3.5 |
| Note: | 1. Camera only support H.264 and MJPEG, but it responds that it can support H.264 and MJPEG and MPEG4. (Camera Firmware issue) 2. Due to Onvfi restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. DI/DO/MD's status cannot get from camera. (Camera Firmware issue) 5. Camera cannot support connection via HTTP. | | | | | | | | | | | |
| Jetstor | JV-OSD0200-X20 | V6.04.01-CGBO24200-140808 | MJPEG H.264 | 1 | Camera | 1920x1080 | N/N | - | Pan Tilt Zoom | Motion | None | v3.8 |
| Note: | 1. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 2. Camera cannot support connection via HTTP. 3. Camera is unable to achieve maximum FPS. (Camera Firmware issue) | | | | | | | | | | | |
| LILIN | IPSS18 | 1.2.02 | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.13 |
| Note: | 1. The range of bitrate and frame rate may be different from what camera web shows. (Camera Firmware issue) 2. Image setting, digital input, talk and motion detection do not function. (Camera Firmware issue) 3. Zoom and focus do not function normally. (Camera Firmware issue) 4. Video settings may not be synchronized to camera web. (Camera Firmware issue) 5. Audio is not available under TCP and UDP. (Camera performance limitation) 6. Autodetection and camera search do not function. (Generic model) 7. The camera supports 4 streams, while only 3 streams could be displayed. (NUUO server limitation) 8. Some frame rates and bit rates cannot be set. (ONVIF limitation) 9. Dependency between frame rate and bitrate is not shown. (ONVIF limitation) 10. Flip and mirror are not supported. (ONVIF limitation) | | | | | | | | | | | |

| Brand Name | Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------|---|---------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| ONVIF | ONVIF 17.06 | v3.4.0804.1003.3.0.83.0.0 | H.265 H.264 MJPEG | 1 | Camera | 2536x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v5.11 |
| Note: | Support generic dwarf Test by IPR57/41ACDN/Z/13 in DP v5.11.(FW : v3.4.0804.1003.3.0.83.0.0) 1. Motion detection is not supported on MJPEG. (Camera performance limitation) 2. Not support PTZ (Camera Fireware issue) 3. The result of camera search is wrong. (NUUO server limitation) | | | | | | | | | | | |
| Qihan | QH-NV431 | v2.3.8.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | - | Motion | None | v3.4 |
| Note: | 1. Due to Onvif restriction, some bit rates cannot be set. (ONVIF limitation) 2. 2nd or 3rd stream cannot be connected when 1st stream under high bitrate. (Camera performance limitation) | | | | | | | | | | | |
| Stanley | 1310-F | NSD-1.0.9.58 | H.264 | 1 | Camera | 1280x720 | N/N | - | - | Motion | None | v3.4 |
| TVT | TD9422M | 3.4.0Beta6 | H.264 | 1 | Camera | 1280x720 | Y/N | - | - | Motion | None | v3.5 |
| Note: | 1. Camera only support H.264, but it responds that it can support H.264 and MJPEG. (Camera Firmware issue) 2. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. Camera cannot support audio with a-law. (ONVIF limitation) 5. Camera cannot support connection via HTTP. | | | | | | | | | | | |

[illegible]



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|---------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| IP36MDOM 3MPX | 1.0.0.5 20160727 | H.264 | 1 | Camera | 2048x1536 | Y/Y | - | - | Motion | None | v5.3 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| Generic | v1.80 | H.265 H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v18.5 |
| Note: | 1. Tested by WV-S6131 (FW: 1.80) | | | | | | | | | | |
| BB-HCE481 | None | MJPEG | 1 | Camera | 640x480 | Y/Y | 2/1 | - | Motion | Supported by design | v1.0 |
| BB-HCM100 | None | MJPEG | 1 | Camera | 640x480 | Y/N | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v1.2 |
| BB-HCM110 | None | MJPEG | 1 | Camera | 640x480 | Y/N | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v1.2 |
| BB-HCM311 | None | MJPEG | 1 | Camera | 640x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| BB-HCM331 | 1.3 | MJPEG | 1 | Camera | 640x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.0 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| BB-HCM371 | None | MJPEG | 1 | Camera | 640x480 | Y/N | 2/1 | - | Motion | Supported by design | v1.0 |
| BB-HCM381 | 1.32 | MJPEG | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| BB-HCM403 | None | MJPEG | 1 | Camera | 640x480 | Y/Y | 2/1 | - | Motion | Supported by design | v1.0 |
| BB-HCM511 | 3.20R01 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/1 | - | Motion | None | v1.0 |
| BB-HCM515 | 3.14R01 | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 2/1 | - | Motion | None | v1.0 |
| BB-HCM527 | 3.51R00 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/1 | - | Motion | None | v1.0 |
| BB-HCM531 | 3.51R00 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/1 | - | Motion | None | v1.0 |
| BB-HCM547 | 3.60R00 | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v1.3 |
| BB-HCM580 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/1 | - | Motion | Supported by design | v1.2 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|---------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| BB-HCM581 | 3.21R00 | MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | None | v1.0 |
| BB-HCM701 | 4.30R00 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/0 | - | Motion | None | v1.3 |
| BB-HCM705 | 4.30R00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | 1/0 | - | Motion | None | v1.1 |
| BB-HCM715 | 4.30R00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.1 |
| BB-HCM735 | 4.30R00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.1 |
| BB-HCS301 | None | MJPEG | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| BB-SC364 | 4.32 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v5.6 |
| BB-SC382 | Refer to BB-SC384B(V4.63) | H.264 MJPEG | 1 | Camera | 1280x960 | Y/N | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v5.4 |
| BB-SC384B | V4.63 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/N | 3/1 | Pan Tilt Zoom | Motion | None | v5.4 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| BB-ST162 | Refer to WV-ST162(1.81) | H.264 MJPEG | 1 | Camera | 800x600 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v2.17 |
| BB-SW172 | Refer to WV-ST162(1.81) | H.264 MJPEG | 1 | Camera | 800x600 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v2.17 |
| BB-SW374 | Refer to BB-SC364(4.32) | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v5.6 |
| BL-C1 | None | MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| BL-C10 | None | MJPEG | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| BL-C101 | 3.52R00 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/0 | - | Motion | None | v1.0 |
| BL-C111 | 3.10R01 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | Motion | None | v1.0 |
| BL-C121 | 3.52R00 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | None | v1.0 |
| BL-C131 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | Motion | Supported by design | v1.0 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| BL-C140 | 3.51 | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.2 |
| BL-C160 | 3.51R01 | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.0 |
| BL-C20 | None | MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| BL-C210 | 4.31R00 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | Pan Tilt Zoom | Motion | None | v1.7 |
| BL-C230 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.7 |
| BL-C30 | None | MJPEG | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| BL-VP101 | 1.67 | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Test by link | v2.16 |
| BL-VP104 | 1.81 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Test by link | v2.16 |
| BL-VP104W | Refer to BL-VP104(1.81) | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | Motion | Supported by design | v2.17 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-------------------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| BL-VT164 | 1.66 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | - | Pan Tilt Zoom | Motion | Test by link | v2.16 |
| BL-VT164W | Refer to BL-VT164(1.66) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v2.17 |
| DG-GXE100 | 2.02 | H.264 | 1 | Camera | 720x480 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v4.0 |
| DG-GXE500 | 1.6 | H.264 | 4 | Video Server | 720x480 | Y/Y | 3/2 | Pan Tilt Zoom | Motion | Test by link | v4.0 |
| DG-NF284 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| DG-NF302 | 1.5 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/N | - | - | Motion | None | v1.0 |
| DG-NP240 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |
| DG-NP244 | 1.70J2 | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.0 |
| DG-NP304 | 1.5 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | - | - | Motion | None | v1.0 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| DG-NS202 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| DG-NS202A | 2.60J3 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| DG-NS950 | 1.5 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| DG-NS954 | 1.5 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| DG-NW960 | 1.5 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| DG-NW964 | 1.5 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| DG-SC385 | Refer to WV-SC385(1.61) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v2.18 |
| DG-SF132 | Refer to WV-SP102(1.81) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v2.17 |
| DG-SF334 | 1 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | Motion | None | v1.11 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|-------------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| DG-SP102 | Refer to WV-SP102(1.81) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v2.17 |
| DG-SW155 | Refer to SW-155/M(1.06) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v2.8 |
| K-EF134L | V2.42 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v4.1 |
| K-EW114L | 2.420.PS00.0.T, build:2014-09-19 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v4.1 |
| KX-HCM110 | None | MJPEG | 1 | Camera | 640x480 | Y/N | 2/1 | - | Motion | Supported by design | v1.0 |
| KX-HCM280A | None | MJPEG | 1 | Camera | 640x480 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| WJ-GXE500 | 1.03 | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.7 |
| WJ-NT304 | 1.04 | MJPEG MPEG4 | 4 | Video Server | 640x480 | Y/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| WJ-NT314 | None | MJPEG MPEG4 | 4 | Video Server | 640x480 | Y/N | - | Pan Tilt Zoom | Motion | None | v1.0 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| WV-NF284 | v1.02 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | Pan Tilt Zoom | Motion | None | v1.0 |
| WV-NF302 | 1.40E4_1.06 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | - | - | Motion | None | v1.0 |
| WV-NM100 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| WV-NP1000 | None | MJPEG | 1 | Camera | 1280x960 | Y/N | - | - | Motion | Supported by design | v1.0 |
| WV-NP1004 | 1.21 | MJPEG | 1 | Camera | 1280x960 | Y/N | - | - | Motion | None | v1.0 |
| WV-NP240 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | Motion | Supported by design | v1.0 |
| WV-NP244 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | - | - | Motion | Supported by design | v1.0 |
| WV-NP304 | 1.50E5_1.06 | MJPEG MPEG4 | 1 | Camera | 1280x | Y/Y | - | - | Motion | None | v1.0 |
| WV-NP472 | None | MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.0 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| WV-NP502 | 1 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | - | - | Motion | None | v1.0 |
| WV-NS202 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| WV-NS202A | 2.6 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| WV-NS324 | 2.01 | MJPEG | 1 | Camera | 640x480 | N/N | - | Pan Tilt Zoom | Motion | None | v1.0 |
| WV-NS950 | 1.5 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| WV-NS954 | 1.06E0 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| WV-NW484 | 160000 | MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.7 |
| WV-NW502S | 1.00 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | - | - | Motion | None | v1.0 |
| WV-NW960 | 1.5 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| WV-NW964 | 1.40E3 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | None | v1.0 |
| WV-S2110RJ | v1.80 | H.265 H.264 MJPEG | 1 | Camera | 1280x960 | Y/N | - | - | - | None | v18.4 |
| WV-S2111L | v1.80 | H.265 H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | - | Motion | None | v18.4 |
| WV-S6110 | v1.35 | H.265 H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v18.3 |
| WV-S6130 | v1.80 | H.265 H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v18.5 |
| WV-S6131 | v1.80 | H.265 H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v18.5 |
| WV-SC384 | Refer to WV-SC385(2.1) | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v2.18 |
| WV-SC385 | 2.1 | H.264 | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v4.2 |
| WV-SC386 | 1.44 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Test by link | v2.1 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| WV-SC588 | 2.43 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v5.9 |
| WV-SC588A | Refer to WV-SC588(2.43) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v5.9 |
| WV-SF132 | Refer to WV-SP102(1.81) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v2.17 |
| WV-SF135 | Refer to SW-155/M(1.06) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.17 |
| WV-SF332 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v1.7 |
| WV-SF335 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Supported by design | v1.7 |
| WV-SF336 | 1.03 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | - | - | Motion | None | v1.7 |
| WV-SF342 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.11 |
| WV-SF346 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.11 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|--------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| WV-SF438 | 1.04 | H.264 MJPEG | 1 | Fisheye Camera | 2048x1536 | Y/Y | 3/1 | - | Motion | None | v2.17 |
| WV-SF539 | 1.6 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 3/1 | - | Motion | Test by link | v4.0 |
| WV-SFN310 | v1.71 | H.264 | 1 | Camera | 1280x960 | Y/N | 3/1 | - | Motion | None | v3.13 |
| WV-SFN310J | Refer to WV-SFN310(v1.71) | H.264 | 1 | Camera | 1280x960 | Y/N | 3/1 | - | Motion | Supported by design | v3.13 |
| WV-SFN311 | Refer to WV-SFN310(v1.71) | H.264 | 1 | Camera | 1280x960 | Y/N | 3/1 | - | Motion | Supported by design | v3.13 |
| WV-SFV481 | 1.12 | H.264 | 1 | Camera | 2992x2992 | Y/Y | 3/1 | - | Motion | None | v4.2 |
| WV-SFV611L | Refer to WV-SFV631L(1.83) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | - | Motion | None | v4.2 |
| WV-SFV631L | 1.83 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | - | Motion | None | v4.2 |
| WV-SFV631LT | Refer to WV-SFV631L(1.83) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | - | Motion | None | v4.2 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| WV-SP102 | 1.81 | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Test by link | v2.17 |
| WV-SP105 | 1.61 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v2.10 |
| WV-SP302 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | - | - | Motion | Supported by design | v1.7 |
| WV-SP305 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | - | - | Motion | Supported by design | v1.7 |
| WV-SP306 | 1.03 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | - | - | Motion | None | v1.7 |
| WV-SP508 | 1.05 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | - | Motion | Test by link | v2.1 |
| WV-SP509 | 1.07 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 3/1 | - | Motion | None | v2.1 |
| WV-SPN311 | v1.71 | H.264 | 1 | Camera | 1280x720 | Y/Y | 3/1 | - | Motion | None | v4.0 |
| WV-SPN631 | Refer to WV-SFV631L(1.83) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | - | Motion | None | v4.2 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|---------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| WV-SPW631L | Refer to WV-SFV631L(1.83) | H.264 | 1 | Camera | 2048x1536 | Y/Y | 3/1 | - | Motion | None | v4.2 |
| WV-ST162 | 1.81 | H.264 MJPEG | 1 | Camera | 800x600 | N/N | - | Pan Tilt Zoom | Motion | Test by link | v2.17 |
| WV-ST165 | 1.44 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Test by link | v2.1 |
| WV-SW152/M | Refer to SW-155/M(1.06) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v1.17 |
| WV-SW155 | 2.02 | H.264 | 1 | Camera | 1280x720 | N/N | 3/1 | - | Motion | Test by link | v4.0 |
| WV-SW155/M | 1.06 | H.264 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | None | v1.17 |
| WV-SW158 | 1.07 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | - | - | Motion | None | v3.11 |
| WV-SW172 | Refer to WV-ST162(1.81) | H.264 MJPEG | 1 | Camera | 800x600 | N/N | - | Pan Tilt Zoom | Motion | Supported by design | v2.17 |
| WV-SW174W | 1.81 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v3.1 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|--------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| WV-SW175 | Refer to WV-ST165(1.44) | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Test by link | v2.1 |
| WV-SW314 | Refer to WV-SW316L(1.46) | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v2.1 |
| WV-SW316 | 1.46 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v2.1 |
| WV-SW316L | 1.46 | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v2.1 |
| WV-SW352 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.13 |
| WV-SW355 | 1.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v1.13 |
| WV-SW395 | Refer to WV-SC385(2.1) | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v2.18 |
| WV-SW396 | 1.44 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v2.0 |
| WV-SW458 | 1.6 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 3/1 | - | Motion | None | v4.0 |

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|-------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| WV-SW558 | Refer to WV-SP509(1.07) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | 3/1 | - | Motion | Supported by design | v2.1 |
| WV-SW559 | Refer to WV-SP509(1.07) | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 3/1 | - | Motion | Supported by design | v2.1 |
| WV-SW598 | 2.07 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v4.2 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| D5118 | 1.6.13.9310-A1.4567 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | Pan Tilt Zoom | Motion | None | v1.13 |
| D5220 | 1.8.3.8-20121119.9320-A1.8615 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | Pan Tilt Zoom | Motion | None | v2.20 |
| IBPS110-ER | 03.29.59 | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | Zoom | Motion | Test by link | v4.15 |
| ID10 | None | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| ID30 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IDE20 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IDS0 | None | H.264 MJPEG MPEG4 | 1 | Camera | 800x608 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IE10 | None | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IE30 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | - | Supported by design | v1.5 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| IEE10 | None | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IEE20 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IES0 | None | H.264 MJPEG MPEG4 | 1 | Camera | 800x608 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IL10 | 1.8.2.4.8310-03.9119 | H.264 MJPEG | 1 | Camera | 1280x720 | N/N | - | - | - | None | v2.20 |
| IM10 | 1.8.2.18-20121109-1.8272-01.8 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/N | - | - | Motion | None | v2.20 |
| IMPS110-1 | 03.29.59 | H.264 MJPEG | 1 | Camera | 800x600 | Y/Y | 1/1 | Zoom | Motion | Test by link | v4.15 |
| IMS0 | None | H.264 MJPEG MPEG4 | 1 | Camera | 800x608 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IP110 | 01.02.0006 | MPEG4 MJPEG | 1 | Camera | 704x576 | N/N | - | - | - | None | v1.19 |
| IX10 | None | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | - | None | v1.6 |

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| IX30 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | - | Supported by design | v1.5 |
| IXE20 | 1.6.4.9081 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | - | None | v1.5 |
| IXS0 | 1.4.9.9080 | H.264 MJPEG MPEG4 | 1 | Camera | 800x608 | Y/N | - | - | - | None | v1.5 |
| SpectralIV-IP | 01.02.0006 | MPEG4 MJPEG | 1 | Camera | 704x576 | N/N | - | - | - | None | v1.19 |

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| PBY-H626A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7926A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7926AM | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7982 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7982M | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H79882 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7A26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7A82 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7A855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| PBY-H7B82 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7B82M | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-H7B882 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HB26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HB855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HC26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HC855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HD26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HD855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| PBY-HH26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HH855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HK26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HK855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HL26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HL26AM | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HL82 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HL882 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HMi855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| PBY-HNi855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HP82 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HQ26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HQ855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HS26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HS855 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-HV26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-Hi26A | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-Hi26AM | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| PBY-Hi82 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-Hi82M | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| PBY-Hi882 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |

Probe

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| PIC-H2010 | v1.0.4_20121029 | H.264 | 1 | Camera | 1920x1088 | Y/N | 1/1 | - | Motion | None | v2.9 |
| PID-H1300 | v1.0.1_20121005 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | None | v2.9 |
| PIN-H1310 | v1.0.0_20120627 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | None | v2.4 |
| PMI-H2000 | v1.0.2_20120906 | H.264 MJPEG | 1 | Camera | 1920x1088 | Y/N | 2/1 | Pan Tilt Zoom | Motion | None | v2.9 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------------|---|-------------------------|----------|-------------|----------------|--------------|--------|------|-----------------|---------------------|--------------------|
| QSS2224SR-5-DPF40-B | Refer to QSS3634ER-3-DPZ28 (FW: IPC_G6102-B5018P10D1 711) | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | N/N | - | - | Motion / Record | Supported by design | v18.5 |
| QSS2324EBR-DPZ28 | IPC_Q1201-B5022P10D1 711 | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v18.7 |
| QSS314SR-DVPF28 | IPC_G6102-B5018P21D1 711 | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | - | - | Motion | None | v18.6 |
| QSS3234SR-3-DVZ28 | IPC_Q1201-B5022P10D1 711 | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | 1/1 | Zoom | Motion | None | v18.7 |
| QSS3614SR-3-DPF28M | Refer to QSS314SR-DVPF28 (FW: IPC_G6102-B5018P21D1 711) | H.265 H.264 MJPEG | 1 | Camera | 2560x1440 | Y/Y | - | - | Motion | Supported by design | v18.6 |
| QSS3634ER-3-DPZ28 | IPC_G6102-B5018P10D1 711 | H.265 H.264 MJPEG | 1 | Camera | 2592x1520 | Y/N | - | Zoom | Motion | None | v18.4 |

[illegible]



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| C6475 | 2 | MJPEG MPEG4 | 1 | Camera | 704x480 | N/N | - | Pan Tilt Zoom | - | None | v1.0 |
| PNV-9080R | 1.00_160620 | H.264 H.265 | 1 | Camera | 4000x3000 | Y/N | 1/1 | - | Motion | Test by link | v5.9 |
| QNV-7080R | 1.00_160819 | H.264 H.265 | 1 | Camera | 2592x1520 | Y/Y | 1/1 | - | Motion | Test by link | v5.9 |
| SNB-1000 | 1.07_110407 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | N/N | 1/1 | - | - | None | v1.17 |
| SNB-1001 | 1.00_111226 | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/0 | - | Motion | Test by link | v2.2 |
| SNB-2000 | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | 2/2 | - | - | Supported by design | v1.2 |
| SNB-3000 | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | - | Supported by design | v1.2 |
| SNB-3002 | Refer to SND-3082/F(2.10_130416) | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | - | Motion | Supported by design | v2.18 |
| SNB-5000 | 3_24_140701 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v4.14 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNB-5000A | Refer to SND-5080/F(3.10_130416) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SNB-5001 | 1.00_12052_1 | H.264 MJPEG | 1 | Camera | 1280x1080 | N/N | 1/0 | - | Motion | None | v2.8 |
| SNB-5003 | 1.12_13103_1 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v3.0 |
| SNB-5004 | 3.00_14090_3 | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v5.1 |
| SNB-6003 | Refer to SND-6083(1.00_130412) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.14 |
| SNB-6004 | 3.01_14080_4 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v3.10 |
| SNB-7000 | None | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | - | Supported by design | v1.13 |
| SNB-7001 | Refer to SND-7011(1.00_120601) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/0 | - | Motion | Supported by design | v2.7 |
| SNB-7002 | 1.06_13040_2 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.16 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| SNB-7004 | 3.00_140915 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v5.0 |
| SNC-B2315 | 2.11 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | Motion | None | v1.0 |
| SNC-B2331 | 1 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | 2/2 | - | Motion | None | v1.0 |
| SNC-B2335 | 1.01 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | Motion | None | v1.0 |
| SNC-B5368 | 1 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | Motion | None | v1.0 |
| SNC-B5395 | 2.1 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | Motion | None | v1.0 |
| SNC-B5399 | 1.01 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | Motion | None | v1.0 |
| SNC-C6225 | 1.01 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| SNC-C7225 | 1.01 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.0 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|----------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SNC-C7478 | 1.01_090625 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 8/4 | Pan Tilt Zoom | Motion | None | v1.0 |
| SNC-M300 | 2.11_090729 | MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Motion | None | v1.0 |
| SND-1011 | 1.00_111226 | H.264 MJPEG | 1 | Camera | 640x480 | N/N | 1/0 | - | Motion | Test by link | v2.2 |
| SND-1080 | 1.00_111226 | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/0 | - | Motion | Test by link | v2.2 |
| SND-3080 | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | N/N | 2/2 | - | - | Supported by design | v1.2 |
| SND-3082 | Refer to SND-3082/F(2.10_130416) | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | - | Motion | Supported by design | v2.18 |
| SND-3082/F | 2.10_130416 | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| SND-5010 | 1.00_120626 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v2.9 |
| SND-5011 | 1.00_120521 | H.264 MJPEG | 1 | Camera | 1280x1080 | N/N | 1/0 | - | Motion | None | v2.8 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SND-5061 | 1.00_120521 | H.264 MJPEG | 1 | Camera | 1280x1080 | N/N | 1/0 | - | Motion | None | v2.8 |
| SND-5080/F | 3.10_130416 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| SND-5083 | Refer to SNB-5004(1.12_131031) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| SND-5084 | Refer to SNB-5004(1.12_131031) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| SND-6011R | 1.11_131011 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Test by link | v3.2 |
| SND-6083 | 1.00_130412 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| SND-6084 | 3.01_140804 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Test by link | v3.10 |
| SND-6084R | Refer to SNB-6004(1.00_130316) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.1 |
| SND-7011 | 1.00_120601 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/0 | - | Motion | None | v2.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|----------------------------------|-------------------|----------|----------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| SND-7061 | Refer to SND-7011(1.00_120601) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/0 | - | Motion | Supported by design | v2.7 |
| SND-7080 | 1.00_110319 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | - | None | v1.17 |
| SND-7082 | 1.00_120824 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v2.7 |
| SND-7082/F | Refer to SNB-7002(1.06_130402) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SND-L6013R | Refer to SNO-L6083R(1.00_150403) | H.264 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v4.8 |
| SNF-7010V | 1.00_130806 | H.264 MJPEG | 1 | Fisheye Camera | 2048x1536 | Y/Y | - | - | Motion | None | v2.18 |
| SNF-8010 | 1.00_140719 | H.264 | 1 | Fisheye Camera | 2560x2048 | Y/Y | 1/1 | - | Motion | Test by link | v4.7 |
| SNO-1080R | 1.00_120125 | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/0 | - | Motion | Test by link | v2.2 |
| SNO-5080R | 3.10_130416 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | None | v2.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|----------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNO-6011R | Refer to SND-6011R(1.11_131011) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Supported by design | v3.5 |
| SNO-6084 | Refer to SND-6083(1.00_130412) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SNO-6084R | Refer to SNB-6004(1.00_130316) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.1 |
| SNO-7080R | 2.00_121004 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Test by link | v3.2 |
| SNO-7082R | Refer to SNB-7002(1.06_130402) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SNO-7084R | 3.00_140915 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Test by link | v4.11 |
| SNO-L6013R | Refer to SNO-L6083R(1.00_150403) | H.264 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v4.8 |
| SNO-L6083R | 1.00_150403 | H.264 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v4.7 |
| SNP-3120V | 1.22_110603 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/N | 2/2 | Pan Tilt Zoom | Motion | None | v1.17 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|-------------------------------------|-------------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNP-3301 | 1.21_110310 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/N | 4/2 | Pan Tilt Zoom | Motion | None | v1.13 |
| SNP-3302/H | Refer to SNP-3371/H/TH(1.01_111104) | H.264 MJPEG MPEG4 | 1 | Video Server | 704x576 | Y/N | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.1 |
| SNP-3370 | 1.21_110310 | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/N | 4/2 | Pan Tilt Zoom | Motion | None | v1.17 |
| SNP-3371/H/TH | 1.01_111104 | H.264 MJPEG MPEG4 | 1 | Video Server | 704x576 | Y/N | 4/2 | Pan Tilt Zoom | Motion | Test by link | v2.0 |
| SNP-3430H | 1.07_110324 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/N | 8/4 | Pan Tilt Zoom | Motion | None | v1.17 |
| SNP-5200/H | 1.00_110309 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 4/2 | Pan Tilt Zoom | Motion | Test by link | v1.17 |
| SNP-5300 | 1.10_130523 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v2.17 |
| SNP-6200 | 1.00_130703 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v2.17 |
| SNP-6200H | Refer to SNP-6200(V1.00_120302) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|----------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNP-6200HP | Refer to SNP-6200(V1.00_120302) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SNP-6200P | Refer to SNP-6200(V1.00_120302) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SNP-6200RH | 3.02_140722 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.11 |
| SNP-6320H | 1.01_141007 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.10 |
| SNV-1080 | Refer to SNO-1080R(1.00_120125) | H.264 MJPEG | 1 | Camera | 640x480 | N/N | 1/0 | - | Motion | Supported by design | v2.2 |
| SNV-1080R | Refer to SNO-1080R(1.00_120125) | H.264 MJPEG | 1 | Camera | 640x480 | Y/Y | 1/0 | - | Motion | Supported by design | v2.2 |
| SNV-3080 | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | - | - | Supported by design | v1.2 |
| SNV-3082 | Refer to SND-3082/F(2.10_130416) | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | - | Motion | Supported by design | v2.18 |
| SNV-3120 | 1.20_101221 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/N | - | Zoom | - | None | v1.11 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SNV-5010 | 2.00_110608 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v1.17 |
| SNV-5080 | Refer to SND- 5080/F(3.10_130416) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SNV-5080R | 3.10_130416 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| SNV-5084 | Refer to SNB- 5004(1.12_131031) | H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| SNV-6012M | 1.00_130704 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Test by link | v3.1 |
| SNV-6084 | Refer to SND- 6083(1.00_130412) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SNV-6084R | Refer to SNB- 6004(1.00_130316) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.1 |
| SNV-7080 | 1.00_110319 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/N | 1/1 | - | - | Test by link | v1.17 |
| SNV-7080R | Refer to SNO- 7080R(2.00_121004) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v3.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|--------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNV-7082 | Refer to SNB-7002(1.06_130402) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SNV-L6083R | 1.00_150403 | H.264 | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Test by link | v4.8 |
| SNZ-5200 | 1.02_110603 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | Zoom | Motion | None | v1.17 |
| SPE-100 | v1.19 110317 3 | H.264 MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.19 |
| SPE-400 | 1.40_120201 | H.264 MJPEG MPEG4 | 4 | Camera | 704x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v2.0 |
| XNB-8000 | 1.01_170520 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v5.12 |
| XND-6080 | 1.01_170520 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.12 |
| XND-6080R | 1.01_170520 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.12 |
| XND-6080RV | 1.01_170520 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.12 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| XND-6080V | 1.01_170520 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.12 |
| XNO-8080R | 1.01_170520 | H.265 H.264 | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Test by link | v5.12 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-100PBIA | 2.400.BW00.0.T, build : 2015-10-22 | H.264 MJPEG | 1 | Camera | 1280x960 | Y/Y | - | - | Motion | None | v4.10 |
| SNC-200PDIA | 2.210.BW00.8.R | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v4.10 |
| SNC-211FDIA | Refer to SNC-200PDIA(V2.210.BW00.8.R.20151124) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v4.12 |
| SNC-211RSIA | 2.210.BW01.0.R.A.2017.3N.NR, build : 2015-04-09 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v4.1 |
| SNC-231RZNA | 2.400.BW06.0.R.T1.484, build : 2016-01-13 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Pan Tilt Zoom | Motion | None | v4.11 |
| SNC-311FBIF | Refer to SNC-311FEIF(V2.420.BW00.0.T.20150213) | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v4.0 |
| SNC-311FEIF | V2.420.BW00.0.T.20150213 | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v4.0 |
| SNC-311RBIA | V2.420.BW00.0.T.20150213 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Zoom | Motion | None | v4.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-311RDIA | Refer to SNC-311RBIA(V2.420.BW00.0.T.20150213) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | - | Motion | Supported by design | v4.0 |
| SNC-311RINA | Refer to SNC-311RBIA(V2.420.BW00.0.T.20150213) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | - | Motion | Supported by design | v4.0 |
| SNC-3302 | v1.0.3.447 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.20 |
| SNC-3303 | v1.0.3.454 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt | Motion | None | v3.3 |
| SNC-3305 | 1.0.2.386 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | - | Motion | None | v2.19 |
| SNC-331DLNN | V2.400.BW00.0.R | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v4.4 |
| SNC-3322 | v1.0.3.447 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.20 |
| SNC-3342 | v1.0.0.11 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v2.4 |
| SNC-3901MDN | 3.5 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.4 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| SNC-3903M | 0.9.6.6 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt | - | Test by link | v1.11 |
| SNC-390DN/W | 1.5 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.1 |
| SNC-4302 | v1.0.3.447 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v2.20 |
| SNC-431FBIF | V2.400.BW0 0.0.R.20160 324 | H.264 MJPEG | 1 | Camera | 2688x1520 | N/N | - | - | Motion | Test by link | v4.15 |
| SNC-431FEIF | Refer to SNC- 431FBIF(2.4 00.BW00.0. R, build : 2016-03-24) | H.264 MJPEG | 1 | Camera | 2688x1296 | N/N | - | - | Motion | Supported by design | v4.16 |
| SNC-431RBIA | Refer to SNC- 100PBIA(2.4 00.BW00.0.T , build : 2015-10-22) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v4.12 |
| SNC-431RDIA | Refer to SNC- 100PBIA(2.4 00.BW00.0.T , build : 2015-10-22) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Supported by design | v4.12 |
| SNC-431RLNN | Refer to SNC- 331DLNN(V2 .400.BW00.0 .R, build : 2015-7-27) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v4.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|-------------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| SNC-4323IR | Refer to SNC-6323IRH(v1.0.3.454) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v3.3 |
| SNC-441RBIAe | 2.622.00BW 000.0.R, Build Date: 2018-05-04 | H.265 H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 2/1 | Zoom | Motion | Test by link | v18.9 |
| SNC-441RDIAe | 2.622.00BW 000.0.R, Build Date: 2018-05-04 | H.265 H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | Zoom | Motion | Test by link | v18.7 |
| SNC-5211MIR | 3.1 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | - | None | v1.3 |
| SNC-521IR/W | 1.5 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | None | v1.1 |
| SNC-5312IR | Refer to SNC-6312IRH(1.0.2.386) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v2.19 |
| SNC-5315IR | Refer to SNC-6315IRH(1.0.2.386) | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v2.19 |
| SNC-5321MIR | Refer to SNC-3302(v1.0.3.447) | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt | - | Supported by design | v1.11 |
| SNC-5323IRH | Refer to SNC-6323IRH(v1.0.3.454) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v3.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|---------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-------------|--------------|---------------------|--------------------|
| SNC-565IR/W | 1.5 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Zoom | - | None | v1.1 |
| SNC-6163ID | None | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt | - | Supported by design | v1.11 |
| SNC-620/W | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | - | Supported by design | v1.1 |
| SNC-6201M | 3.1 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | - | - | None | v1.3 |
| SNC-6202 | Refer to SNC-3302(v1.0.3.447) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.20 |
| SNC-6212IR | Refer to SNC-6312IRH(1.0.2.386) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v2.19 |
| SNC-6302 | Refer to SNC-3303(v1.0.3.447) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.20 |
| SNC-6303 | Refer to SNC-3303(v1.0.3.454) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt | Motion | Supported by design | v3.3 |
| SNC-6303M | None | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt | - | Supported by design | v1.11 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|------------------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-6312IRH | 1.0.2.386 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.19 |
| SNC-6315IRH | 1.0.2.386 | H.264 MJPEG | 1 | Camera | 2592x1944 | Y/Y | 1/1 | Zoom | Motion | None | v2.19 |
| SNC-6323IRH | v1.0.3.454 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v3.3 |
| SNC-6332 | 1.0.0.10 | H.264 MJPEG | 1 | Camera | 1600x1200 | Y/Y | 4/1 | - | Motion | None | v2.1 |
| SNC-670ID/W | 1.3 | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | - | None | v1.1 |
| SNC-831DBIA | 2.400.BW00.8.R, build : 2016-08-15 | H.264 MJPEG | 1 | Camera | 4000x3000 | Y/Y | 2/1 | Zoom | Motion | Supported by design | v18.2 |
| SNC-8322I/HO | v1.0.3.447 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.20 |
| SNC-P3601M | 3.5 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | - | None | v1.4 |
| SNC-P3603M | None | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt | - | Supported by design | v1.11 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SVS-3001 | None | H.264 MJPEG | 1 | Camera | 720x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.19 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| FBN-D101N | v1.0.1_20121005 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/ | 1/1 | - | Motion | Supported by design | v3.8 |
| FBN-D101P | v1.0.1_20121005 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| PSN-1012N | v1.0.4_20121029 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.8 |
| PSN-1012P | v1.0.4_20121029 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.8 |
| PSSN-1012N | v1.0.4_20121029 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.8 |
| PSSN-1012P | v1.0.4_20121029 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 2/1 | Pan Tilt Zoom | Motion | Supported by design | v3.8 |
| RIN-0012N | v1.0.4_20121029 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |
| RIN-0012P | v1.0.4_20121029 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion | Supported by design | v3.8 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|----------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|--------------|--------------------|
| 0200-0300-30 | v5.3.10 build 170418 | MPEG4 H264 | 1 | Camera | 1920*1088 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | Test by link | v18.1 |

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Shany all series don't support Home feature, has B/W image with very low quality value in MJPEG codec.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-10XX | Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE) | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.15 |
| SNC-20XX | Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE) | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.15 |
| SNC-21X0 | SHANY gWT510971 5NO0001 V21 110922FF | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | - | Test by link | v1.16 |
| SNC-21XX | SHANY gWT813003 5NO0001 V21 110915FF | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| SNC-22XX | SHANY gWT820271 5NO0001 V21 110922FF | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/N | 1/1 | Pan Tilt Zoom | - | Test by link | v1.16 |
| SNC-23XX | SHANY gWT830003 6NO0001 V21 110915FF | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/N | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| SNC-81XX | Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE) | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.15 |
| SNC-91XX | SHANY gWT8SD823 6SE0000 V21 111002EE | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/N | 1/1 | Pan Tilt Zoom | - | Test by link | v1.16 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Shany all series don't support Home feature, has B/W image with very low quality value in MJPEG codec.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-D1XX | Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE) | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.15 |
| SNC-HD2XX | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.15 |
| SNC-HD81X2 | SHANY gWT820102 2SE0001 V21 110915FF | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | 1/1 | Pan Tilt Zoom | - | None | v1.16 |
| SNC-HD91X2 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.15 |
| SSC-RX01N | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/1 | Pan Tilt Zoom | - | Supported by design | v1.15 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|-------------------|----------|----------------|----------------|--------------|--------|------|--------------|--------------|--------------------|
| Generic | 1.7.0 | H.264 MJPEG | 1 | Fisheye Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | None | v2.17 |
| Note: | Support generic dewarp Support G6 model. In certain scenarios i.e. under high frame rate and resolution with multiple stream condition, camera might have limitation by bandwidth specification. For further information, please visit Sony A&E Portal: https://www.security.sony.biz/ssp/ae/homeDisplay.do | | | | | | | | | | |
| SNC-CH110/B | 1.22.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v1.8 |
| SNC-CH110/S | 1.22.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v1.8 |
| SNC-CH120 | 1.8 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | 1/0 | - | Motion | Test by link | v2.18 |
| SNC-CH140 | 1.07.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/2 | - | Motion | None | v1.3 |
| SNC-CH160 | 1.82.01 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | Zoom | Motion | None | v3.7 |

SONY

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:**Supported by design: The covered model's spec is different from the delivered spec.****Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.****For Edge IVS event:****Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection****When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.****Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SNC-CH180 | 1.10.03 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 1/2 | - | Motion | Test by link | v1.3 |
| SNC-CH210/B | 1.78.00 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v2.11 |
| SNC-CH210/S | 1.78.00 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v2.11 |
| SNC-CH220 | 1.21.02 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | N/N | 1/1 | - | Motion | None | v1.8 |
| SNC-CH240 | 1.10.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | Y/Y | 1/2 | Pan Tilt Zoom | Motion | None | v1.3 |
| SNC-CH260 | 1.78.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | N/N | 1/1 | Zoom | Motion | None | v2.11 |
| SNC-CH280 | 1.26.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | Y/Y | 1/2 | Zoom | Motion | None | v1.9 |
| SNC-CM120 | 1 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-CS10 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| SNC-CS11 | 1.05 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.11 |
| SNC-CS20 | 1 | MJPEG MPEG4 | 1 | Camera | 768x576 | Y/Y | 1/2 | - | Motion | None | v1.11 |
| SNC-CS3 | None | MJPEG | 1 | Camera | 736x480 | N/N | 1/2 | - | Motion | Supported by design | v1.11 |
| SNC-CS50 | 2.21 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | - | Motion | None | v1.11 |
| SNC-CX600W | 1.7.0 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | None | v2.17 |
| SNC-DF40 | 1.17 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.11 |
| SNC-DF50 | 1.11 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/2 | - | Motion | None | v1.11 |
| SNC-DF70 | 1.17 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.11 |
| SNC-DF80 | 1.11 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/2 | - | Motion | None | v1.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|--------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| SNC-DF85 | 0.9 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/2 | - | Motion | None | v1.11 |
| SNC-DH110 | 1.82.01 | H.264 MJPEG | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v3.7 |
| SNC-DH110/B | 1.27.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | - | - | Motion | None | v1.11 |
| SNC-DH110/W | Refer to SNC-DH110/B (1.27.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v1.11 |
| SNC-DH110T/B | Refer to SNC-DH110/B (1.27.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v1.11 |
| SNC-DH110T/W | Refer to SNC-DH110/B (1.27.00) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x960 | N/N | - | - | Motion | Supported by design | v1.11 |
| SNC-DH120 | 1.78.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | Zoom | Motion | None | v2.11 |
| SNC-DH120T | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v1.7 |
| SNC-DH140 | 1.07.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/2 | - | Motion | None | v1.3 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| SNC-DH140T | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/2 | - | Motion | Supported by design | v1.7 |
| SNC-DH160 | 1.13.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | None | v1.7 |
| SNC-DH180 | 1.10.02 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/2 | - | Motion | None | v1.2 |
| SNC-DH210/B | None | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v1.11 |
| SNC-DH210/W | None | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v1.11 |
| SNC-DH210T/B | 1.27.00 | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v1.9 |
| SNC-DH210T/W | None | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v1.11 |
| SNC-DH220 | 1.82.01 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | None | v3.7 |
| SNC-DH220T | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | N/N | 1/1 | - | Motion | Supported by design | v1.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SNC-DH240 | 1.10.02 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | Y/Y | 1/2 | - | Motion | Test by link | v1.3 |
| SNC-DH240T | None | H.264 MJPEG MPEG4 | 1 | Camera | 1680x1056 | Y/Y | 1/2 | - | Motion | Supported by design | v1.7 |
| SNC-DH260 | 1.30.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | N/N | 1/1 | Zoom | Motion | None | v1.9 |
| SNC-DH280 | 1.26.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1440 | Y/Y | 1/2 | Zoom | Motion | None | v1.9 |
| SNC-DM110 | None | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |
| SNC-DM160 | 1.01 | MJPEG MPEG4 | 1 | Camera | 1280x960 | Y/Y | 1/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-DS10 | 1.01 | MJPEG MPEG4 | 1 | Camera | 768x576 | Y/Y | 1/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-DS60 | 1 | MJPEG MPEG4 | 1 | Camera | 768x576 | Y/Y | 1/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-EB600 | Refer to SNC-EB600B(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v3.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|--------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| SNC-EB600B | 1.9.2 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v3.0 |
| SNC-EB602R | Refer to SNC-EB632R(2.2.1) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | Supported by design | v3.9 |
| SNC-EB630 | 1.9.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v2.20 |
| SNC-EB630B | Refer to SNC-EB630(1.9.2) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.0 |
| SNC-EB632R | 2.2.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | None | v3.9 |
| SNC-EM600 | Refer to SNC-EB600B(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v3.0 |
| SNC-EM601 | Refer to SNC-EB600B(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v3.0 |
| SNC-EM602R | Refer to SNC-EB600B(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | Supported by design | v3.0 |
| SNC-EM630 | Refer to SNC-EB630(1.9.2) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.

Please refer to Sony user's guide.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-EM631 | Refer to SNC-EB630(1.9.2) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.0 |
| SNC-EM632R | 1.9.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | Zoom | Motion | None | v3.1 |
| SNC-EP520 | 1.40.00 | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v1.14 |
| SNC-EP521 | 1.42.00 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.18 |
| SNC-EP550 | 1.51.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.18 |
| SNC-EP580 | 1.42.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v2.0 |
| SNC-ER520 | 1.40.00 | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v1.14 |
| SNC-ER521 | 1.40.00 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v1.14 |
| SNC-ER550 | 1.78.00 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v2.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-ER580 | 1.82.01 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v3.6 |
| SNC-ER585 | 1.78.00 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v2.15 |
| SNC-HM662 | 1.2.0 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | None | v4.12 |
| SNC-P1 | 1.28 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.11 |
| SNC-P5 | 1.28 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-RH124 | 1.84.00 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.7 |
| SNC-RH164 | 1.10.01 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v1.3 |
| SNC-RS44N | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |
| SNC-RS44P | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SNC-RS46N | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |
| SNC-RS46P | 1.10.02 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v1.3 |
| SNC-RS84N | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |
| SNC-RS84P | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |
| SNC-RS86N | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |
| SNC-RS86P | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v1.11 |
| SNC-RX530 | 3.03 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-RX550 | 2.01 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-RX570 | 3.01 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| SNC-RZ25 | 1.29 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-RZ30 | 3.14 | MJPEG | 1 | Camera | 736x480 | N/N | 3/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-RZ50 | 2.21 | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.11 |
| SNC-VB600 | 1.9.2 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | Motion | None | v2.20 |
| SNC-VB600B | 1.7.0 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | Motion | None | v2.17 |
| SNC-VB630 | 2.2.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | None | v3.10 |
| SNC-VB635 | 1.11.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | None | v3.1 |
| SNC-VM600 | Refer to SNC- VB600(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | Motion | Supported by design | v3.0 |
| SNC-VM600B | Refer to SNC- VB600B(1.7. 0) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | Motion | Supported by design | v2.17 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.

Please refer to Sony user's guide.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-VM601 | Refer to SNC-VB600(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | Motion | Supported by design | v3.0 |
| SNC-VM601B | Refer to SNC-VB600(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | Motion | Supported by design | v3.3 |
| SNC-VM602R | Refer to SNC-VB600(1.9.2) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 2/2 | - | Motion | Supported by design | v3.0 |
| SNC-VM630 | Refer to SNC-VM632R(1.9.2) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v3.0 |
| SNC-VM631 | Refer to SNC-VM632R(1.9.2) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | Supported by design | v3.0 |
| SNC-VM632R | 1.9.2 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Motion | None | v3.0 |
| SNC-WR600 | 1.11.0 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.2 |
| SNC-WR602 | Refer to SNC-WR600(1.11.0) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v3.2 |
| SNC-WR630 | 1.11.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.1 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|-------------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SNC-WR632 | Refer to SNC-WR630(1.11.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v3.1 |
| SNC-XM631 | 2.2.1 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.9 |
| SNC-XM632 | 1.12.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | None | v3.2 |
| SNC-XM636 | Refer to SNC-XM632(1.12.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v3.2 |
| SNC-XM637 | Refer to SNC-XM632(1.12.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Supported by design | v3.2 |
| SNC-Z20 | 1.06 | MJPEG | 1 | Camera | 736x480 | N/N | 1/2 | Zoom | Motion | None | v1.11 |
| SNC-ZB550 | 1.82.01 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | None | v3.11 |
| SNT-EP104 | None | H.264 MJPEG MPEG4 | 1 | Video Server | 720x480 | N/N | - | - | - | Supported by design | v1.11 |
| SNT-EP154 | 1.10.01 | H.264 MJPEG MPEG4 | 4 | Video Server | 720x480 | N/N | - | - | Motion | None | v1.3 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.

Please refer to Sony user's guide.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|--------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SNT-EX101 | None | H.264 MJPEG MPEG4 | 1 | Video Server | 720x480 | Y/Y | 2/2 | Pan Tilt Zoom | - | Supported by design | v1.11 |
| SNT-EX101E | 1.10.01 | H.264 MJPEG MPEG4 | 1 | Video Server | 720x480 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.3 |
| SNT-EX104 | 1.10.01 | H.264 MJPEG MPEG4 | 4 | Video Server | 720x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Test by link | v1.3 |
| SNT-EX154 | 1.10.01 | H.264 MJPEG MPEG4 | 4 | Video Server | 720x480 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | None | v1.3 |
| SNT-V704 | 2.15 | MJPEG MPEG4 | 4 | Video Server | 720x480 | Y/Y | 4/4 | - | Motion | None | v1.11 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|---|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| Nitida 12000 | 01.10:01.08 :01.13:01.1 1:01.05:00. 04 | H.264 | 1 | Camera | 1920x1080 | N/N | - | - | - | None | v4.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------------|---|-------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| Generic | v1.9.0601.1 001.3.0.36.0 .0 v3.4.0804.1 003.3.0.83.0 .0 | H.265 H.264 MJPEG | 1 | Fisheye Camera | 2536x1920 | Y/Y | 2/2 | Pan Tlit Zoom | Motion | None | v5.11 |
| Note: | Support generic dwarp Test by IPR57/41ACDN/Z/13 in DP v5.11.(FW : v3.4.0804.1003.3.0.83.0.0) 1. Motion detection is not supported on MJPEG. (Camera performance limitation) 2. Not support PTZ (Camera Fireware issue) Test by IPC54-40EDN in DP v3.13.(FW : v1.9.0601.1001.3.0.36.0.0) (I/O ch : 1/1) 1. The ranges of bitrate and framerate may be different from camera web. (Camera Firmware issue) 2. Motion detection is not supported on MJPEG. (Camera performance limitation) 3. Bitrate of actual streaming may be different from the setting. (Camera Firmware issue) 4. Frame rate of actual streaming may be different from the setting. (Camera Firmware issue) | | | | | | | | | | |
| IPR54/14A LDN(II)/2 3 | v2.0.0601.1 002.3.0.56.0 .0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Test by link | v4.12 |
| IPR56/20A PDN/13 | v2.0.0701.1 002.3.0.114. 1.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | - | Motion | Test by link | v4.12 |
| IPS54/70D N/Z18 | Refer to IPS54/70/D N/ZR18(v1.6 _build04401 4_027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| IPS54/70D N/ZR18 | v1.6_build04 4014_148 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tlit Zoom | Motion | None | v2.17 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IPS54/70D R/Z18 | Refer to IPS54/70/DN/ZR18(v1.6_build044014_027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| IPS54/70D R/ZR18 | Refer to IPS54/70/DN/ZR18(v1.6_build044014_027) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| IPS54/71D N/Z18 | Refer to IPS54/70DN/ZR18(v1.6_build044014_026) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| IPS54/80D R | Refer to IPS54/70DN/ZR18(v1.6_build044014_026) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt Zoom | Motion | Supported by design | v2.9 |
| SN-IPC54/11D N | Refer to SN-IPC54/11FDN(v1.6_build044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPC54/11E DN | Refer to SN-IPC54/11FDN(v1.6_build044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPC54/11F DN | v1.6_build044014_027 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | None | v2.6 |
| SN-IPC54/12D N | v2.0.0601.1002.3.0.56.0_020151027 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.14 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SN-IPC54/12E DN | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPC54/12F DN | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPC54/14E DN | Refer to SN-IPD54/12VD N(v1.6_build 044014_106) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.12 |
| SN-IPC54/31E DN | Refer to SN-IPV54/31UD N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.12 |
| SN-IPC54/40E DN | v1.6_build044014_148 | H.264 MJPEG | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tlit Zoom | Motion | None | v2.16 |
| SN-IPC55/20E DN | v1.8.1001.1001.3.0.46.0.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | None | v3.10 |
| SN-IPD54/11V DN | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPD54/11V DR | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------------|---|--------------|----------|-------------|----------------|--------------|--------|----------------|--------------|---------------------|--------------------|
| SN-IPD54/12V DN | v1.9.0601.1001.3.0.22.0.0 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilit Zoom | Motion | None | v3.10 |
| SN-IPD54/12V DR | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilit Zoom | Motion | Supported by design | v2.6 |
| SN-IPD54/14V DN | Refer to SN-IPD54/12VD N(v1.6_build 044014_106) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilit Zoom | Motion | Supported by design | v2.12 |
| SN-IPD54/14V DR | Refer to SN-IPD54/12VD N(v1.6_build 044014_106) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilit Zoom | Motion | Supported by design | v2.12 |
| SN-IPD54/31V DN | Refer to SN-IPV54/31UD N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilit Zoom | Motion | Supported by design | v2.12 |
| SN-IPD54/31V DR | Refer to SN-IPV54/31UD N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilit Zoom | Motion | Supported by design | v2.12 |
| SN-IPD54/40V DN | Refer to SN-IPC54/40ED N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tilit Zoom | Motion | Supported by design | v2.11 |
| SN-IPR54/11A KDN | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilit Zoom | Motion | Supported by design | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SN-IPR54/11A LDN | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPR54/11A NDN | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPR54/11D N | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPR54/12A KDN | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPR54/12A LDN | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPR54/12A NDN | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPR54/12D N | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPR54/14A KDN | Refer to SN-IPD54/12VD N(v1.6_build 044014_106) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.12 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------------|--|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SN-IPR54/14A PDN | Refer to SN-IPD54/12VDN(v1.6_build 044014_106) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| SN-IPR54/31A KDN | Refer to SN-IPV54/31UDN(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| SN-IPR54/31A PDN | Refer to SN-IPV54/31UDN(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.12 |
| SN-IPR54/31U DN | v1.7.1001.3.0.13 | H.264 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v3.2 |
| SN-IPR54/40A KDN | Refer to SN-IPC54/40EDN(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.11 |
| SN-IPR54/40A PDN | Refer to SN-IPC54/40EDN(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.11 |
| SN-IPR57/41A CDN/Z | v3.3.0804.1002.1.1.66.1.5 | H.264 MJPEG | 1 | Camera | 2592x1520 | Y/Y | - | Zoom | Motion | None | v5.6 |
| SN-IPS56/30C DR/ZS12 | v2.0.0702.1002.3.0.119.0.0 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | None | v4.15 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SN-IPV54/11DN | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/11DR | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/11UDN | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/11UDR | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/11ZDR | Refer to SN-IPC54/11FD N(v1.6_build 044014_027) | H.264 MJPEG | 1 | Camera | 1280x720 | Y/N | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/12DN | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/12DR | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/12UDN | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|---|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SN-IPV54/12U DR | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/12Z DR | Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.6 |
| SN-IPV54/14U DR | Refer to SN-IPD54/12VD N(v1.6_build 044014_106) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.12 |
| SN-IPV54/14Z DR | Refer to SN-IPD54/12VD N(v1.6_build 044014_106) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.12 |
| SN-IPV54/31U DN | v1.6_build044014_148 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | None | v2.16 |
| SN-IPV54/31U DR | Refer to SN-IPV54/31UD N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.12 |
| SN-IPV54/31Z DR | Refer to SN-IPV54/31UD N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.12 |
| SN-IPV54/40U DN | Refer to SN-IPC54/40ED N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.11 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| SN-IPV54/40U DR | Refer to SN-IPC54/40ED N(v1.6_build 044014_137) | H.264 MJPEG | 1 | Camera | 2592x1920 | Y/N | 1/1 | Pan Tlit Zoom | Motion | Supported by design | v2.11 |
| SN-VSR54/04 | build044014_136_1 | H.264 | 4 | Video Server | 704x576 | Y/N | 2/1 | Pan Tlit Zoom | Motion | None | v2.19 |
| VSR54/01 | v1.6_build04 4014_026 | H.264 MJPEG | 1 | Video Server | 704x480 | Y/N | 2/1 | Pan Tlit Zoom | Motion | None | v2.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| TV-IP262P | 1.0.3 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | None | v3.5 |
| TV-IP262PI | Refer to TV-IP262P(1.0.3) | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v3.6 |
| TV-IP310PI | V5.0.1 140303 | H.264 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v3.6 |
| TV-IP311PI | Refer to TV-IP310PI(V5.0.1 140303) | H.264 | 1 | Camera | 2048x1536 | N/N | - | - | Motion | Supported by design | v3.6 |
| TV-IP572P | Refer to TV-IP672W(1.1.2) | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | Supported by design | v3.6 |
| TV-IP572PI | Refer to TV-IP672W(1.1.2) | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | Supported by design | v3.6 |
| TV-IP572W | Refer to TV-IP672W(1.1.2) | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | Supported by design | v3.6 |
| TV-IP572WI | Refer to TV-IP672W(1.1.2) | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | Supported by design | v3.6 |
| TV-IP672P | Refer to TV-IP672W(1.1.2) | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | Supported by design | v3.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|--------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| TV-IP672PI | Refer to TV-IP672W(1.1.2) | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | Supported by design | v3.6 |
| TV-IP672W | 1.1.2 | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | None | v3.6 |
| TV-IP672WI | Refer to TV-IP672W(1.1.2) | H.264 MPEG4 | 1 | Camera | 1280x800 | Y/Y | - | Pan Tilt | Motion | Supported by design | v3.6 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------------------------|------------------------------------|----------------|----------|--------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| TCAM series (230/250/251/270) | V1.T122 V1.108F | H.264 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt Zoom | - | None | v1.0 |
| TCAM-570 | V1.111R04-T100 | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.19 |
| TCAM-5x10 | V2.201R01_T100 | MJPEG H.264 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt | Motion | None | v1.19 |
| TCS-200 | T122 | H.264 | 1 | Video Server | 720x576 | Y/N | 2/2 | Pan Tilt Zoom | Motion | None | v1.0 |
| TCS-2000 | V1.111R04-T100 | MJPEG H.264 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.19 |
| TN-B200CE | Refer to TN-B202CEIR(V3.311R01) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| TN-B202CEIR | V3.311R01 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.0 |
| TN-D1202CE | Refer to TN-B202CEIR(V3.311R01) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| TN-P1220CS | Refer to TN-P1222CGPLX (V3.311R01) | H.264 | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v3.0 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| TN-P1222CGPLX | V3.311R01 | H.264 | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | None | v3.0 |
| TN-P1230CS | Refer to TN-P1222CGPLX (V3.311R01) | H.264 | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| TN-P3220CS | Refer to TN-P1222CGPLX (V3.311R01) | H.264 | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v3.0 |
| TN-P3220CSIR | V3.311R01 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.0 |
| TN-P3220CTIR | Refer to TN-P3220CSIR (V3.311R01) | H.264 | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v3.0 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|--------------|--------------------|
| ADC-P114-302IR | V3.1.0.150818 | H.264 MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 7/2 | Pan Tilt Zoom | Motion | Test by link | v5.8 |
| ADCi350-B111 | V3.1.0.150909 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v5.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|--------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IPE1100M | Refer to IPE3500M(1.6.7) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.17 |
| IPE3100 | Refer to IPE3500M(1.6.7) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.17 |
| IPE3500 | Refer to IPE3500M(1.6.7) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.17 |
| IPE3500M | 1.6.7 | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.14 |
| IPE4100 | 1.6.6 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v1.17 |
| IPE5500 | Refer to IPE3500M(1.6.7) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.17 |
| IPE6500 | Refer to IPE3500M(1.6.7) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.17 |
| IPE7500 | Refer to IPE3500M(1.6.7) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.17 |
| IPN100HD | 1.4.0.11 | H.264 MJPEG | 1 | Camera | 1280x720 | Y/Y | 1/1 | - | Motion | None | v2.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| IPN1202HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPN2102HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPN302HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPN3102HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPN3202HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPN3502HD | 1.4.0.11 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.13 |
| IPN3502HDIR | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPN352HD | 1.10.0.16 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v4.6 |
| IPN6602HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|------------------------------|-------------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IPN6802HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPX3302HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPX3702HD | Refer to IPN3502HD(1.4.0.11) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.13 |
| IPX4202HD | 1.4.1.8 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.13 |
| IPX4602HD | Refer to IPX4202HD(1.4.1.8) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.13 |
| NVC1000 | 1.6.7 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | None | v1.17 |
| NVC4000 | 1.6.7 | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | None | v1.17 |
| NVC4000-R12 | None | H.264 MJPEG MPEG4 | 4 | Video Server | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | Supported by design | v1.14 |
| NVC4000-R40 | None | H.264 MJPEG MPEG4 | 4 | Video Server | 720x576 | Y/Y | 2/2 | Pan Tilt Zoom | - | Supported by design | v1.14 |

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------|--------------------|
| IPC6222ER-X20-B | IPC_HCMN2 103- B0020P30D1 711 | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v18.7 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------|--------------------|
| US-AVC4-2-600NR-I2 | 5.0.2.6495 | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | - | - | None | v1.16 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------|---|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Ctyri Dva Osm | 1023-1007-1016-1003 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.15 |
| Ctyri Nula Nula | 1031-1007-1022-1003 | H.264 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.5 |
| Ctyri Pet Devet | 1023-1007-1016-1003 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | None | v2.15 |
| Ctyri Pet Sedm | Refer to Ctyri Pet Devet(1023-1007-1016-1003) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |
| Devet Tri Jedna | 1052-1028-1038-1008 | H.264 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.8 |
| Pet Ctyri Dva | Refer to Pet Dva(1022-1014-1014-1010) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| Pet Ctyri Dva B | 1067-1026-1035-1014 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.6 |
| Pet Dva Jedna | 1022-1014-1014-1010 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| Pet Nula Nula | Refer to Pet Dva Jedna(1022-1014-1014-1010) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|------------------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Pet Osm Tri | 1067-1026-1035-1014-B3A6 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.6 |
| Pet Pet Dva | 1067-1026-1035-1014 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.6 |
| Pet Sedm Jedna | 1067-1026-1035-1014-A1A1 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v4.6 |
| Pet Sest Jedna | 1067-1026-1035-1014 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | None | v4.6 |
| Pet Sest Pet | 1026-1017-1020-1007 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/1 | Zoom | Motion | None | v3.5 |
| Tri Dva Osm | 1054-1028-1036-1008 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| Tri Jedna Jedna | 1054-1028-1036-1008 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | None | v2.18 |
| Tri Jedna Sedm | Refer to Tri Dva Osm(1054-1028-1036-1008_ | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| Tri Pet Devet | Refer to Tri Pet Sedm(1050-1027-1034-1008) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | Supported by design | v2.15 |



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|---|-------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| Tri Pet Sedm | 1050-1027-1034-1008 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | None | v2.15 |
| Tri Sest Pet | Refer to Tri Jedna Jedna(1054-1028-1036-1008) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | 1/1 | - | Motion | Supported by design | v2.18 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------|--|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| M2TiA | VISION_2014.09.10_v1.1.5.19 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.8 |
| MTi | VISION 1.1.5.10 20140109 | H.264 MJPEG | 1 | Camera | 1280x1024 | N/N | - | - | Motion | None | v3.1 |
| NVS202 | 2014.10.14_v1.1.5.20 | H.264 MJPEG | 1 | Video Server | 960x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.9 |
| VD102i | Refer to M2TiA(VISION 1.1.5.10 20140109) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.1 |
| VD10M2 | Refer to M2TiA(VISION 1.1.5.10 20140109) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.8 |
| VISION M3Ti | VISION 1.1.5.13 20140227 | H.264 MJPEG | 1 | Camera | 2048x1537 | Y/Y | 1/1 | Zoom | Motion | None | v3.2 |
| VISION M3i | 1.1.2.46 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v2.17 |
| VISION Mi | 1.1.2.46 | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v2.17 |
| VISION NVS102 | IP VISION 1.1.0.16 20120316 | H.264 MJPEG | 1 | Video Server | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.1 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|----------------------------|--|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| VISION VDA101SM 2Ti | Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Zoom | Motion | Supported by design | v3.8 |
| VISION VPD101PM 2Ti | Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Zoom | Motion | Supported by design | v3.8 |
| VISION i | IP VISION 1.1.0.16 20120316 | H.264 MJPEG | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | None | v2.1 |
| VN10M2 | Refer to M2TiA(VISION 1.1.5.10 20140109) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.8 |
| VN200i | Refer to M2TiA(VISION 1.1.5.10 20140109) | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.1 |
| VN6XSM2Ti-IR | Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Zoom | Motion | Supported by design | v3.8 |
| VN7XSM2Ti-IR | VISION_2014.09.10_v1.1.5.19 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Zoom | Motion | None | v3.8 |
| VPD202BM 2Ti-IR | 1.5.20 20141113 | H.264 MJPEG | 1 | Video Server | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v3.10 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|--|-------------------|----------|-------------|----------------|--------------|--------|------|--------------|---------------------|--------------------|
| VK2-1080BIR35V16e | Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.4 |
| VK2-1080BIR37e | Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.4 |
| VK2-1080BIR3V9F | 2.0.3-T4_release | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.8 |
| VK2-1080VFD3V9F | 2.2.4-T3_Release | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | 1/0 | Zoom | Motion | None | v3.4 |
| VK2-1080VFDIR37e | Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.4 |
| VK2-1080VRD3V9 | 1.8.8.-T4_Release | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/0 | - | Motion | None | v3.4 |
| VK2-1080VRDIR35V16e | 1.1.8-T8_Release | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.4 |
| VK2-1080VRDIR37e | Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v3.4 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------|--------------------|
| VK2-1080VRDIR 3V9F | 1.7.0-T4_release | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/N | 1/0 | Zoom | Motion | None | v3.1 |
| VK2-1080XVRD PTZ | 1.2.1-X1_release | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | Pan Tilt Zoom | Motion | None | v3.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|--------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| Generic | 0101b | H.264 MPEG4 M-JPEG | 1 | Camera | 2560x1920 | Y/Y | 8/8 | Pan Tilt Zoom | Motion | None | v4.3 |
| AB5353H | Refer to IP8335H(0100h) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 3/1 | - | Motion | Supported by design | v2.16 |
| AF5172 | Refer to FE8172(0100f) | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| AF5172V | Refer to FE8172(0100f) | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| BB5116 | Refer to IP8161(0101b) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v2.4 |
| BB5315 | Refer to IP8332(0101a) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Supported by design | v2.4 |
| BD5115 | Refer to FD8134(0100e) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Supported by design | v2.4 |
| CC8130 | 0100d | H.264 MJPEG | 1 | Camera | 1280x800 | Y/N | - | - | Motion | None | v2.10 |
| FD61x1 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| FD61x2 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| FD7130 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| FD7131 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | N/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| FD7132 | 0100f | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| FD7141 | 0100g | MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| FD7160 | None | MJPEG MPEG4 | 1 | Camera | 1600x1200 | N/Y | - | - | Motion | Supported by design | v1.0 |
| FD8131 | Refer to FD8133(0100e) | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Supported by design | v2.4 |
| FD8131V | 0300d | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Test by link | v2.15 |
| FD8133 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Supported by design | v1.7 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| FD8133V | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Supported by design | v1.0 |
| FD8134 | 0100e | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | None | v1.7 |
| FD8134V | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Supported by design | v1.0 |
| FD8135H | 0202c | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 3/1 | - | Motion | None | v2.20 |
| FD8136 | 0100f | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/N | 1/0 | - | Motion | Test by link | v2.2 |
| FD8137H | 0101a | H.264 MJPEG | 1 | Camera | 1280x800 | Y/N | 1/0 | - | Motion | Test by link | v3.0 |
| FD8137HV | Refer to FD8137H(0101a) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/N | 1/0 | - | Motion | Supported by design | v3.0 |
| FD8138-H | Refer to IB8338-H(0100e) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v4.3 |
| FD8151V | 0100c | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/0 | - | Motion | None | v2.10 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| FD8154 | 0100d | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/N | 1/0 | - | Motion | None | v3.5 |
| FD8155H | Refer to IP816A-HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| FD8161 | 0100e | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v1.1 |
| FD8162 | None | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v1.12 |
| FD8163 | 0101b | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v2.14 |
| FD8164 | 0100d | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | - | Motion | None | v2.20 |
| FD8165H | Refer to IP816A-HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| FD8166 | 0100g | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | - | Motion | Test by link | v2.15 |
| FD8166A | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | - | Motion | Supported by design | v5.11 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------|----------|-------------|----------------|--------------|--------|-----|------------------|---------------------|--------------------|
| FD8167 | 0103a | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v5.3 |
| FD8167A | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Supported by design | v5.11 |
| FD8168 | 0100e | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | - | - | Motion | Test by link | v3.6 |
| FD8169 | 0100f | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v3.11 |
| FD8169A | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v5.11 |
| FD816BA-HF2 | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/1 | - | Motion / Reocord | None | v5.12 |
| FD816BA-HF3 | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD816BA-HT | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD8171 | 0100e | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Test by link | v3.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|-----------------|---------------------|--------------------|
| FD8179-H | 0100e | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/N | - | - | Motion | Test by link | v18.2 |
| FD8181 | Refer to FD8381-EV(0101c) | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v4.3 |
| FD8182-F2 | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD8182-T | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD8335H | 0101a | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 3/1 | - | Motion | Test by link | v2.3 |
| FD8338-HV | Refer to IB8338-H(0100e) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v4.3 |
| FD8355EH V | Refer to IP816A-HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| FD8361 | 0202b | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Test by link | v1.12 |
| FD8361L | Refer to FD8361(0202b) | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|---------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|-----------------|---------------------|--------------------|
| FD8362 | Refer to FD8362E(0102a) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.2 |
| FD8362E | 0102a | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v2.2 |
| FD8363 | 0102a | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.5 |
| FD8365EH V | Refer to IP816A-HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| FD8367 | Refer to Generic(0101b) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.1 |
| FD8367-TV | Refer to Generic(0101b) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.1 |
| FD8367-V | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Supported by design | v5.11 |
| FD8369-V | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Supported by design | v5.11 |
| FD836BA-HT | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------------|-------------------------------|-------------------|----------|-------------|----------------|--------------|--------|-----|-----------------|---------------------|--------------------|
| FD836BA-HTV | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD836BA-HVF2 | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD8371EV | 0100i | H.264 MJPEG MPEG4 | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v3.1 |
| FD8372 | 0100f | H.264 MJPEG MPEG4 | 1 | Camera | 2560x1920 | Y/Y | 3/1 | - | Motion | Test by link | v2.3 |
| FD8379-HV | Refer to FD8179-H (FW: 0100e) | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/N | - | - | Motion Record | Supported by design | v18.2 |
| FD8381-EV | 0101c | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | None | v4.3 |
| FD8382-ETV | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD8382-EVF2 | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD8382-TV | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|-------------------------------|-------------------|----------|----------------|----------------|--------------|--------|------|-----------------|---------------------|--------------------|
| FD8382-VF2 | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| FD9167-H | Certified by IB9367-HT(0100g) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| FD9167-HT | Certified by IB9367-HT(0100g) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| FD9367-EHTV | Certified by IB9367-HT(0100g) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| FD9367-HTV | Certified by IB9367-HT(0100g) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| FD9367-HV | Certified by IB9367-HT(0100g) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| FD9381-EHTV | 0104I | H.265 H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | Zoom | Motion | None | v18.9 |
| FE8171V | 0100d | H.264 MJPEG | 1 | Camera | 1536x1536 | Y/Y | 1/1 | - | Motion | Test by link | v1.13 |
| FE8172 | 0100f | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | None | v2.5 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|-------------------------|-------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| FE8172V | Refer to FE8172(0100f) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| FE8173 | 0100c | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1536x1536 | Y/Y | 1/1 | - | Motion | Test by link | v2.15 |
| FE8174 | 0100e | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.1 |
| FE8174V | Refer to FE8174 (0100e) | H.264 MJPEG MPEG4 | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v3.1 |
| FE8180 | 0100f | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v4.9 |
| FE8181 | v0200b | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | None | v4.0 |
| FE8391-V | 0100f | H.264 MJPEG | 1 | Camera | 2944x2944 | Y/Y | 1/1 | - | Motion | None | v4.9 |
| FE9382-EHV | 0101a | H264 H265 MJPEG | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | None | v5.15 |
| IB8338-H | 0100e | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v4.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|-----------------|---------------------|--------------------|
| IB8364 | 0101a | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Test by link | v3.0 |
| IB8367-RT | 0100f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v4.5 |
| IB8367A | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Supported by design | v5.11 |
| IB8369 | 0100f | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Test by link | v3.11 |
| IB8369A | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | Supported by design | v5.11 |
| IB836BA-HF3 | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| IB836BA-HT | 0103f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| IB8381 | Refer to FD8381-EV(0101c) | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v4.3 |
| IB8382-EF3 | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------|-------------------|----------|-------------|----------------|--------------|--------|------|-----------------|---------------------|--------------------|
| IB8382-ET | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| IB8382-F3 | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| IB8382-RF3 | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| IB8382-RT | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| IB8382-T | 0103f | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion / Record | Supported by design | v5.12 |
| IB9367-EHT | Certified by IB9367-HT(0100g) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| IB9367-H | Certified by IB9367-HT(0100g) | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Zoom | Motion | Supported by design | v18.9 |
| IB9367-HT | 0100g | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Test by link | v18.9 |
| IP21x1 | None | MJPEG | 1 | Camera | 720x576 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| IP21x2 | None | MJPEG | 1 | Camera | 720x576 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP3132 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP3133 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP3135 | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| IP3135-PLNX | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/2 | - | Motion | Supported by design | v1.0 |
| IP3136 | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| IP3136-PLNX | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/2 | - | Motion | Supported by design | v1.0 |
| IP3137 | None | H.263 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| IP31x1 | 0201b | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| IP31x1-TLFN | None | MPEG4 | 1 | Camera | 720x576 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP31x2 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP31x7 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP51x2 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP51x4 | None | MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP6114 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP6124 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP61x2 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP61x4 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| IP61x7 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP7130 | 0100c | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| IP7131 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP7132 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| IP7133 | 0100b | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| IP7134 | 0100b | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| IP7135 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| IP7137 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| IP7138 | 0101h | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|----------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| IP7139 | None | MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP7142 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP7151 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP7152 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP7153 | 0100g | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| IP7154 | 0100b | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| IP7160 | 0101b | MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| IP7161 | None | MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP71x7 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| IP7251 | 0100f | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| IP7330 | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/0 | - | Motion | Supported by design | v1.0 |
| IP7361 | None | MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| IP8130 | 0100e | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Test by link | v2.17 |
| IP8130W | Refer to IP8130(0100e) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.17 |
| IP8131 | Refer to IP8131W(0100e) | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Supported by design | v2.17 |
| IP8131W | 0100e | H.264 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/0 | - | Motion | Test by link | v2.17 |
| IP8132 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Supported by design | v1.7 |
| IP8133W | 0100c | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | Test by link | v1.16 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| IP8151 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.7 |
| IP8152 | 0100e | H.264 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/0 | Pan Tilt Zoom | Motion | None | v2.13 |
| IP8155HP | Refer to IP816A- HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| IP8161 | 0101b | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.1 |
| IP8162 | 0100f | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v1.10 |
| IP8162P | 0100f | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v1.10 |
| IP8165HP | Refer to IP816A- HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| IP8166 | 0200e | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/0 | - | Motion | Supported by design | v5.11 |
| IP816A-HP | 0100f | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | None | v4.3 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| IP8172 | 0100a0 | H.264 MPEG4 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Test by link | v2.8 |
| IP8173H | 0100i | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/0 | Pan Tilt Zoom | Motion | Test by link | v2.19 |
| IP8330 | 0100e | H.264 MPEG4 MJPEG | 1 | Camera | 640x480 | N/N | 1/0 | - | Motion | None | v1.7 |
| IP8331 | 0100c | H.264 MPEG4 MJPEG | 1 | Camera | 640x480 | N/N | 1/0 | - | Motion | None | v1.16 |
| IP8332 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Supported by design | v1.7 |
| IP8335H | 0100h | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 3/1 | - | Motion | Test by link | v2.0 |
| IP8336W | 0102b | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/N | 1/0 | - | Motion | Test by link | v2.19 |
| IP8337H | 0100b | H.264 MJPEG | 1 | Camera | 1280x800 | N/N | 1/0 | - | Motion | Test by link | v2.19 |
| IP8352 | 0100g | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.14 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| IP8355EH | Refer to IP816A-HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| IP8361 | 0100c | H.264 MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/1 | - | Motion | Test by link | v2.3 |
| IP8362 | 0100d | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.2 |
| IP8364 | 0101a | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | 1/0 | - | Motion | None | v3.0 |
| IP8365EH | Refer to IP816A-HP(0100f) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/1 | Pan Tilt Zoom | Motion | Supported by design | v4.3 |
| IP8371E | 0100g | H.264 MPEG4 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | Test by link | v2.18 |
| IP8372 | 0100e | H.264 MPEG4 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/1 | - | Motion | None | v2.10 |
| I27151 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| MA8391-ETV | 0100f1 | H.264 MJPEG | 4 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v18.8 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|-------------------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| MD7530 | 0100d | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/0 | - | Motion | None | v1.11 |
| MD7560 | 0100c | MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/0 | - | Motion | Test by link | v1.10 |
| MD7560X | Refer to MD7560(0100c) | MJPEG MPEG4 | 1 | Camera | 1600x1200 | Y/Y | 1/0 | - | Motion | Supported by design | v1.17 |
| MD8531H | 0100h | H.264 MPEG4 MJPEG | 1 | Camera | 1280x960 | Y/Y | 1/1 | - | Motion | Test by link | v3.4 |
| MD8562 | 0100c | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/N | 1/0 | - | Motion | None | v1.16 |
| MS8391-EV | 0100e | H.264 MJPEG | 1 | Camera | 7552x1416 | Y/Y | 1/1 | - | Motion | Test by link | v4.10 |
| PD8136 | 0100e | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/N | - | Pan Tilt | Motion | Test by link | v2.12 |
| PT3134 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt | Motion | Supported by design | v1.0 |
| PT31x2 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| PT31x3 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt | Motion | Supported by design | v1.0 |
| PT31x4 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt | Motion | Supported by design | v1.0 |
| PT31x7 | None | H.263 | 1 | Camera | 720x576 | Y/N | 1/1 | Pan Tilt | Motion | Supported by design | v1.0 |
| PT7000 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | Pan Tilt | Motion | Supported by design | v1.0 |
| PT7135 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | Pan Tilt | Motion | Supported by design | v1.0 |
| PT7137 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | Pan Tilt | Motion | Supported by design | v1.0 |
| PT8133 | 0100g | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | Y/N | - | Pan Tilt | Motion | Test by link | v2.2 |
| PZ61x2 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| PZ61x4 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| PZ7131 | 0100b | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| PZ7132 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.7 |
| PZ7151 | 0101b | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| PZ7152 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| PZ71X1 | None | MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| PZ71X2 | None | MJPEG MPEG4 | 1 | Camera | 704x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| PZ81X1 | None | H.264 MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.14 |
| PZ81X1W | 0100e | H.264 MJPEG MPEG4 | 1 | Camera | 720x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Test by link | v1.14 |
| SD61x2 | None | MJPEG MPEG4 | 1 | Camera | 720x576 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| SD7151 | 0301b | H.264 MPEG4 MJPEG | 1 | Camera | 640x480 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | None | v1.18 |
| SD81X1 | 0100g | H.264 MPEG4 MJPEG | 1 | Camera | 720x576 | Y/Y | 4/1 | Pan Tilt Zoom | Motion | Test by link | v2.1 |
| SD8362E | 0104a | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/2 | Pan Tilt Zoom | Motion | Test by link | v2.1 |
| SD8363E | 0202b | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v3.4 |
| SD8364E | 0200d | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v3.6 |
| SD83X1 | 0100e | H.264 MPEG4 MJPEG | 1 | Camera | 720x480 | Y/Y | 3/2 | Pan Tilt Zoom | Motion | Test by link | v1.15 |
| SD83X2 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 3/2 | Pan Tilt Zoom | Motion | Supported by design | v1.15 |
| SD83X3 | 0102d | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 3/2 | Pan Tilt Zoom | Motion | Test by link | v2.1 |
| SD83x4 | Refer to SD83x6(020 0c) | H.264 MPEG4 MJPEG | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Supported by design | v2.20 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|------------------------|-------------------------|----------|----------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| SD83x6 | 0200c | H.264 MPEG4 MJPEG | 1 | Camera | 720x576 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | None | v2.20 |
| SD9361-EHL | 0102e | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v.5.15 |
| SD9364-EHL | 0100h_15 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 4/2 | Pan Tilt Zoom | Motion | Test by link | v4.12 |
| SF8172 | 0100d | H.264 MPEG4 MJPEG | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | None | v2.16 |
| SF8172V | Refer to SF8172(0100f) | H.264 MPEG4 MJPEG | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | Supported by design | v2.16 |
| SF8174 | 0100c | H.264 MPEG4 MJPEG | 1 | Fisheye Camera | 1920x1920 | Y/Y | 1/1 | - | Motion | Test by link | v3.4 |
| TC5330 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| TC5331 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| TC5630 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|--------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| TC5631 | None | MPEG4 | 1 | Camera | 720x576 | Y/N | - | - | Motion | Supported by design | v1.0 |
| VS2101 | None | MJPEG | 1 | Video Server | 720x576 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| VS2401 | None | MJPEG | 4 | Video Server | 720x576 | N/N | 4/2 | - | Motion | Supported by design | v1.0 |
| VS2402 | None | MJPEG | 4 | Video Server | 720x576 | N/N | 4/2 | - | Motion | Supported by design | v1.0 |
| VS2403 | 0103b | MJPEG | 4 | Video Server | 720x576 | N/N | 4/4 | Pan Tilt Zoom | Motion | None | v1.0 |
| VS3100 | None | H.263 | 1 | Video Server | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| VS3101 | None | H.263 | 1 | Camera | 720x576 | N/N | 1/1 | - | Motion | Supported by design | v1.0 |
| VS3102 | None | H.263 | 1 | Video Server | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |
| VS3102-XLTH | None | H.263 | 1 | Video Server | 720x576 | Y/N | 1/1 | - | Motion | Supported by design | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|-----------------|-------------------------|----------|--------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| VS7100 | 0101e | MJPEG MPEG4 | 1 | Video Server | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| VS8100 | 0100g | H.264 MJPEG | 1 | Video Server | 720x576 | Y/N | - | Pan Tilt Zoom | Motion | None | v3.1 |
| VS8102 | 0200c | H.264 MPEG4 MJPEG | 1 | Video Server | 720x576 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.13 |
| VS8401 | None | H.264 MPEG4 MJPEG | 4 | Video Server | 720x576 | Y/Y | 4/4 | Pan Tilt Zoom | Motion | Supported by design | v1.15 |
| VS8801 | 0202a3 | H.264 MPEG4 MJPEG | 8 | Video Server | 720x576 | Y/Y | 8/8 | Pan Tilt Zoom | Motion | None | v3.4 |



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-----------------------------|--|----------------|----------|-------------|----------------|--------------|--------|------|--------------|---------|--------------------|
| MPIX-21DF | 2.420.WT00. 0.T, build: 2014-06-19 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v3.13 |
| MPIX-30- VDV-IRM | 2.420.WT00. 0.T | H.264 MJPEG | 1 | Camera | 2048x1536 | N/N | 1/1 | Zoom | Motion | None | v3.11 |
| MPIX- 50BIMR | 2.210.WT00. 0.R | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/1 | Zoom | Motion | None | v3.11 |



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-----------------|--------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|--------------|--------------------|
| WK-SD6000HD | v1.4.1.8 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | - | Pan Tilt Zoom | Motion | Test by link | v3.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| YUC-H626A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-H7926A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-H7926AM | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-H7A26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-H7A82 | VH1.0.0.3_Y | H.264 MJPEG | 1 | Camera | 2688x1520 | Y/Y | 1/1 | - | Motion | None | v4.8 |
| YUC-H7A855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.8 |
| YUC-HB26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HB855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HC26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| YUC-HC855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HD26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HD855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HH26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HH855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HK26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HK855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HL26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HL26AM | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------------|------------------------------------|--------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| YUC-HMi855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HNi855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HQ26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HQ855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HS26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HS855 | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-HV26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-Hi26A | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |
| YUC-Hi26AM | Refer to YUC-H7A26A(VE1.0.20.10_Y) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v4.10 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| Generic | Tested by P6210(2.1.5.20) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Montion | None | v3.11 |
| Note: | 1. It may fail to set Profile 2 to 1920x1080 or 1280x720. (Camera Firmware issue) 2. Not support to set profile 3 to 1920x1080 or 1280x720; while the setting is supported in camera web. (Camera Firmware issue) | | | | | | | | | | |
| B5010 | None | H.264 MPEG4 MJPEG | 1 | Camera | 640x480 | N/N | - | - | Motion | Supported by design | v2.10 |
| B5110 | None | H.264 MPEG4 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| B5111 | M2.1.6.02C045 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | N/N | - | - | Motion | None | v4.9 |
| B5210 | M2.1.6.05 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v4.10 |
| B6110 | MG.0.6.01_C1 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|-------------------------|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| B6210 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v4.0 |
| B6220 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | - | Motion | None | v4.12 |
| B6320 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2048x1536 | N/N | - | - | Motion | None | v4.10 |
| B6330 | Refer to B8520(01_C028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.0 |
| B6520 | 01_C018 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | N/N | - | - | Motion | Test by link | v4.10 |
| B6530 | Refer to B8520(01_C028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.0 |
| B7210 | M2.1.6.04 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | - | Montion | None | v3.12 |
| B7320 | M3.1.5.17 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 2/2 | - | Montion | None | v2.18 |
| B7510 | M3.1.5.19 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | - | Montion | None | v3.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------------|------------------------|--------------------|
| B8210 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion | None | v3.11 |
| B8220 | 01_C030 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion | None | v5.6 |
| B8520 | 01_C028 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v4.5 |
| CB3210 | Refer to B8220(01_C 030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v5.10 |
| CB3211 | Refer to B8220(01_C 030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion / Record | Supported by design | v5.10 |
| CB5220 | Refer to B8220(01_C 030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion / Record | Supported by design | v5.10 |
| CB6230 | Refer to B8220(01_C 030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.7 |
| CB6330 | Refer to B8520(01_C 028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.9 |
| CD3210 | Refer to B8220(01_C 030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | Supported by design | v5.10 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|---------------|-------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------------|---------------------|--------------------|
| CD3211 | Refer to B8220(01_C030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion / Record | Supported by design | v5.10 |
| CD5220 | Refer to B8220(01_C030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion / Record | Supported by design | v5.10 |
| CD6230 | Refer to B8220(01_C030) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.7 |
| CD6330 | Refer to B8520(01_C028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.9 |
| D3100 | M2.1.6.02.0830 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x800 | N/N | 1/1 | - | Motion | None | v2.10 |
| D3200 | M2.1.6.02C066 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.10 |
| D4210 | M2.1.5.11 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.10 |
| D4211 | 03_C011 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v5.4 |
| D4220 | 01_C043 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v18.2 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|----------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| D4320 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v4.8 |
| D4520 | 01_C017 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | None | v4.9 |
| D510E | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| D5110 | None | H.264 MPEG4 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.15 |
| D5111 | None | H.264 MPEG4 MJPEG | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.15 |
| D5112 | Refer to D5113(M2.1 .6.01) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | Supported by design | v2.10 |
| D5113 | M2.1.6.01 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | None | v2.6 |
| D520E | LM.1.6.16.0 3 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| D5210 | M2.1.6.04 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | N/N | 1/1 | - | Motion | None | v3.6 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| D610A | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| D6111 | MG.0.6.01_C 1 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| D611E | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| D6210 | 03_C002 | H.264 MJPEG | 1 | Camera | 1920x1080 | N/N | - | - | Motion | None | v4.0 |
| D6220 | Refer to B6220(03_C 002) | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | - | Montion | Supported by design | v4.12 |
| D6320 | 01_C013 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | N/N | - | - | Montion | None | v4.2 |
| D6330 | Refer to B8520(01_C 028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.0 |
| D6520 | Refer to B6520(01_C 020) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | N/N | - | - | Motion | Supported by design | v4.10 |
| D6530 | Refer to B8520(01_C 028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|------------------------|--------------------|
| D7110 | MG.1.6.03P7_app7 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | N/N | 1/1 | Pan Tilt | Motion | Test by link | v2.0 |
| D7111 | M2.0.3.3.6 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x720 | N/N | 1/1 | - | Motion | None | v2.5 |
| D7210 | Refer to D3200(M2.1 .6.02C066) | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v2.12 |
| D7320 | M3.1.5.21 | H.264 MJPEG | 1 | Camera | 2048x1536 | Y/Y | 1/1 | - | Motion | None | v3.2 |
| D7510 | M3.04.15.C0 1 | H.264 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | None | v2.15 |
| D8210 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion | None | v3.11 |
| D8220 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Montion | None | v4.2 |
| D8520 | Refer to B8520(01_C 028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v4.6 |
| F1100 | Refer to F1105(BP.1. 6.01) | MJPEG | 1 | Camera | 1280x720 | Y/N | - | - | Motion | Supported by design | v1.15 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| F1105 | BP 1.6.01 | MJPEG | 1 | Camera | 1280x720 | Y/N | - | - | Motion | None | v2.6 |
| F210A | LM.1.6.18P9_testport2 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | None | v1.0 |
| F3000 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v2.5 |
| F3005 | None | H.264 MJPEG MPEG4 | 1 | Camera | 640x480 | Y/N | 1/1 | - | Motion | Supported by design | v2.5 |
| F3101 | Refer to F3106(MG.1.6.03P7_exhibit2) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v2.0 |
| F3102 | Refer to F3110(M2.1.6.02C045) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.11 |
| F3105 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| F3106 | MG.1.6.03P7_exhibit2 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x1024 | Y/Y | - | - | Motion | Test by link | v2.0 |
| F3107 | M2.1.6.05 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v4.3 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|-------------------------------|-------------------------|----------|-------------|----------------|--------------|--------|----------|--------------|---------------------|--------------------|
| F3110 | M2.1.6.02C045 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.10 |
| F3115 | Refer to F3110(M2.1.6.02C045) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/Y | 1/1 | - | Motion | None | v2.11 |
| F312A | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| F3201 | Refer to F3206(M2.1.6.01C2) | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt | Motion | Supported by design | v2.0 |
| F3206 | M2.1.6.01C2 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt | Motion | Test by link | v2.0 |
| F3210 | M2.1.6.03C019 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v2.14 |
| F3215 | M2.1.6.05C016 | H.264 MPEG4 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | None | v3.8 |
| F4215 | Refer to D4211(03_C011) | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | - | Motion | Supported by design | v5.4 |
| F5100 | MG.0.5.0.1 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | None | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--------------------|-------------------------|----------|-------------|----------------|--------------|--------|-----|--------------|---------------------|--------------------|
| F5105 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F510E | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F510W | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F5110 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F5115 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F511E | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F511W | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F520E | LM.1.6.16.0 3P2 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |
| F521E | LM.1.6.16.0 3 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|--|-------------------|----------|-------------|----------------|--------------|--------|---------------|--------------|---------------------|--------------------|
| F531E | Refer to F210A(LM.1.6.18P9_test port2) | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | Pan Tilt Zoom | Motion | Supported by design | v2.0 |
| F610A | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| F611E | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | Supported by design | v1.0 |
| F7110 | MG.1.6.02C9 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v1.15 |
| F7115 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.15 |
| F7210 | M2.1.6.04 | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | None | v3.13 |
| F721A | None | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | - | - | Motion | Supported by design | v1.0 |
| F7220 | Refer to B8520(01_C 028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.0 |
| F731E | LM.1.6.16.03 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | - | Motion | None | v1.0 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|--------------|-------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| F7320 | Refer to B8520(01_C028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.0 |
| F7520 | Refer to B8520(01_C028) | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v5.0 |
| M510E | LM.1.6.16.03 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| M510W | LM.1.6.16.03P2 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| M511E | LM.1.6.16.03P2 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| M511W | LM.1.6.16.03 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |
| P4320 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2048x1520 | Y/Y | 1/1 | Pan Tilt Zoom | Montion | None | v4.7 |
| P4520 | 01_C020 | H.264 H.265 MJPEG | 1 | Camera | 2560x1920 | Y/Y | 1/1 | - | Motion | Test by link | v4.6 |
| P5110 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | Supported by design | v1.9 |



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

| Device Name | Tested Firmware | Video Format | Video Ch | Device Type | Max Resolution | Audio-in/out | I/O Ch | PTZ | Edge Feature | Remarks | DevicePack Version |
|-------------|---------------------------|-------------------------|----------|-------------|----------------|--------------|--------|---------------------|--------------|---------------------|--------------------|
| P5111 | Refer to P5116(M2.1.6.02) | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/N | 1/1 | Pan Tilt | Montion | Supported by design | v2.15 |
| P5115 | G.0.6.01_C1 | H.264 MJPEG MPEG4 | 1 | Camera | 1280x1024 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.9 |
| P5116 | M2.1.6.02 | H.264 MPEG4 MJPEG | 1 | Camera | 1280x800 | Y/N | 1/1 | Pan Tilt | Montion | None | v2.15 |
| P5210 | None | H.264 MJPEG MPEG4 | 1 | Camera | 1920x1080 | Y/Y | 2/2 | Pan Tilt Zoom | Motion | Supported by design | v1.0 |
| P6210 | M2.1.5.11 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | V3.9 |
| P6211 | 02_C022 | H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | V3.9 |
| P8220 | 01_C034 | H.265 H.264 MJPEG | 1 | Camera | 1920x1080 | Y/Y | 2/1 | Pan Tilt Zoom | Motion | Test by link | v5.12 |
| V1100 | M2.1.6.03 | H.264 MJPEG MPEG4 | 1 | Camera | 704x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v2.19 |
| V111T | LM.1.6.16.03 | MJPEG MPEG4 | 1 | Camera | 640x480 | Y/Y | 1/1 | Pan Tilt Zoom | Motion | None | v1.0 |